LEXIA PRESSURE BALANCE SHOWER SYSTEM

SKU: 953771

Code: SHLE8020G, SH4001, SH488928



ASME A112.18.1/CSA B125.1 ASSE 1016 Type P CEC Listed WaterSense by IAPMO Massachusetts Accepted





FEATURES

Features: Pressure-Balanced; Rough-In Included

Design: Modern Material: Metal

Assembly Required: Yes Handle Type: Lever

Shower Head Installation Type: Wall

Number of Shower Heads: 1 Shower Head Diameter: 7-7/8" Shower Head Material: ABS Shower Head Spray: Rainfall Shower Arm Included: Yes Shower Arm Extension: 12-3/8" Shower Arm Height: 5-3/8" Shower Head IPS: 1/2" Shower Head Swivel: Yes Valve Trim Diameter: 6-11/16"

Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Handle Material: Metal

LEXIA PRESSURE BALANCE SHOWER SYSTEM


SKU: 953771

Code: SHLE8020G, SH4001, SH488928




ADDITIONAL FEATURES

- Pressure balance valve with integral stops.
- One-piece cartridge design for ease of maintenance.
- Back-to-back capability.
- Ceramic disc valve cartridge.
- Cast bronze valve body.
- Adjustable temperature limit stop.
- Quick remove plaster guard.
- Easy mounting brackets.





LEXIA PRESSURE BALANCE SHOWER TRIM



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.


LEXIA PRESSURE BALANCE ROUGH-IN VALVE





All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.

LEXIA SHOWER HEAD AND ARM



All dimensions and specifications are nominal and may vary. Use actual products for accuracy in critical situations.