### BEASLEY PRESSURE BALANCE SHOWER SYSTEM WITH SLIDE BAR AND HAND SHOWER

SKU: 953958

Code: SHBE80102, SH4001, SHRSA123, SHRSB820RG, SHHS4090G, SHH1010, SHWE2040, SHSB3010, SHBE90052, SH6103



ASME A112.18.1/CSA B125.1
ASSE 1016 Type P
CEC Listed
WaterSense by IAPMO
Massachusetts Accepted

LISTED ID: SH4001, SH6103, SHWE204\*, SHH1010\*, SHRSB820RG\*, SHRSA123\*\*, SHBE80102\*,

SHBE90052\*, SHHS4090G\*





#### **FEATURES**

Installation Type: Wall Mount

Features: Pressure-Balanced, Rough-In Included

Design: Modern Material: Metal,ABS

Mounting Hardware Included: Yes

Assembly Required: Yes

Shape: Round Handle Type: Lever NPT Connection: 1/2" Body Sprays: No

Shower Head Installation Type: Wall

Number of Shower Heads: 1

Shower Head Spray: Single Function

Shower Head Length: 8"
Shower Head Width: 8"
Shower Arm Included: Yes
Shower Arm Extension: 12-3/8"
Shower Arm Height: 5-3/8"
Shower Head: 1/2" NPSM
Shower Head Swivel: Yes
Valve Trim Width: 7-1/4"
Valve Trim Height: 7-1/4"

Hand Shower Length: 9-1/8" Hand Shower Hose Length: 60" Hand Shower Material: ABS

Hand Shower Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Diverter Included: Yes Diverter Outlets: 1

Slide Bar Length: 30"

Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Rainfall Shower Head Flow Rate: 1.8 gpm (6.8 L/min) @ 80 psi

Ceramic Disc Cartridges: Yes

### BEASLEY PRESSURE BALANCE SHOWER SYSTEM WITH SLIDE BAR AND HAND SHOWER

SKU: 953958

Code: SHBE80102, SH4001, SHRSA123, SHRSB820RG, SHHS4090G, SHH1010, SHWE2040, SHSB3010, SHBE90052, SH6103



#### ADDITIONAL FEATURES

Pressure Balance Shower Valve Trim:

Metal lever handle.

Pressure Balance Tub & Shower Rough-In Valve:

- Pressure balance valve with integral stops.
- Ceramic disc valve cartridge.
- Cast bronze valve body.

12" Wall-Mount Rainfall Shower Arm

- Solid brass construction.
- Escutcheon included.

8" Modern Round Rainfall Shower Head - 1.8 GPM:

- Single function shower head (full spray).
- Brass ball joint.

Hand Shower:

- 3 function hand shower (full spray, massage spray, full & massage spray).
- Easy-clean spray nozzles.
- Factory installed backflow prevention check valve.

60" Stretchable Metal Hand Shower Hose:

• Double spiral constructed hose.

Swivel Water Supply Elbow and Bracket for Hand Shower:

- 1/2" Female wall connection.
- 1/2" Male hose connection.
- Brass inlet/outlet, ABS body.

30" Traditional Slide Bar for Hand Shower:

- Metal bar and mounting posts.
- Adjustable angle for hand shower mount.

In-Wall Shower Diverter Trim:

- Metal handle.
- Metal Escutcheon.


3-Way In-Wall Diverter Rough-In Valve - 3/4":

• For installations only requiring 2 outlets, the 3rd outlet may be looped into one of the existing pipes.

REVISED 1/15/2024


## BEASLEY PRESSURE BALANCE SHOWER VALVE TRIM


CODE: SHBE80102



# PRESSURE BALANCE TUB AND SHOWER ROUGH-IN VALVE


CODE: SH4001






### **BEASLEY WALL-MOUNT SHOWER ARM**


CODE: SHRSA123



#### BEASLEY RAINFALL SHOWER HEAD


CODE: SHRSB820RG






### **BEASLEY HAND SHOWER**


CODE: SHHS4090G



#### **BEASLEY HAND SHOWER HOSE**


CODE: SHH1010






### **BEASLEY WATER SUPPLY ELBOW**


CODE: SHWE2040






# BEASLEY OPTIONAL 3-WAY IN-WALL DIVERTER ROUGH-IN VALVE


CODE: SH6103





#### BEASLEY 3-WAY IN-WALL DIVERTER VALVE TRIM

CODE: SHBE90052



# 30" TRADITIONAL SLIDE BAR FOR HAND SHOWER

CODE: SHSB3010

