

#### Model

# WETS 2020.1201-1.28 SOLIS

Solar-Powered HET Flushometer and ADA Compliant HET Water Closet



## DESCRIPTION

Complete HET system with solar-powered, sensor activated Solis® Flushometer and vitreous china ADA compliant fixture.

#### Flush Cycle

Model WETS 2020.1201-1.28 SOLIS (1.28 gpf/4.8 Lpf)



Meets the American Disabilities Guidelines and ANSI A117.1 requirements when installed according to these requirements.



Plumbing System Requirements

- Minimum Flowing Pressure: 25 PSI

## **SPECIFICATIONS**

Quiet, exposed, diaphragm type, chrome plated closet HET Flushometer and HET vitreous china floor mount ADA compliant fixture with the following features:

#### Flushometer

- PERMEX® Synthetic Rubber Diaphragm with Dual Filtered Fixed Bypass
- · Flex Tube Diaphragm designed for improved life and reduced maintenance
- ADA Compliant Sloan SOLIS® Solar-Powered Infrared Sensor for automatic "No Hands" operation
- Infrared Sensor with Multiple-focused, Lobular Sensing Fields for high and low target detection
- Latching Solenoid Operator
- Engineered Metal Cover with replaceable Lens Window
- Courtesv Flush<sup>™</sup> Override Button
- Sensor assembly powered by a solar cell that will harvest power from artificial indoor light, either incandescent or fluorescent light, providing approximately 100% power with 650 illuminance (lux).
- Four (4) Size AA Battery back-up power source
- "Low Battery" Flashing LED
- Infrared Sensor Range Adjustment Screw
- Initial Set-up Range Indicator Light (first 10 minutes)
- 1" I.P.S. Screwdriver Bak-Chek® Angle Stop
- High Back Pressure Vacuum Breaker Flush Connection with One-piece Bottom Hex Coupling Nut
- Spud Coupling and Flange for 1 1/2" Top Spud
- Sweat Solder Adapter w/Cover Tube and Cast Wall Flange w/Set Screw
- · High copper, low zinc brass castings for dezincification resistance
- · Fixed Metering Bypass and no external volume adjustment to ensure water conservation
- Flush Accuracy Controlled by CID® Technology
- Diaphragm, Stop Seat and Vacuum Breaker to be molded from PERMEX® rubber compound for chloramine resistance
- Valve Body, Cover, Tailpiece and Control Stop shall be in conformance with ASTM Alloy Classification for Semi-Red Brass. Valve shall be in compliance to the applicable sections of ASSE 1037.

# **SPECIFICATIONS** (CONTINUED)

#### Fixture

- ADA compliant
- · Floor mounted vitreous china
- 1 1/2" I.P.S. top spud inlet
- 2 1/8" trapway diameter
- Integral flushing rim
- · Elongated bowl with siphon jet flush
- · Closet bolts and caps included
- 100 % factory flush tested
- Toilet seat not included Compatible with toilet seat models: Olsonite 10CT, Bemis 1955CT & Church Commercial 295CT
- Water closet shall be in compliance to the applicable sections of ASME A112.19.2/CSA B45.1
- · Compliant with Buy American Act when purchased as a combination

#### **FEATURES**

#### Automatic

Sloan SOLIS® solar-powered Flushometers activate via multi-lobular sensor detection to provide the ultimate in sanitary protection and automatic operation. A solarpowered infrared sensor sets the flushing mechanism after the user is detected and completes the flush when the user steps away.

## Functional & Hygienic

Touchless, sensor operation eliminates the need for user contact to help control the spread of infectious diseases. The Sloan SOLIS® Flushometer is provided with an Override Button to allow a "courtesy flush" for individual user comfort.

### Economical

Solar power with back-up batteries provide years of metered flushing to control the use of water and energy. Batteries can be changed without turning off the water.

## Warranty

3 year (limited)





Sloan Valve Company 10500 Seymour Avenue, Franklin Park, IL 60131

Phone: 1-800-9-VALVE-9 (982-5839) or 1-847-671-4300

Fax: 1-800-447-8329 or 1-847-671-4380 www.sloanvalve.com

Copyright © 2010 Sloan Valve Company Rev. 0b (10/10)

ivililimum riow hate. To drivi	
This space for Architect/Engineer approval	
Job Name	Date
Model Specified	Quantity
Variations Specified	
Customer/Wholesaler	
Contractor	
Architect	
The information contained in this decument is subject to change without notice	



#### Model

# WETS 2020.1201-1.28 SOLIS

Solar-Powered HET Flushometer and ADA Compliant HET Water Closet



## DESCRIPTION

Complete HET system with solar-powered, sensor activated Solis® Flushometer and vitreous china ADA compliant fixture.

#### Flush Cycle

Model WETS 2020.1201-1.28 SOLIS (1.28 gpf/4.8 Lpf)

## **ELECTRICAL SPECIFICATIONS**

· Control Circuit Solid State

6 VDC Input

8 Second Arming Delay 72 hour Sentinel Flush

• Sloan SOLIS Flush Sensor Type Active Infrared

· Sloan SOLIS Flush Sensor Range

Nominal 22" - 42" (559 mm - 1067 mm), Adjustable ± 8" (203 mm)

- · Battery Back-up Type (4) AA Alkaline
- · Battery Life 6 Years @ 4,000 flushes/month
- Indicator Lights Range adjustment/low battery
- · Operating Pressure 15 - 100 psi (104 - 689 kPa)
- Sentinel Flush Once every 72 Hours after the last flush

**OPERATION** 



1. A continuous, invisible light beam is emitted from the Sloan SOLIS® Flush Sensor.



2. As the user enters the beam's effective range, 22 to 42 inches (559 mm to 1067 mm), the beam is reflected into the Scanner Window to activate the Output Circuit. Once activated. the Output Circuit continues in a "hold" mode for as long as the user remains within the effective range of the sensor. If the user stays longer than 65 seconds, a full flush will automatically initiate when the user leaves.



3. When the user steps away from the Sloan SOLIS® Sensor, the circuit waits 3 seconds (to prevent false flushing) then initiates an electrical signal that operates the Solenoid. This initiates the flushing cycle to flush the fixture. The Circuit then automatically resets and is ready for the next user.

## DIMENSIONS/ROUGH-IN

