

CODE NUMBER

3346098

DESCRIPTION

Polished Chrome Finish, Sloan® Deck-Mounted Foam Soap Dispenser.

DETAILS

- Finish: Polished Chrome (CP)
- Power Type: Battery
- Height: 157/1000" (4mm)
- Width: 91/1000" (2mm)
- Depth: 57/250" (6mm)
- Sensor Type: IR

FEATURES

Sensor Activated, Electronic, Chrome Plated Die Cast Body, Hand Washing Foam Soap Dispenser with the following features:

- Modular one-piece construction easily attaches to deck surface
- All electronics in spout are sealed
- Designed for drip free foam dispensing operation
- Motor Assembly suspended under counter connected to soap dispenser spout
- Motor Assembly rotates 360 degrees for easy installation
- Battery life of 45,000 activations
- 1,500 dispenses per foam soap bottle
- Ships with 2 bottles of non-scented, non-colored foam soap (1500ml per bottle)
- Additional foam soap can be purchased through Sloan (ESD-321) or GOJO distribution (8565-02-N6300GN)
- Ships with battery pack (4 "D" Alkaline batteries included)
- Sensor range - nominal 5"
- GFI outlet suggested per code
- 120V/15 Amp
- Optional AC adaptor can be purchased separately (part number 0346090)
- Select the ESD-2101 to combine ESD-2100 soap dispenser, 2 bottles of soap and the SF-2150-4 faucet

SOAP REFILLS

- ESD-321 (1500mL)

**RECOMMENDED SPECIFICATION**

Sloan Foam Soap Dispenser model number ESD-2100. Chrome Plated Dispenser. Supplied with 2 bottles of 1500ml soap.


DOWNLOADS

- [ESD Series Installation Instructions](#)
- [Additional Downloads](#)





NOTES

All information contained within this document subject to change without notice.

ROUGH-IN



MATCHING FAUCETS

	Name	Description	
	SF-2100	Sloan® Hardwired-Powered Deck-Mounted Low Body Faucet	View more info
	SF-2150	Sloan® Battery-Powered Deck-Mounted Low Body Faucet	View more info
	SF-2200	Sloan® Hardwired-Powered Deck-Mounted Gooseneck Body Faucet	View more info
	SF-2400	Sloan® Hardwired-Powered Deck-Mounted Mid Body Faucet	View more info