


SPEAKMAN Company 400 Anchor Mill Road New Castle, DE 19720

PHONE: 800-537-2107 EMAIL: customerservice@speakmancompany.com WEB: www.speakmancompany.com

92-SWS-1003-R4




o-ring and the filter cap (slotted). The filter can be cleaned and then replaced in the opposite order.


What You Need To Know:


Turn off water supply. Remove existing shower arm and measure the distance between the elbow and the finished wall. See chart below. After applying Teflon tape, install required components.


3077	Distance	Required Components	
	1/4" - 1″	Included Nipple	Supplied
	1" - 2″	Included Nipple 1/2"-14 NPT to 3/8"-18 NPT Face Bushing Adapter 1" Long 3/8"-18 NPT Nipple	Supplied Not Supplied Not Supplied
MEASURE DISTANCE	2″ - 3″	Included Nipple 1/2"-14 NPT to 3/8"-18 NPT Face Bushing Adapter 2" Long 3/8"-18 NPT Nipple	Supplied Not Supplied Not Supplied
		1"- 3" Depth Installation Exploded View	


Slide the threaded upper flange over the supply nipple and mark the (4) holes on the wall. Note the orientation of the holes, which locates drill holes away from supply pipes in the wall.











REPAIR PART GROUPS

RPG49-0008 - HARDWARE REPAIR PARTS GROUP RPG20-2023 - CARTRIDGE REPAIR PARTS GROUP