
INGO - model: G913

European Collection Glass Pendant

WAC LIGHTING

Responsible Lighting®



PRODUCT DESCRIPTION

Mouth blown pendants, inspired by the idyllic natural elements of Alpine winters. German craftsmanship in sophisticated slender shades.

FEATURES

- · LED or Low voltage xenon lamping
- Can be used on canopies, all Quick Connect™ systems and line voltage rail and track systems
- · All socket sets include 72" wire that may be cut in the field
- 5 year WAC Lighting product warranty
- UL & CUL Listed

CONSTRUCTION

- Low Voltage Socket Set: Machined Aluminum
- MP Canopy: Steel

- Adapters Solorail™, Duorail™: Copper
- Adapters 120V Track, Flexrail1: Polycarbonate

COMPATIBLE SYSTEMS

Canopy (MP)


LED or Low Voltage xenon lamp

Includes:

- Shade
- Quick Adjust™ Canopy (shown)
- Socket Set
- Lamp

The patent pending Quick Adjust™ Canopy has an adjustable cable that stores inside the canopy housing for easy in-field height adjustments.

Sold as a complete unit with a single Order Number, no adapters needed.



Includes:

- Shade
- Threaded Male Connector (shown)
- Socket Set
- Lamp

For use on 120V Track, Solorail™, Duorail™, and Flexrail1™ with proper Quick Connect™ adapter (sold separately).

Can also be used on any Quick Connect™ Canopy (sold separately) no adapter needed.

Threaded Male Connector easily joins with all Quick Connect™ Adapters and Canopies.



WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 **Headquarters/Eastern Distribution Center**44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585



INGO - model: G913

WAC LIGHTING

European Collection Glass Pendant

Responsible Lighting®

SOCKET SET and LAMP INFORMATION

Low Voltage

Lamp: 12V Xenon BP-50 (included)

Power: 50W max

- May be dimmed
- Includes collar with threaded set screw to allow for varying lamp positions inside the shade
- DO NOT rest glass on socket base Includes 12V, 50W xenon bi-pin

Use LED Bulb in this Socket Set:

Power: 2W Lumens: 110


Color Temperature: 3000K

CRI: 85

System	Model	Lamping	Shade Finish	Socket Finish
MP Canopy QP Quick Conn	913LED 913	LED Xenon	CF Clear Frosted OE Opal Etched RD Red	BN Brushed Nickel CH Chrome DB Dark Bronze

Example: MP-913LED-RD/BN

Canopy models (MP) include Quick Adjust™ canopy Quick Connect™ (QP) models require additional adapter



Example: MP-913LED-RD/BN

SOCKET FINISHES

BN - Brushed Nickel

www.waclighting.com



WAC Lighting





Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050

INGO – model: G913

WAC LIGHTING

European Collection Glass Pendant

QUICK CONNECT™ ADAPTERS (order one per fixture)


Solorail™	Model #	Finish
U	LM-QADP	BN CH DB

Duorail™	Model #	Finish
B	LM2-QADP	BN CH DB
V		

Flexrail1™ HM1-EN50 DB PT



ORDER NUMBER



Example: LM-QADP-BN

QUICK CONNECT™ CANOPIES with INTEGRAL DRIVER



Model #	Finish
QMP-60ERN	BN
	СН
	DB



Finish
MR



h



Model # Finish

QMP-G3RE MR


QUICK CONNECT™ CANOPIES for use with REMOTE TRANSFORMER







ORDER NUMBER



Example: QMP-60ERN-BN

FINISHES

BK - Black BN - Brushed Nickel CH - Chrome DB - Dark Bronze MR - Mirror PT - Platinum

WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050 Western Distribution Center 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

WT - White