ICE – model: G920, G960 Eternity Jewelry Collection Glass Pendant

WAC LIGHTING

Responsible Lighting®

- 8				
ACRUMATING ST	-	(M)	72" max	Fixture Type:
	345			Catalog Number:
C	J.	the state	$\begin{array}{c c} 7^{34"} \\ 12'' \\ \end{array} \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \\ 1 \end{array} \right\}^{7} \\ \left\{ \begin{array}{c} 2 \\ 1 \end{array}$	Project:
「たたい」	(B)	(ASS (S)		Location:
and the second s	C.	12 11	3½"	

PRODUCT DESCRIPTION

Sparkling like rays of sunlight on an ice sculpture, the Italian Ice pendant is handcrafted of clear mouth blown glass with detailed artistry and frozen movement of melting icicles.

FEATURES

「ころいろ

- LED or Low voltage xenon lamping
- Can be used on canopies, all Quick Connect[™] systems and line voltage rail and track systems
- All socket sets include 72" wire that may be cut in the field
- 5 year WAC Lighting product warranty
- UL & CUL Listed

CONSTRUCTION

- Shade: Sparkling clear glass with sculptural texture
- LED or Low Voltage Socket Set: Machined Aluminum
- Adapters Solorail[™], Duorail[™]: Copper
- Adapters 120V Track, Flexrail1: Polycarbonate

• MP Canopy: Steel

COMPATIBLE SYSTEMS

Quick Connect™ (QP)

Canopy (MP) LED or Low Voltage xenon lamp LED or Low Voltage xenon lamp Includes: Includes: Shade Shade • Quick Adjust[™] Canopy (shown) Threaded Male Connector (shown) Socket Set Socket Set Lamp Lamp For use on 120V Track, Solorail™, Duorail™, The patent pending Quick Adjust[™] Canopy has an adjustable cable that stores inside the canopy housing for easy in-field height adjustments. and Flexrail1[™] with proper Quick Connect[™] adapter (sold separately). Can also be used on any Quick Connect[™] Canopy (sold separately) Sold as a complete unit with a single Order Number, no adapters needed. no adapter needed. Threaded Male Connector easily joins with all Quick Connect™ Adapters and Canopies.

For Lamp Specifications and Ordering Information see next page.

WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050 **Western Distribution Center** 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program. MAY 2014

WAC LIGHTING

Responsible Lighting®

SOCKET SET and LAMP INFORMATION

LED

Lamp: LED (included) Power: 6.4W Lumens: 450 Color Temperature: 3000K CRI: 85

- May be dimmed
- Includes collar with threaded set screw to allow for varying lamp positions inside the shade
- DO NOT rest glass on socket base
- Includes 12V, 6.4W LED

Low Voltage

Lamp: 12V Xenon BP-50 (included) Power: 50W max


May be dimmed

- Includes collar with threaded set screw to allow for varying lamp positions inside the shade
- DO NOT rest glass on socket base
- Includes 12V, 50W xenon bi-pin

System		Model	Glass	Lamping	Shade Finish	Socket Finish
МР		LED920 920	Short Glass	Integral LED Xenon		BNBrushed NickelCHChromeDBDark Bronze
QP		LED960 960	Long Glass	Integral LED Xenon	CL Clear	

Example: MP-920-CL/BN

Canopy models (MP) include Quick Adjust[™] canopy Quick Connect[™] (QP) models require additional adapter



Example: MP-960-CL/CH

SHADE COLORS







DB - Dark Bronze




WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585

CH - Chrome

Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050 **Western Distribution Center** 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program. MAY 2014




WAC LIGHTING

Responsible Lighting®

QUICK CONNECT[™] ADAPTERS (order one per fixture)



ORDER NUMBER



Example: LM-QADP-BN

QUICK CONNECTTM CANOPIES with INTEGRAL DRIVER



ΒN

CH DB

Finish

MR



Model # Finish
QMP-G3RN MR



Model # Finish
QMP-G3RE MR

QUICK CONNECT[™] CANOPIES for use with REMOTE TRANSFORMER

Model #

QMP-G1RN

			+			
QMP-MI-TR	BN	QMP-1RN-TR	BN	QMP-1SQ-TR	BN	
	СН		СН		СН	
	DB		DB		DB	

ORDER NUMBER

QMP-60ERN

Model # Finish

Example: QMP-60ERN-BN

FINISHES



WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050 **Western Distribution Center** 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program. MAY 2014