
CANDY - model: G544

European Collection Glass Pendant

WAC LIGHTING

Responsible Lighting®



PRODUCT DESCRIPTION

With elegant, vibrant curves twirling in various directions, the Candy pendant takes the simple form of ribbon candy and turns it into sophsticated lighting for your upscale living space. It certainly gets the appetite for LED pendants singing.

FEATURES

- LED or Low voltage Halogen lamping
- Can be used on canopies, all Quick Connect™ systems and line voltage rail and track systems
- · All socket sets include 72" wire that may be cut in the field
- 5 year WAC Lighting product warranty
- UL & CUL Listed

CONSTRUCTION

- Shade: Curved Glass
- LED or Low Voltage Socket Set: Machined Aluminum
- MP Canopy: Steel

- Adapters Solorail™, Duorail™: Copper
- Adapters 120V Track, Linear Track, Flexrail1 and 2: Polycarbonate

COMPATIBLE SYSTEMS

Canopy (MP)


LED or Low Voltage Halogen lamp

Includes:

- Shade
- Quick Adjust™ Canopy (shown)
- Socket Set
- Lamp

The patent pending Quick Adjust™ Canopy has an adjustable cable that stores inside the canopy housing for easy in-field height adjustments.

Sold as a complete unit with a single Order Number, no adapters needed.




Includes:

- Shade
- Threaded Male Connector (shown)
- Socket Set
- Lamp

For use on 120V Track, Solorail™, Duorail™, and Flexrail1™ with proper Quick Connect™ adapter (sold separately).

Can also be used on any Quick Connect™ Canopy (sold separately) no adapter needed.

Threaded Male Connector easily joins with all Quick Connect™ Adapters and Canopies.



WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 **Headquarters/Eastern Distribution Center**44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center

168 Brea Canyon Road • City of Industry, CA 91789 Phone (800) 526.2588 • Fax (800) 526.2585

CANDY - model: G544

WAC LIGHTING

European Collection Glass Pendant

Responsible Lighting®

SOCKET SET and LAMP INFORMATION

LED

Lamp: LEDme® (included)

Power: 4W Lumens: 330

Color Temperature: 3000K

CRI: 85


- May be dimmed w/electronic low voltage (ELV) dimmer
- Threaded ring used to secure shade to socket
- 30,000 hour rated life
- · Energy efficient
- No projected Ultraviolet or Infrared radiation

Low Voltage

Lamp: 12V Halogen JC-50 (included)

Power: 50W max


- May be dimmed
- · Lamp shield secures shade to socket
- Includes 12V, 50W halogen bi-pin
- 20W and 35W lamps available (order separately)



System	Model	Lamping	Snade Finish	Socket Finish
MP Canopy QP Quick Connect™	LED544 544	LED Xenon	GL Gold	BN Brushed Nickel CH Chrome DB Dark Bronze

Example: MP-LED544-GL/BN

Canopy models (MP) include Quick Adjust™ canopy Quick Connect™ (QP) models require additional adapter



Example: MP-LED544-GL/BN

SHADE COLORS







FINISHES

BN - Brushed Nickel







WAC Lighting
www.waclighting.com
Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050 Western Distribution Center 168 Brea Canyon Road • City of Industry, CA 91789 Phone (800) 526.2588 • Fax (800) 526.2585


CANDY - model: G544

WAC LIGHTING

European Collection Glass Pendant

Responsible Lighting®

QUICK CONNECT™ ADAPTERS (order one per fixture)




Duorail™	Model #	Finish
B	LM2-QADP	BN CH DB

Flexrail1™ HM1-EN50 DB PT



ORDER NUMBER



Example: LM-QADP-BN

QUICK CONNECT™ CANOPIES with INTEGRAL DRIVER



Model #	Finish
QMP-60ERN	BN
	СН
	DB



Model #	Finish
QMP-G1RN	FR
	MR



Model #	Finish
QMP-G3RN	FR MR



Model # Finish

QMP-G3RE FR
MR


QUICK CONNECT™ CANOPIES for use with REMOTE TRANSFORMER







ORDER NUMBER



Example: QMP-60ERN-BN

FINISHES

BK - Black BN - Brushed Nickel CH - Chrome DB - Dark Bronze FR - Frosted MR - Mirror PT - Platinum WT - White

WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050 Western Distribution Center 168 Brea Canyon Road • City of Industry, CA 91789 Phone (800) 526.2588 • Fax (800) 526.2585