GIA – model: G542

Eternity Jewelry Collection Glass Pendant

WAC LIGHTING

Responsible Lighting®

72" max	Fixture Type:
51/6"	Catalog Number:
3%"	Project:
4½"	Location:
and the second second	

PRODUCT DESCRIPTION

Bring the elegance of crystal diamond jewelry to your lighting design. The Gia pendant, with brilliant sparkle, will turn every head that walks by. Add some Hollywood flavor to your upscale living space with the dazzle of diamonds.

FEATURES

- LED or Low voltage Halogen lamping
- Can be used on canopies, all Quick Connect[™] systems and line voltage rail and track systems
- All socket sets include 72" wire that may be cut in the field
- 5 year WAC Lighting product warranty
- UL & CUL Listed

CONSTRUCTION

- Shade: Diamond Crystals
- LED or Low Voltage Socket Set: Machined Aluminum
- MP Canopy: Steel

- Adapters Solorail[™], Duorail[™]: Copper
- Adapters 120V Track, Flexrail1: Polycarbonate
- **COMPATIBLE SYSTEMS** Canopy (MP) Quick Connect[™] (QP) LED or Low Voltage Halogen lamp LED or Low Voltage Halogen lamp Includes: Includes: Shade Shade Quick Adjust[™] Canopy (shown) Threaded Male Connector (shown) Socket Set Socket Set Lamp Lamp The patent pending Quick Adjust[™] Canopy has an adjustable cable that stores For use on 120V Track, Solorail[™], Duorail[™], inside the canopy housing for easy in-field height adjustments. and Flexrail1[™] with proper Quick Connect[™] adapter (sold separately). Can also be used on any Quick Connect[™] Canopy (sold separately) Sold as a complete unit with a single Order Number, no adapters needed. no adapter needed. Threaded Male Connector easily joins with all Quick Connect™ Adapters and Canopies.

For Lamp Specifications and Ordering Information see next page.

WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050 **Western Distribution Center** 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program. MAY 2014

WAC LIGHTING

Responsible Lighting®

SOCKET SET and LAMP INFORMATION

LED

Lamp: LEDme® (included) Power: 4W Lumens: 330 Color Temperature: 3000K CRI: 85

- May be dimmed w/electronic low voltage (ELV) dimmer
- Threaded ring used to secure shade to socket
- 30,000 hour rated life
- Energy efficient
- No projected Ultraviolet or Infrared radiation

Low Voltage


Lamp: 12V Halogen JC-50 (included) Power: 50W max

- May be dimmed
- · Lamp shield secures shade to socket
- Includes 12V, 50W halogen bi-pin
- 20W and 35W lamps available (order separately)

System	Model	Lamping	Shade Finish	Socket Finish
MP Canopy QP Quick Connect™	LED542 542	LED Halogen	BIBlack IceCDChampagne DiamondWDWhite Diamond (Clear)	BNBrushed NickelCHChromeDBDark Bronze

Example: MP-LED542-BI/BN

Canopy models (MP) include Quick Adjust[™] canopy Quick Connect[™] (QP) models require additional adapter




Example: MP-LED542-BI/CH



WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050 **Western Distribution Center** 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program. MAY 2014




Responsible Lighting®

QUICK CONNECT[™] ADAPTERS (order one per fixture)



ORDER NUMBER



Example: LM-QADP-BN

QUICK CONNECT™ CANOPIES with INTEGRAL DRIVER



ΒN

CH DB

Finish

MR



Model # Finish
QMP-G3RN MR



Model # Finish
QMP-G3RE MR

QUICK CONNECT[™] CANOPIES for use with REMOTE TRANSFORMER

Model #

QMP-G1RN

			+			
QMP-MI-TR	BN	QMP-1RN-TR	BN	QMP-1SQ-TR	BN	
	СН		СН		СН	
	DB		DB		DB	

ORDER NUMBER

QMP-60ERN

Model # Finish

Example: QMP-60ERN-BN

FINISHES



WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050 **Western Distribution Center** 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program. MAY 2014