
CANDY - model: G544

European Collection Glass Pendant

WAC LIGHTING

Responsible Lighting®



PRODUCT DESCRIPTION

With elegant, vibrant curves twirling in various directions, the Candy pendant takes the simple form of ribbon candy and turns it into sophsticated lighting for your upscale living space. It certainly gets the appetite for LED pendants singing.

FEATURES

- LED or Low voltage Halogen lamping
- Can be used on canopies, all Quick Connect™ systems and line voltage rail and track systems
- All socket sets include 72" wire that may be cut in the field
- 5 year WAC Lighting product warranty
- UL & CUL Listed

CONSTRUCTION

- Shade: Curved Glass
- LED or Low Voltage Socket Set: Machined Aluminum
- MP Canopy: Steel

- Adapters Solorail™, Duorail™: Copper
- Adapters 120V Track, Flexrail1: Polycarbonate

COMPATIBLE SYSTEMS

Canopy (MP)

LED or Low Voltage Halogen lamp

Includes:

- Shade
- Quick Adjust™ Canopy (shown)
- Socket Set
- Lamp

The patent pending Quick Adjust™ Canopy has an adjustable cable that stores inside the canopy housing for easy in-field height adjustments.


Sold as a complete unit with a single Order Number, no adapters needed.



Quick Connect™ (QP)

LED or Low Voltage Halogen lamp

- Shade
- Threaded Male Connector (shown)
- Socket Set
- Lamp



Can also be used on any Quick Connect™ Canopy (sold separately) no adapter needed.

Threaded Male Connector easily joins with all Quick Connect™ Adapters and Canopies.



WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 **Headquarters/Eastern Distribution Center**44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center

1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

CANDY - model: G544

WAC LIGHTING

European Collection Glass Pendant

Responsible Lighting®

SOCKET SET and LAMP INFORMATION

LED

Lamp: LEDme® (included)

Power: 4W Lumens: 330

Color Temperature: 3000K

CRI: 85


- May be dimmed w/electronic low voltage (ELV) dimmer
- Threaded ring used to secure shade to socket
- 30,000 hour rated life
- · Energy efficient
- No projected Ultraviolet or Infrared radiation

Low Voltage

Lamp: 12V Halogen JC-50 (included)

Power: 50W max


- May be dimmed
- · Lamp shield secures shade to socket
- Includes 12V, 50W halogen bi-pin
- 20W and 35W lamps available (order separately)



System		Model	Lamping	Shade Finish		Socket Finish	
	MP Canopy QP Quick Connect™	LED544 544	<i>I ⊢I</i>)	GL		СН	Brushed Nickel Chrome
	-			SL	Silver	DB	Dark Bronze

Example: MP-LED544-GL/BN

Canopy models (MP) include Quick Adjust™ canopy Quick Connect™ (QP) models require additional adapter



Example: MP-LED544-GL/BN

SHADE COLORS

CL - Clear GL - Gold SL - Silver


FINISHES

BN - Brushed Nickel



DB - Dark Bronze





Phone (516) 515.5000 • Fax (516) 515.5050

CANDY - model: G544

WAC LIGHTING

European Collection Glass Pendant


Responsible Lighting®

QUICK CONNECT™ ADAPTERS (order one per fixture)

Solorail™	Model #	Finish
101	LM-QADP	BN
T.		CH
W.		DB
W		


Duorail™	Model #	Finish
B	LM2-QADP	BN CH DB
V		

Flexrail1™



120V Track		
	EN-LQ50AR	BK
	EN-HQ50AR	BN
1	EN-JQ50AR	DB
Al.		WT

ORDER NUMBER



Example: LM-QADP-BN

QUICK CONNECT™ CANOPIES with INTEGRAL DRIVER



Model #	Finish
QMP-60ERN	BN
	CH
	DB



Model #	Finish
QMP-G1RN	MR



h



Model # Finish QMP-G3RE MR


QUICK CONNECT™ CANOPIES for use with REMOTE TRANSFORMER







ORDER NUMBER




Example: QMP-60ERN-BN

FINISHES

BK - Black













WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585