



# Retroaktiv™ Tub Spout


## 06088XX0

Available in Chrome (00), Oil Rub Bronze (62), Brushed Nickel (82), Polished Nickel (83), Polished Brass (93)



## Product Specification

Solid brass  
1/2" female NPT inlet



## Product Features

- Lever handle
- Flow rate 6.5 gpm @ 44 psi

## Available Finishes


Chrome	04223000
Oil Rub Bronze	04223620
Brushed Nickel	04223820
Polished Nickel	04223830
Rubbed Bronze	04223920
Polished Brass	04223930

## Required Accessories

iBox Universal Plus	01850181
---------------------	----------

## Optional Accessories


Shallow extension set	13596XX0
-----------------------	----------



The measurements shown are for reference only.

Products and specifications shown are subject to change without notice.

Specification sheet revised 12/2009



## Product Features

- 4-port universal rough w/service stops
- 3/4" inlets and outlets
- Includes three 1/2" reducers, one 3/4" plug, seal
- Rough valve for several types of shower valves: thermostatic mixer; thermostatic mixer with volume control; thermostatic mixer with volume control/diverter; pressure balance valve
- Also rough for Raindance Rainfall 28411XX1

## Code Compliance

This unit meets or exceeds the following (when installed with trim kit):

- ASME A112.18.1
- CSA B125.1
- Listed by IAPMO

## Required Accessories

Trim kit – many styles available


## Optional Accessories

1" extension (deep rough-in)

13595000

Mounting kit

96615000



The measurements shown are for reference only.

Products and specifications shown are subject to change without notice.

Specification sheet revised 1/2010