

### Features


- 18-gauge stainless steel
- Undercounter
- Offset
- Smart Divide™ lowered divider
- Includes left (large) bottom basin rack
- Includes installation hardware
- Use for standard 36" (91.4 cm) cabinet
- 35-1/2" (90.2 cm) x 21-1/4" (54 cm)

### Codes/Standards Applicable

Specified model meets or exceeds the following:

- ASME A112.19.3/CSA B45.4

## UNDERCOUNTER APRON FRONT KITCHEN SINK K-3945



### Colors/Finishes

- NA: None applicable

### Accessories

- CP: Polished Chrome
- ST: Stainless Steel
- Other: Refer to Price Book for additional colors/finishes

### Specified Model

Model	Description	Colors/Finishes
K-3945	Undercounter apron front kitchen sink	<input type="checkbox"/> NA
<b>Included Accessories</b>		
K-6476	Bottom basin rack (fits large sink basin)	<input type="checkbox"/> ST
<b>Optional Accessories</b>		
K-8801	Duostrainer® sink strainer	<input type="checkbox"/> CP <input type="checkbox"/> Other_____
K-6477	Bottom basin rack (fits small sink basin)	<input type="checkbox"/> ST

### Product Specification

The undercounter apron front sink shall be made of 18-gauge stainless steel. Sink shall feature offset basins and Smart Divide™ lowered divider. Sink shall include left (large) bottom basin rack and installation hardware. Sink shall be 35-1/2" (90.2 cm) in length, 21-1/4" (54 cm) in width. Sink shall be used for standard 36" (91.4 cm) cabinet. Sink shall be Kohler Model K-3945-NA.

## Technical Information

Fixture*:	
Basin area	19-11/16" (50 cm) x 17-3/16" (43.7 cm) 11-11/16" (29.7 cm) x 17-3/16" (43.7 cm)
Water depth	9" (22.9 cm)
Drain hole	3-11/16" (9.4 cm) D.
* Approximate measurements for comparison only.	



Included components:	
Hardware kit	91915
Cut-out template	1166719-7

## Installation Notes


Install this product according to the installation guide.

Allow a minimum of 3" (7.6 cm) clearance for the back 1" (2.5 cm) sink rim flange for clip attachment.

The 3/4" (1.9 cm) side rim flanges are supported without using the clip attachment. See the installation guide for further instructions.



\*Allow clearance around the back sink rim for clip attachment.




## Product Diagram

**DUOSTRAINER®**

**Features**

- Brass construction
- For sink installations with 3-1/2" (8.9 cm) or 4" (10.2 cm) outlet
- Removable basket strainer with open/close stopper
- 1-1/2" connection

**SINK STRAINER  
K-8801  
ALSO K-8799**



**Codes/Standards Applicable**

Specified model meets or exceeds the following:

- ASME A112.18.1
- CSA B125
- IAPMO/UPC

**Colors/Finishes**

- CP: Polished Chrome
- PB: Polished Brass
- Other: Refer to Price Book for additional colors/finishes

**Specified Model:**

Model	Description	Colors/Finishes		
		<input type="checkbox"/> CP	<input type="checkbox"/> PB	<input type="checkbox"/> Other _____
K-8799	Sink strainer less tailpiece	<input type="checkbox"/> CP	<input type="checkbox"/> PB	
K-8801	Sink strainer with tailpiece	<input type="checkbox"/> CP	<input type="checkbox"/> PB	<input type="checkbox"/> Other _____


**PRODUCT SPECIFICATION**

Duostrainer sink strainer shall be of brass construction. Product shall feature removable basket strainer with an open/close stopper, and 1-1/2" connection. Product is intended for sink installations with 3-1/2" (8.9 cm) or 4" (10.2 cm) outlet. Optional feature shall be a brass tailpiece. Strainer shall be Kohler Model K-\_\_\_\_\_-\_\_\_\_\_.

# DUOSTRAINER®

## Installation Notes

Install this product in accordance with the installation instructions.



## Product Diagram