

Lighting Your Life Since 1970

Product Specifications - 12426FLHB			
Job Name:	Job Type:		
Quantity:	Comments		



12426FLHB

Mission Bay 9-Light Chandelier

Finish Heirloom Brass

Lamping

Dimmable

Number of Bulbs 9 **Light Type** Incandescent **Bulb Type** MB Max Bulb Wattage 60 Max Fixture Wattage 540 **Rated Life** ±2,500 Hours **Rated Lumens** ±6,048 **Color Temp** ±2,700 K Bulb(s) Not Included Light Up/Down N/A N/A **Beam Spread** N/A **Photo Cell Included** N/A Ballast/Driver/Transformer No

GI	lass/Shade	е
_		

Frost Lichen

Measurements

wiatn	35.0
Height	32.5"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	33.8 lbs
Height Adjustable	N/A
Slope	N/A
Olopo	IN/A
Chain Length	72"
•	
Chain Length	72"
Chain Length Wire Length	72" 180"

Product Category

Multi-Tier Chandelier

25 0"

Shipping	
Carton Weight	33.8 lbs
Carton Width	21"
Carton Height	11"
Carton Length	36"
Carton Cubic Feet	4.83
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Certification		Other	
UL Standard	Dry	UPC Code	783209049741
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Iron

Standard

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.