

STYLE NO:22431

Parts and Hardware List

A	Sconce Assembly
B	Glass
C	Universal bar
D	Mounting Screws
E	Wire nut
F	Ball Nuts
G	Outlet box screw
H	Green Screw

Please make sure that you have all the parts indicated before you begin assembly.

Please read Wiring Instructions before you begin assembling and installing.

WARNING: BEFORE INSTALLING Make sure electricity supply is shut off to

Assembly Instructions

1. Carefully remove the parts and hardware from the
2. Fasten the Universal bar to the outlet box by using screws supplied with the outlet box .
3. Install the ground wire in the Universal bar with the screw supplied.
4. Place the white ,ribbed or tinted wire evenly against the wire from the outlet box and place the black,smooth or un-tinted wire against the black wire from the outlet box .(Connecting the Wires-See Figure
5. After the wires are connected,tuck them carefully in the outlet box ,Place Canopy over the outlet box and secure
6. Attach the Glass onto the Sconce Assembly using

6. Attach the Glass onto the Sconce Assembly using Ring .(See Figure1)
7. Install 100 Watt, Type A bulbs (sold separately) into of the fixture.
8. Attach the syphon to Chandelier Assembly and seal a clockwise direction.

STYLE NO 22431




Figure 1




Figure 2 - Wire Nut

Socket
GLASS

CLEANING: This item has a lacquered and baked finish. When cleaning only use a soft ,dry cloth.Do not use liquid abrasives as they may discolor the finish.

Figure 3

1pc
1PC
1pc
2pcs
2pcs
2pcs
2pcs
1pc

eginassembly of

and installing your Wall :

shut off to avoid a possible electi

m the c
y usir

with the

y against the

nted wire €

e Gig
efully insic
and secure with Ball
using the S

using the 3
ely) into the so
and secure by ti

