

COMMERCIAL GRADE OSCILLATING FANS

IDEAL FOR WORKSHOPS, HEALTH CLUBS, STORES, CLASSROOMS, OFFICES AND OTHER AREAS WHERE THERE IS LIMITED FLOOR/TABLE SPACE.



OSCILLATING PEDESTAL
9119, 9126

PRODUCT INFORMATION

Motor	3-speed, 1/20 HP, 120V, 1 phase, permanently lubricated, permanent split capacitor (models 9126, 9119, 9018, 9016) 3-speed, 1/50 HP, 120V, 1 phase, permanently lubricated, permanent split capacitor (model 9012)
Controls	Rear mounted rotary switch (models 9126, 9119) Front mounted rotary and pull cord switch (models 9018, 9016, 9012)
Power Cord	White, 7', 3-conductor, SPT type
Construction	Powder coated steel front grill with impact resistant plastic rear grill and chemical resistant polypropylene blade
Compliances	UL, OSHA
Height	Adjustable from 44" to 59" (model 9119) Adjustable from 43" to 58" (model 9126)
Oscillation	90° or can be locked in non-oscillating position



OSCILLATING WALL MOUNT
9018, 9016, 9012

SPECIFICATIONS

MODEL	DESCRIPTION	BLADE SIZE	PRODUCT DIMENSIONS	WEIGHT (LBS.)	CUBE (FEET)	LIST PRICE
9119	18" Oscillating Pedestal Fan	18"	20 ¹ / ₄ "L x 20 ¹ / ₄ "W x 58 ¹ / ₂ "H	13.8	2.15	\$86.00
9126	16" Oscillating Pedestal Fan	16"	21 ¹ / ₂ "L x 10 ¹ / ₂ "W x 22 ³ / ₄ "H	11.3	1.30	\$79.00
9018	18" Oscillating Wall Mount Fan	18"	20 ¹ / ₄ "L x 15 ¹ / ₂ "W x 23"H	10.9	2.28	\$94.00
9016	16" Oscillating Wall Mount Fan	16"	18"L x 14 ³ / ₈ "W x 22 ⁵ / ₈ "H	10.5	1.71	\$85.00
9012	12" Oscillating Wall Mount Fan	12"	15 ⁵ / ₈ "L x 14 ¹ / ₄ "W x 20 ³ / ₄ "H	8.3	1.41	\$74.00

PERFORMANCE

MODEL	CFM			RPM			AMPS			WATTS			DB A		
	HIGH	MED	LOW	HIGH	MED	LOW	HIGH	MED	LOW	HIGH	MED	LOW	HIGH	MED	LOW
9119	1990	1680	1400	1500	1240	1040	.75	.65	.55	86	75	65	55	52	50
9126	1710	1500	1330	1545	1394	1244	.71	.54	.48	77	65	57	53	49	44
9018	1990	1680	1400	1500	1240	1040	.75	.65	.55	86	75	65	55	52	50
9016	1710	1500	1330	1545	1394	1244	.71	.54	.48	77	65	57	53	49	44
9012	930	780	620	1450	1300	1090	.34	.30	.27	39	35	32	45	41	36

Performance ratings are conducted in accordance with AMCA standard 230-99. • Specifications are subject to change.