

ESTATE® PEDESTAL SINK

- 0900.800** Faucet holes on 8" (203mm) centers (Illustrated)
- 0900.400** Faucet holes on 4" (102mm) centers
- 0900.100** Center hole only
 - Fine fireclay
 - Classic styled rectangular pedestal lavatory
 - Rear overflow
 - Supplied with mounting kit
 - Right Height® for greater comfort during use
 - Faucet ledge with large deck area (faucet not included)
 - Basin has flat bottom to also allow use as an **above counter** sink or a **drop-in** sink (with u-shaped cut out)
 - **Design coordinates with Estate® VorMax™ Toilet**
 - **Available Exclusively at Ferguson® Showrooms**

Nominal Dimensions:

24" x 20" x 36-5/8"
(610 x 508 x 930mm)

- 0900.008** Pedestal top-8" (203mm) centers
- 0900.004** Pedestal top-4" (102mm) centers
- 0900.001** Pedestal top-center hole only
- 0029.000** Pedestal only

Bowl sizes:

15-1/16" (383mm) wide,
12-5/16" (313mm) front to back,
5-1/2" (140mm) deep

Compliance Certifications -

Meets or Exceeds the Following Specifications:

- ASME A112.19.2 - 2008/CSA B45.1-08





SEE REVERSE FOR ROUGHING-IN DIMENSIONS

To Be Specified:

- Color: White Linen
- Faucet Finish:
- Supplies:
- 1-1/4" Trap:
- Nipple:

* See faucet section for additional models available



GENERAL DESCRIPTION:

Cast brass valve bodies with flexible hose connections for 6" to 12" (152 mm to 305 mm) installations. 1/4 turn washerless ceramic disc valve cartridges. All metal spout. Cast brass inlet shanks and 24" stainless steel braided flexible supply hoses with 3/8" compression connectors. 20 inch (500 mm) long flexible stainless steel drain cable is pre-assembled to faucet body. Metal Speed Connect® drain body with 1-1/4 inch (32 mm) tail piece. 1.2 gpm/4.5 L/min. maximum flow rate.

PRODUCT FEATURES:

Ceramic Disc Valve Cartridge: Assures a lifetime of drip-free performance.

Exclusive Speed Connect Widespread System:

Metal Drain:

- Fewer parts. Installs in less time.
- No adjustments required - seals the first time, every time.
- Flexible stainless steel cable - installs effortlessly in tight spaces.
- Pre-assembled handles and hoses drop in from top.

Lead Free: Faucet contains ≤ 0.25% total lead content by weighted average.

- Coordinates with Estate® Suite of fixtures.
- Available Exclusively at Ferguson® Showrooms.


SUGGESTED SPECIFICATION


Two-handle widespread lavatory faucet shall feature cast brass valve bodies with flexible hose connections for 6" to 12" installations. Shall also feature 1/4 turn washerless ceramic disc valve cartridges. Shall also feature a metal drain body with stainless steel cable actuation. Fitting shall be American Standard Model #7722.801._____.

CODES AND STANDARDS

These products meet or exceed the following codes and standards:

- ANSI A117.1**
- ASME A112.18.1**
- CSA B125.1**
- NSF 61/Section 9**
- NSF 372**



Product Number	Description	Finish Options			
		Polished Chrome	PVD Polished Nickel	Legacy Bronze	PVD Satin Nickel
		002	013	278	295
7722.801	Estate™ Widespread with metal Speed Connect® pop-up drain. Metal lever handles. 				

 Meets the American Disabilities Act Guidelines and **ANSI A117.1** Requirements for the physically challenged.