

PORTSMOUTH® PEDESTAL SINK

- Vitreous china
- Turn-of-the-century detailing on lavatory and pedestal
- Front overflow
- Supplied with mounting kit
- Faucet ledge with large deck area (faucet not included)

- ❑ **0555.801** Faucet holes on 203mm (8") centers (Illustrated)
- ❑ **0555.401** Faucet holes on 102mm (4") centers

Nominal Dimensions:

619 x 495 x 900mm
(24-3/8" x 19-1/2" x 35-7/16")

- ❑ **0555.108** Lavatory slab-203mm (8") centers
- ❑ **0555.104** Lavatory slab-102mm (4") centers
- ❑ **734906-401** Pedestal only

Bowl sizes:

489mm (19-1/4") wide,
289mm (11-3/8") front to back,
146mm (5-3/4") deep

Compliance Certifications -


Meets or Exceeds the Following Specifications:

- ASME A112.19.2M for Vitreous China Fixtures

To Be Specified:

- ❑ Color: ❑ White
- ❑ Faucet Finish:
- ❑ Supplies:
- ❑ 1-1/4" Trap:
- ❑ Nipple:

* See faucet section for additional models available



NOTES:

* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIES AND "P" TRAPS ARE SUGGESTED.

▼ PEDESTAL ANCHORING SCREWS NOT INCLUDED.

■ SUITABLE FOR REINFORCEMENT ONLY. ACTUAL DIMENSIONS MUST BE TAKEN FROM FIXTURE.

FITTING NOT INCLUDED AND MUST BE ORDERED SEPARATELY. PROVIDE SUITABLE REINFORCEMENT FOR ALL WALL SUPPORTS. INSTALLATION INSTRUCTIONS SUPPLIED WITH LAVATORY.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerance established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.




7420.801 Shown

MODEL NUMBER:

☐ **7420.801 Portsmouth Widespread**
 Metal Speed Connect® pop-up drain.
 Metal lever handles.



☐ **7420.821 Portsmouth Widespread**
 Metal Speed Connect® pop-up drain.
 Metal cross handles.



GENERAL DESCRIPTION:

Cast brass valve bodies with flexible hose connections for 6" to 12" (152 mm to 305 mm) installations. 1/4 turn washerless ceramic disc valve cartridges. Choice of metal lever or metal cross handles. Cast brass spout. One-half inch male inlet shanks with brass coupling nuts. 20" (500 mm) long flexible stainless steel drain cable is pre-assembled to spout. Metal Speed Connect® drain body with 1-1/4 inch (32 mm) tail piece. 1.2 gpm/4.5 L/min. maximum flow rate.

PRODUCT FEATURES:

Brass Construction: Durable. Easy to clean. Ideal for prolonged contact with water.

Ceramic Disc Valve Cartridge: Assures a lifetime of smooth handle operation and drip-free performance.

Exclusive Speed Connect Metal Drain:

- Fewer parts. Installs in less time.
- No adjustments required - seals the first time, every time.
- Flexible stainless steel cable - installs effortlessly in tight spaces.

Lead Free: Faucet contains ≤ 0.25% total lead content by weighted average.

SUGGESTED SPECIFICATION

Two-handle widespread lavatory faucet shall feature cast brass valve bodies with flexible hose connections for 6" to 12" installations. Shall also feature 1/4 turn washerless ceramic disc valve cartridges. Shall also feature a metal drain body with stainless steel cable actuation. Fitting shall be American Standard Model # 7420.....




PORTSMOUTH®
TWO-HANDLE WIDESPREAD LAVATORY FAUCET
WITH BRASS CRESCENT SPOUT

CODES AND STANDARDS

These products meet or exceed the following codes and standards:

- ASME A112.18.1**
- CSA B125.1**
- NSF 61/Section 9 and Annex G**



	Product Number	Description	Finish Options		
			Polished Chrome	Oil Rubbed Bronze	PVD Satin Nickel
			002	224	295
	7420.801	Portsmouth Widespread with Metal Speed Connect® pop-up drain. Metal lever handles.			
	7420.821	Portsmouth Widespread with Metal Speed Connect pop-up drain. Metal cross handles.			

Meets the American Disabilities Act Guidelines and **ANSI A117.1** Requirements for the physically challenged.

AERATOR MODIFICATIONS***	Parts Suffix**
0.5 gpm (1.9 Lpm) PCA* Spray	__F05
0.5 gpm (1.9 Lpm) Vandal Resistant PCA Spray	__V05
1.0 gpm (3.8 Lpm) PCA Aerator	__F10
1.0 gpm (3.8 Lpm) Vandal Resistant PCA Aerator	__V10
1.2 gpm (4.5 Lpm) Vandal Resistant PCA Aerator	__V12
1.5 gpm (5.7 Lpm) Vandal Resistant PCA Aerator	__V15

*PCA — Pressure Compensating

To modify a product, add suffix after the 4th digit (ex. 2064F05**101.002)

***Modified product models are **NOT** WaterSense certified.

PORTSMOUTH MIRROR


☐ **9210.101**

- Rectangular mirror with poplar solid frame
- Coordinates with the Portsmouth Collection
- Available in a Dark Chocolate or White finish

Nominal Dimensions:

25" x 1-3/4" (635 x 44mm)


34-3/8" height (873mm)



322
Dark Chocolate



020
White



NOTES:
PROVIDE SUITABLE REINFORCEMENT FOR ALL WALL SUPPORTS.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.