

American Standard

Selectronic 605XRCT

Remote Control - Rev 2016 1.2

Instructions To Upgrade Programmer Software

START HERE IF UPDATE IS SAVED FROM EMAIL

1. Create a new folder on your computer.
2. Double-click the "Selectronic 605XRCT Software Upgrade - Rev 2016 1.2" zip folder and extract all of the files into the folder you created.
3. From this new folder, double-click the "setup_celec_bootloader" to open this file and install it on your computer.
4. Select Language -> Select "OK"
5. Welcome to Celec bootloader Setup Wizard -> Select "Next >"
6. Select Destination Location -> Select "Next >"
7. Select Start Menu Folder -> Select "Next >"


4.




5.



6.



7.



8. Select Additional Tasks -> Select "Next >"

9. Ready to Install -> Select "Install >"


10. Install or Repair Microsoft Visual Basic C++, if asked
-> Select "Next >"

11. Completing the Celec bootloader Setup Wizard.
Verify that "Launch Celec bootloader" is checked ->
Select "Finish >"

****This screen will appear...*



11.




12. Attach the programmer to the computer using a
standard Male USB to Male Mini-USB cable (see
below).

****This screen will appear...*



12.



Part # M950521-0020A


13. Screen to the right opens. (Look in folder that was created in Step 1 if Hex file does not appear on the screen) -> Select "Open >"

13.




14. Select "Program / Verify"

14.



15. When you see "Erase / Program / Verify Completed" the programming is complete and you can unplug the programmer from the computer.

15.



16. After unplugging the programmer, the display should now read "CELEC V 1.2 AMSTD"

