



ITEM: TW-FS103AL

BK-706-Flat

ANZZI TOWEL WARMER INSTALL & OPERATION MANUAL

V1.0





DON'T WAIT! REGISTER NOW!

Register your product within 90 days to ensure your product is recognized as an official purchase and is eligible for warranly coverage.

Mail in the completed registry card (Pg. 2) or register online at www.swcorp.com/register.



PRODUCT REGISTRATION*

IMPORTANT: YOUR WARRANTY WILL NOT BE RECOGNIZED UNLESS THIS CARD IS FULLY COMPLETED AND RETURNED OR ONLINE REGISTRATION IS COMPLETED.

To ensure that your warranty is registered and confirmed please do one of the following:

- **1. Register online at** <u>www.swcorp.com/register</u>. You will be asked to fill out the same information you would in the registration card. Registering online is fast, secure and ensures we receive your information.
- **2. Complete, cut-out and mail the registration card below.** By returning this registration card we confirm the date of purchase for your new product. This confirmation will allow us to process any warranty claims.

CUT ALONG

Mail the card to: 5701 NW 35 Avenue, Miami, FL 33142

		DOTTED LINE.
Product Registration Card		
Name		Address
City	State	Zip
Phone	Email	
Date of Purchase		
Installer's Name		Phone
I have read the Owner's Manual carefully and understand and agree that any installation, operation or maintenance of the product must be done strictly in accordance with instructions and guidelines contained in the owner's manual and installation guide.		


TW-FS103AL:

Free Standing Size: 20.86" ×13.97" ×35.43"

53× 35.5× 90cm

Wall Mounting Size: 20.86" × 4.13" × 33.85"

53× 10.5× 86cm





TOWEL WARMER / Wall Mount Install Guide

Need help? For technical support call 305-614-4070 or visit us at www.ANZZI.com

Before using this product. Please read the following instructions carefully and keep this pamphlet for future reference.

About the product:

This heated towel rail is designed for drying towels or clothes, It has a surface stabilized temperature of 40°C - 50°C (104°F - 122°F) and it used in household bathrooms and kitchens.this appliance is used under the voltage of 110V-120V AC, is manufactured according to ETL standard.

Safety Precautions:

- 1. The supplied power system which is connected to the towel rail must be used with a over-current protection device.
- 2. This product is supplied with the relevant, fitted three pin socket and three-wire cable, to avoid any risks or danger it must be properly grounded.
- 3.Any change of the repair to the damaged internal wires must be done by a qualified technician who is deemed qualified by the industry standard. When any external wire fittings are required, the power must be cut off completely.
- 4. Any hard scrubbing or scratching on the product surface is strictly prohibited.


Note:

- 1.In the event of any technical statistics difference, please refer to the actual product.
- 2. Please wipe the towel rail with a soft dry clothes when cleaning it.


Waring:

- 1. Only use for drying textiles which have been dampened by water.
- 2. The original wire cannot be replaced, when it is unworkable, the whole product should be replaced.
- 3.If the appliance is supplied from an extension cord set or electric portable outlet device, then the extension cord set or electric portable outlet device should be positioned so that it is not subject to splashing or excessive moisture.

TOOLS




Accessories List




Installation Steps

Free standing installation


Use a "+" screwdriver to fix the foot (1) with screws (6).



Wall mounting installation



Fix 4 Wall mounting brackets on the shelf, then place the shelf lightly on the wall, and adjust the position with a level meter. Mark the position of the screw hole with a pencil.



Drill expansion screw holes with $\phi 8*D45mm$ drill bit.

Hammer the expansion screw (4) into the wall with a hammer.

Fix the Wall mounting bracket by screw (5) with a suitable screwdriver. Install the decorative cover on the bottom cover.

