



FEATURES

Solid brass construction - **LEAD FREE**
 Single-hole lavatory faucet
 Single volume and temperature control
 Aerated water flow
 Pop-up drain with overflow # ABDR00699
 Ceramic cartridge # ABCA86094
 3/8" connection
 18" stainless steel braided supply hose

FINISHES

Standard

Polished chrome (pc)

Custom

20 custom finishes available

(ask your local Aquabrand authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser

Commercial: 2 years warranty

(complete warranty available at www.aquabrand.com/warranty)

CODE & COMPLIANCE

AB1953

ADA

SPECS AT LARGE

Overall spout projection: 5 5/8"


CC spout projection: 4 3/16"

Total faucet height: 5 9/16"


Faucet flow rate: 1.5 gpm at 45psi

Mounting hole: 1 3/8"

Counter depth: 1 3/8" max



EXPLOSION PARTS





CARACTÉRISTIQUES

Fabriqu  en laiton massif - **SANS PLOMB**
 Robinet de lavabo monotrou
 1 contr le de volume et temp rature
 D bit d'eau a r 
 Drain pop-up avec trop plein # ABDRO0699
 Cartouche en c ramique # ABCA86094
 Connection 3/8"
 Boyau en acier inoxydable tress  18"

FINIS

Standard

Chrome poli (pc)

Personnalis 

Choix de 20 finis personnalis s, sur commande
 (demandez conseil aupr s de votre d taillant Aquabrass)

GARANTIE

R sidentielle: Garantie limit e   vie au premier acheteur
 Commerciale: 2 ans
 (pour la garantie compl te, consultez aquabrass.com/garantie)

CODE & CONFORMIT 

AB1953

ADA

SP CIFICATIONS

Projection totale du bec : 5 5/8"

Projection CC du bec : 4 3/16"

Hauteur totale : 5 9/16"

D bit d'eau : 1.5 gpm   45psi

Per age : 1 3/8"

 paisseur comptoir : 1 3/8" max




SCHÉMA DES PIÈCES

