ASSEMBLY INSTRUCTIONS

ITEM DESCRIPTION

MATERIAL TYPE:METAL+ ACRYLIC FINISH :ANTIQUE BRASS/WHITE ACRYLIC D

SOCKET TYPE:LED SOCKET QTY:

BULB TYPE: BULB WATTAGE: LED 12 W VOLTAGE:100V-120V

ITEM NET WEIGHT: UL COMPLIANT

INSTALLATION ENVIRONMENT: SUITABLE FOR DRY LOCATIONS

NOTE

*YOUR PRODUCT(S) MAY BE PACKED IN MORE THAN ONE CARTON *THIS ITEM MAY REQUIRE PERIODIC TIGHTENING *MIN 75°C SUPPLY CONDUCTORS

PARTS

Α	LAMP BODY	1 PC
В	LAMP BASE	1 PC
С	SET SCREW	1 PS

TOOLS NEEDED(INCLUDED

D Allen wrench	

ASSEMBLY INSTRUCTIONS

- REMOVE ALL PACKING CONTENTS AND PARTS FROM THE CARTON(S)CAREFULLY.
 PLEASE BE SURE YOU HAVE ALL PARTS INDICATED BEFORE YOU BEGIN ASSEMBLY.
- 3. ATTACH THE SET SCREW (C) ONTO THE LAMP BASE (B) WITH ALLEN WRENCH (D), AND T
- 4.THE DIRECTION OF THE LAMPSHADE CAN BE ADJUSTED LEFT AND RIGHT
- 5.TURN THE SWITCH (F) CLOCKWISE OR COUNTERCLOCKWISE TO ADJUST THE BRIGHTNE

CARE & MAINTENANCE

DUST WITH A DRY CLOTH.

DISCLAIM

FOR CUSTOMER SERVICE QUESTIONS CALL 1.888.488.8866

WE RECOMMI

ARTERIORS HOME:972.488.9800

ARTERIORS CONTRACT:972.488.9800 EXT.321


ARTERIORS

ITEM # 79848 / FLOOR LAMP

IFFUSER TOP COAT/SEALANT




PRODUCT ASSEMBLY



IGHTEN IT WITH A SCREWDRIVER.

ESS OF THE LIGHT SOURCE.



IERS

END THE INSTALLATION OF THIS ELECTICAL LIGHT FIXTURE TO BE DONE BY A LICENSED ELECTRICIAN.