## CLASSIC SERIES W2084W

| energy     |
|------------|
| VERGY STAR |

### FEATURES

Heavy-duty construction

Large-capacity stainless steel drum

Active Drum™ technology

Quattro Construction™ technology

Spin speed up to 1400 rpm

Steel Seal™ technology

LCD display

Quiet operation -51 dB(A) wash/75 dB(A) spin

Auto program

Remaining time and program end indicator

Stacked or side by side installation

## HIDDEN HELPERS™ ACCESSORIES

Retractable ironing board system

Single and double retractable shelves

Pull-out utility basket

Platform

Accessories available through an authorized Asko dealer. For local dealer information, visit the where to buy section of our website, askona.com.



a ASKO

#### PROGRAMS


- Everyday Wash
- Standard Cotton
- Mix/Synthetic
- Wool/Hand Wash
- Dark Wash
- Time Program
- Auto
- Quick
- Heavy
- Rinse
- Spin
- Drain
- Easy Care
- Drum Cleaning
- Quick Pro


## PRODUCT SPECIFICATIONS

| White           | W2084W   |
|-----------------|--|
| Dimensions      | 23 <sup>1</sup> /2"W x 33 <sup>1</sup> /2"H x 22 <sup>1</sup> /2"D |
| Door Clearance  | 16"  |
| Door Swing      | Left-Hinge   |
| Weight          | 170 lb   |
| Drum Capacity   | 2.1 cu ft  |
| Max Spin Speed  | 1400 rpm   |
| Plumbing Supply | <sup>1</sup> /2" ID min (cold only)                                |
| Pressure        | 15–146 psi   |
| Power Cord      | 6'   |


A separate electrical service is not required. A receptacle for the washer is located on the back of the dryer.

#### DIMENSIONS





BACK VIEW



INSTALLATION WITH DRYER

## INSTALLATION

# 

NOTE: Dimensions provide minimum reveals.

## **BASKO** Inspired by Scandinavia

#### CLASSIC SERIES T208VW

#### FEATURES

Heavy-duty construction

Large-capacity stainless steel drum

Butterfly™ drying system

Soft Drum™ technology

LCD display

Quiet operation - 65 dB(A)

Auto program

Remaining time and program end indicator

Stacked or side by side installation

Stack kit included

## HIDDEN HELPERS™ ACCESSORIES

Retractable ironing board system

Single and double retractable shelves

Pull-out utility basket

Platform

Accessories available through an authorized Asko dealer. For local dealer information, visit the where to buy section of our website, askona.com.




#### PROGRAMS


- Auto Extra Dry
- Auto Dry
- Auto Normal Dry
- Auto Iron Dry
- Synthetic
- Bedding
- Quick Pro
- Time
- Airing

#### PRODUCT SPECIFICATIONS

| White              | T208VW   |
|--------------------|--|
| Dimensions         | 23 <sup>1</sup> /2"W x 33 <sup>1</sup> /2"H x 23 <sup>1</sup> /2"D |
| Door Clearance     | 19"  |
| Door Swing         | Right-Hinge  |
| Weight             | dl 88  |
| Drum Capacity      | 4.1 cu ft  |
| Electrical Supply  | 240/208 VAC, 60 Hz   |
| Electrical Service | 30 amp circuit   |
| Receptacle         | NEMA 14-30R grounding-type   |
| Power Cord         | 4'   |


#### DIMENSIONS





#### INSTALLATION

#### INSTALLATION WITH WASHER



NOTE: Dimensions provide minimum reveals.