

|           |                                                                          |
|-----------|--------------------------------------------------------------------------|
| Brand     | AXOR                                                                     |
| Art. Name | <b>AXOR Montreux</b> Thermostatic Trim with Volume Control- Cross-Handle |
| Art. Nr.  | 16817821                                                                 |
| Surface   | Brushed Nickel                                                           |
| Pos.      | 1                                                                        |


## Product Picture



## Features

- temperature and water flow control
- thermostat cartridge
- Maximum flow rate at 60 psi: 7.0 GPM
- safety stop at 100°F

## Drawing



## Technology




## Certificates/approvals



C

|           |                                                                          |
|-----------|--------------------------------------------------------------------------|
| Brand     | AXOR                                                                     |
| Art. Name | <b>AXOR Montreux</b> Thermostatic Trim with Volume Control- Cross-Handle |
| Art. Nr.  | 16817831                                                                 |
| Surface   | Polished Nickel                                                          |
| Pos.      | 1                                                                        |


## Product Picture



## Features

- temperature and water flow control
- thermostat cartridge
- Maximum flow rate at 60 psi: 7.0 GPM
- safety stop at 100°F

## Drawing



## Technology




## Certificates/approvals



C

|           |                                                                          |
|-----------|--------------------------------------------------------------------------|
| Brand     | AXOR                                                                     |
| Art. Name | <b>AXOR Montreux</b> Thermostatic Trim with Volume Control- Cross-Handle |
| Art. Nr.  | 16817001                                                                 |
| Surface   | Chrome                                                                   |
| Pos.      | 1                                                                        |


## Product Picture



## Features

- temperature and water flow control
- thermostat cartridge
- Maximum flow rate at 60 psi: 7.0 GPM
- safety stop at 100°F

## Drawing



## Technology




## Certificates/approvals



C

|           |                                                                          |
|-----------|--------------------------------------------------------------------------|
| Brand     | AXOR                                                                     |
| Art. Name | <b>AXOR Montreux</b> Thermostatic Trim with Volume Control- Cross-Handle |
| Art. Nr.  | 16817341                                                                 |
| Surface   | Brushed Black Chrome                                                     |
| Pos.      | 1                                                                        |


## Product Picture



## Features

- temperature and water flow control
- thermostat cartridge
- Maximum flow rate at 60 psi: 7.0 GPM
- safety stop at 100°F


## Drawing



## Technology



## Certificates/approvals



C

|           |                                                                          |
|-----------|--------------------------------------------------------------------------|
| Brand     | AXOR                                                                     |
| Art. Name | <b>AXOR Montreux</b> Thermostatic Trim with Volume Control- Cross-Handle |
| Art. Nr.  | 16817251                                                                 |
| Surface   | Brushed Gold Optic                                                       |
| Pos.      | 1                                                                        |


## Product Picture



## Features

- temperature and water flow control
- thermostat cartridge
- Maximum flow rate at 60 psi: 7.0 GPM
- safety stop at 100 °F

## Drawing



## Technology



## Certificates/approvals



C