

Brand	AXOR
Art. Name	AXOR ShowerSphere Showerhead 370 2-Jet Ceiling Connection, 1.75 GPM
Art. Nr.	39759141
Surface	Brushed Bronze
Pos.	1


Product Picture



Features

- Consists of: showerhead, ceiling connector
- Showerhead size: 14 1/2" x 8 5/8"
- Spray type: PowderRain, Rain
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: avoid limescale deposits thanks to the elasticity of the nozzles
- Maximum flow rate : 1.75 GPM
- Showerhead removable for cleaning
- Mounting type: concealed
- Connection type: rough
- Not included: rough

Drawing



Technology



Spray Types



Codes / Standards

- cUPC/IAPMO/3016/Showers/1,75gpm
- WaterSense/IAPMO/7286/Showers
- CEC/California/Watersaving

Brand	AXOR
Art. Name	AXOR ShowerSphere Showerhead 370 2-Jet Ceiling Connection, 1.75 GPM
Art. Nr.	39759251
Surface	Brushed Gold Optic
Pos.	1


Product Picture



Features

- Consists of: showerhead, ceiling connector
- Showerhead size: 14 1/2" x 8 5/8"
- Spray type: PowderRain, Rain
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: avoid limescale deposits thanks to the elasticity of the nozzles
- Maximum flow rate : 1.75 GPM
- Showerhead removable for cleaning
- Mounting type: concealed
- Connection type: rough
- Not included: rough

Drawing



Technology



Spray Types



Codes / Standards

- cUPC/IAPMO/3016/Showers/1,75gpm
- WaterSense/IAPMO/7286/Showers
- CEC/California/Watersaving

Brand	AXOR
Art. Name	AXOR ShowerSphere Showerhead 370 2-Jet Ceiling Connection, 1.75 GPM
Art. Nr.	39759341
Surface	Brushed Black Chrome
Pos.	1


Product Picture



Features

- Consists of: showerhead, ceiling connector
- Showerhead size: 14 1/2" x 8 5/8"
- Spray type: PowderRain, Rain
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: avoid limescale deposits thanks to the elasticity of the nozzles
- Maximum flow rate : 1.75 GPM
- Showerhead removable for cleaning
- Mounting type: concealed
- Connection type: rough
- Not included: rough

Drawing



Technology



Spray Types



Codes / Standards

- WaterSense/IAPMO/7286/Showers
- cUPC/IAPMO/3016/Showers/1,75gpm
- CEC/California/Watersaving

Brand	AXOR
Art. Name	AXOR ShowerSphere Showerhead 370 2-Jet Ceiling Connection, 1.75 GPM
Art. Nr.	39759821
Surface	Brushed Nickel
Pos.	1


Product Picture



Features

- Consists of: showerhead, ceiling connector
- Showerhead size: 14 1/2" x 8 5/8"
- Spray type: PowderRain, Rain
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: avoid limescale deposits thanks to the elasticity of the nozzles
- Maximum flow rate : 1.75 GPM
- Showerhead removable for cleaning
- Mounting type: concealed
- Connection type: rough
- Not included: rough

Drawing



Technology



Spray Types



Codes / Standards

- CEC/California/Watersaving
- WaterSense/IAPMO/7286/Showers
- cUPC/IAPMO/3016/Showers/1,75gpm

Brand	AXOR
Art. Name	AXOR ShowerSphere Showerhead 370 2-Jet Ceiling Connection, 1.75 GPM
Art. Nr.	39759831
Surface	Polished Nickel
Pos.	1


Product Picture



Features

- Consists of: showerhead, ceiling connector
- Showerhead size: 14 1/2" x 8 5/8"
- Spray type: PowderRain, Rain
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: avoid limescale deposits thanks to the elasticity of the nozzles
- Maximum flow rate : 1.75 GPM
- Showerhead removable for cleaning
- Mounting type: concealed
- Connection type: rough
- Not included: rough

Drawing



Technology



Spray Types




Codes / Standards

- WaterSense/IAPMO/7286/Showers
- CEC/California/Watersaving
- cUPC/IAPMO/3016/Showers/1,75gpm

Brand	AXOR
Art. Name	AXOR ShowerSphere Showerhead 370 2-Jet Ceiling Connection, 1.75 GPM
Art. Nr.	39759001
Surface	Chrome
Pos.	1


Product Picture



Features

- Consists of: showerhead, ceiling connector
- Showerhead size: 14 1/2" x 8 5/8"
- Spray type: PowderRain, Rain
- FlexPower: nozzles automatically adjust to water pressure by opening and closing
- QuickClean+: avoid limescale deposits thanks to the elasticity of the nozzles
- Maximum flow rate : 1.75 GPM
- Showerhead removable for cleaning
- Mounting type: concealed
- Connection type: rough
- Not included: rough

Drawing



Technology



Spray Types



Codes / Standards

- WaterSense/IAPMO/7286/Showers
- CEC/California/Watersaving
- cUPC/IAPMO/3016/Showers/1,75gpm