


Brand	AXOR
Art. Name	AXOR One Thermostatic Module Trim with 2 Volume Controls, Lever Handle
Art. Nr.	48722001
Surface	Chrome
Pos.	1


Product Picture



Features

- Consists of: shower thermost, shut-off valve, diverter valve
- Simultaneous utilization by 2 outlets
- Thermostat cartridge
- Maximum flow rate at 45 psi: 8.5 GPM
- Maximum flow rate with restrictor (gpm) at 80psi: 1.75 GPM
- Combination of thermostat with shut-off valve for controlling 2 functions
- Safety stop at 100 °F

Drawing




Technology



Brand AXOR
 Art. Name **AXOR One** Thermostatic Module Trim with 2 Volume Controls, Lever Handle
 Art. Nr. 48722141
 Surface Brushed Bronze
 Pos. 1


Product Picture



Features

- Consists of: shower thermost, shut-off valve, diverter valve
- Simultaneous utilization by 2 outlets
- Thermostat cartridge
- Maximum flow rate at 45 psi: 8.5 GPM
- Maximum flow rate with restrictor (gpm) at 80psi: 1.75 GPM
- Combination of thermostat with shut-off valve for controlling 2 functions
- Safety stop at 100 °F

Drawing




Technology



Brand AXOR
 Art. Name **AXOR One** Thermostatic Module Trim with 2 Volume Controls, Lever Handle
 Art. Nr. 48722251
 Surface Brushed Gold Optic
 Pos. 1


Product Picture



Features

- Consists of: shower thermost, shut-off valve, diverter valve
- Simultaneous utilization by 2 outlets
- Thermostat cartridge
- Maximum flow rate at 45 psi: 8.5 GPM
- Maximum flow rate with restrictor (gpm) at 80psi: 1.75 GPM
- Combination of thermostat with shut-off valve for controlling 2 functions
- Safety stop at 100 °F

Drawing




Technology



Brand AXOR
 Art. Name **AXOR One** Thermostatic Module Trim with 2 Volume Controls, Lever Handle
 Art. Nr. 48722341
 Surface Brushed Black Chrome
 Pos. 1


Product Picture



Features

- Consists of: shower thermost, shut-off valve, diverter valve
- Simultaneous utilization by 2 outlets
- Thermostat cartridge
- Maximum flow rate at 45 psi: 8.5 GPM
- Maximum flow rate with restrictor (gpm) at 80psi: 1.75 GPM
- Combination of thermostat with shut-off valve for controlling 2 functions
- Safety stop at 100 °F

Drawing




Technology



Brand AXOR
 Art. Name **AXOR One** Thermostatic Module Trim with 2 Volume Controls, Lever Handle
 Art. Nr. 48722671
 Surface Matte Black
 Pos. 1


Product Picture



Features

- Consists of: shower thermost, shut-off valve, diverter valve
- Simultaneous utilization by 2 outlets
- Thermostat cartridge
- Maximum flow rate at 45 psi: 8.5 GPM
- Maximum flow rate with restrictor (gpm) at 80psi: 1.75 GPM
- Combination of thermostat with shut-off valve for controlling 2 functions
- Safety stop at 100 °F

Drawing




Technology



Brand AXOR
 Art. Name **AXOR One** Thermostatic Module Trim with 2 Volume Controls, Lever Handle
 Art. Nr. 48722821
 Surface Brushed Nickel
 Pos. 1


Product Picture



Features

- Consists of: shower thermost, shut-off valve, diverter valve
- Simultaneous utilization by 2 outlets
- Thermostat cartridge
- Maximum flow rate at 45 psi: 8.5 GPM
- Maximum flow rate with restrictor (gpm) at 80psi: 1.75 GPM
- Combination of thermostat with shut-off valve for controlling 2 functions
- Safety stop at 100 °F

Drawing



Technology

