


Brand	AXOR
Art. Name	AXOR One Thermostatic Module Trim with 3 Volume Controls, Lever Handle
Art. Nr.	48723141
Surface	Brushed Bronze
Pos.	1


Product Picture



Features

- Consists of: shower thermostat, shut-off valve, diverter valve
- Simultaneous utilization of 3 functions
- Thermostat cartridge
- Maximum flow rate at 45 psi: 8.5 GPM
- Maximum flow rate with restrictor (gpm) at 80psi: 1.75 GPM
- Combination of thermostat with shut-off valve and Quattro diverter valve for controlling 3 consumers
- Safety stop at 100 °F

Drawing




Technology



Brand	AXOR
Art. Name	AXOR One Thermostatic Module Trim with 3 Volume Controls, Lever Handle
Art. Nr.	48723251
Surface	Brushed Gold Optic
Pos.	1


Product Picture



Features

- Consists of: shower thermostat, shut-off valve, diverter valve
- Simultaneous utilization of 3 functions
- Thermostat cartridge
- Maximum flow rate at 45 psi: 8.5 GPM
- Maximum flow rate with restrictor (gpm) at 80psi: 1.75 GPM
- Combination of thermostat with shut-off valve and Quattro diverter valve for controlling 3 consumers
- Safety stop at 100 °F

Drawing




Technology



Brand	AXOR
Art. Name	AXOR One Thermostatic Module Trim with 3 Volume Controls, Lever Handle
Art. Nr.	48723341
Surface	Brushed Black Chrome
Pos.	1


Product Picture



Features

- Consists of: shower thermostat, shut-off valve, diverter valve
- Simultaneous utilization of 3 functions
- Thermostat cartridge
- Maximum flow rate at 45 psi: 8.5 GPM
- Maximum flow rate with restrictor (gpm) at 80psi: 1.75 GPM
- Combination of thermostat with shut-off valve and Quattro diverter valve for controlling 3 consumers
- Safety stop at 100 °F

Drawing




Technology



Brand	AXOR
Art. Name	AXOR One Thermostatic Module Trim with 3 Volume Controls, Lever Handle
Art. Nr.	48723671
Surface	Matte Black
Pos.	1


Product Picture



Features

- Consists of: shower thermostat, shut-off valve, diverter valve
- Simultaneous utilization of 3 functions
- Thermostat cartridge
- Maximum flow rate at 45 psi: 8.5 GPM
- Maximum flow rate with restrictor (gpm) at 80psi: 1.75 GPM
- Combination of thermostat with shut-off valve and Quattro diverter valve for controlling 3 consumers
- Safety stop at 100 °F

Drawing




Technology



Brand	AXOR
Art. Name	AXOR One Thermostatic Module Trim with 3 Volume Controls, Lever Handle
Art. Nr.	48723821
Surface	Brushed Nickel
Pos.	1


Product Picture



Features

- Consists of: shower thermostat, shut-off valve, diverter valve
- Simultaneous utilization of 3 functions
- Thermostat cartridge
- Maximum flow rate at 45 psi: 8.5 GPM
- Maximum flow rate with restrictor (gpm) at 80psi: 1.75 GPM
- Combination of thermostat with shut-off valve and Quattro diverter valve for controlling 3 consumers
- Safety stop at 100 °F

Drawing




Technology



Brand	AXOR
Art. Name	AXOR One Thermostatic Module Trim with 3 Volume Controls, Lever Handle
Art. Nr.	48723001
Surface	Chrome
Pos.	1


Product Picture



Features

- Consists of: shower thermostat, shut-off valve, diverter valve
- Simultaneous utilization of 3 functions
- Thermostat cartridge
- Maximum flow rate at 45 psi: 8.5 GPM
- Maximum flow rate with restrictor (gpm) at 80psi: 1.75 GPM
- Combination of thermostat with shut-off valve and Quattro diverter valve for controlling 3 consumers
- Safety stop at 100 °F

Drawing



Technology

