

Available Sizes



GLSMAN***416*
4"x16" Field Tile - Gloss/Matte



GLSMAN***28*
2"x8" Mosaic Mounted Glass - Gloss/Matte
(8"x16" Sheet)



GLSMAN***RIGMC
Random Interlocking Glass - Gloss/Matte Combo
(12"x13" Sheet)



GLSMAN***SL*
9/16"x8" Stick Liner - Gloss/Matte

Color Palette



Pearl - PEA



Silk - SIL



Cashmere - CAS



Platinum - PLA



Heiress - HEI



Subway - SUB



Ash - ASH

Glass Blends - Gloss/Matte



Central Park - CPK
GLSMANCPKRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Time Square - TSQ
GLSMANTSQRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Plaza - PZA
GLSMANPZARIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Fifth Avenue - FAV
GLSMANFAVRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Broadway - BRD
GLSMANBRDRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Soho - SOH
GLSMANSOHRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Hudson - HUD
GLSMANHUDRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Wall Street - WST
GLSMANWSTRIGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Photo Features Random Interlocking Stone & Glass Blend - Gloss/Matte
in Broadway & 2"x8" Mosaic Mounted Glass - Gloss in Platinum.

bedrosians.com

Stone & Glass Blends - Gloss/Matte



Riverside Park - RIV
GLSMANRIVRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Long Island - LON
GLSMANLONRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



MacArthur - GRM
GLSMANGRRMISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Battery Park - BAT
GLSMANBATRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Midtown - MTW
GLSMANMTWRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Morningside - MOR
GLSMANMORRISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Chelsea - CHE
GLSMANCHERISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)



Flatiron - FLA
GLSMANFLARISGMCB
Random Interlocking - Gloss/Matte
(12"x13" Sheet)






Photo Features 2"x8" Mosaic Mounted Glass - Matte in Cashmere.

SIZING & PACKAGING

Type	Shape	Item Code	Size	Description	Pcs / Ctn	Sf / Ctn
Field		GLSMAN***416G	4"x16"	Field Tile - Gloss	20	8.88
		GLSMAN***416M	4"x16"	Field Tile - Matte	20	8.88
Trim		ACEMAN***SLG	9/16"x8"	Stick Liner - Gloss	-	-
		ACEMAN***SLM	9/16"x8"	Stick Liner - Matte	-	-
Mosaic		GLSMAN***28G	8"x16" Sheet	2"x8" Mosaic Mounted Glass - Gloss	10	9.14
		GLSMAN***28M	8"x16" Sheet	2"x8" Mosaic Mounted Glass - Matte	10	9.14
		GLSMAN***RIGMC	12"x13" Sheet	Random Interlocking Glass - Gloss/Matte	10	10.83
		GLSMAN***RIGMCB	12"x13" Sheet	Glass Blends Random Interlocking Glass - Gloss/Matte	10	10.83
		GLSMAN***RISGMCB	12"x13" Sheet	Stone & Glass Blends Random Interlocking Glass - Gloss/Matte	10	10.83

ANSI TECHNICAL SPECIFICATIONS

	DCOF Acutest	Scratch Resistance MOHS	Breaking Strength ASTM# C648	Water Absorption ASTM# C373	Chemical Resistance ASTM# C650	Bond Strength A137.2-7.7	Thermal Shock ASTM# C484
Results	N/A	N/A	≥ 1200 lbf	≤ 0.5%	Unaffected	N/A	Pass



APPLICATIONS

	Floors	Walls	Countertops	Shower Floors	Shower Walls	Pools/Spas
Residential		●			●	
Commercial		●			●	

LEGEND

- Product rated for Interior & Exterior use
- Applications & ANSI Technical Specifications do not apply
- Product rated for Interior use only
- * Special Order only
- † May be suitable for Exterior Floors

This product should not be installed in exterior applications, high-heat areas, and/or steam rooms.

Please be aware that white stones installed on shower floors may experience oxidization and rusting.

All natural stone products must be sealed prior to grouting.

Merchandising materials and samples are for general reference only and representative of a product's potential characteristics. Tile is subject to variation in color/shade, size, texture, and finish. Field, mosaic and trim tile may not match exactly. Blend tiles from different boxes to achieve consistent shade distribution. Installer and end user must conduct a dry mock layout under proper lighting conditions to inspect the product. Installation constitutes product acceptance. Improper installation, application, use, care and maintenance voids warranty. Reference the TCNA Handbook and ANSI for installation guidance. Please visit bedrosians.com for current product information. We reserve the right to make product changes at any time without notice.

