BERTAZZONI PROFESSIONAL SERIES 36" 6-BURNER, DUAL FUEL ELECTRIC SELF CLEAN OVEN PRO36 6 DFS X

HIGHLIGHTS

- Bertazzoni's exclusive power burners in brass have independently operated flame rings giving maximum flexibility of operation from delicate low simmer to full power.
- The telescopic oven rack provides more convenient oven access and easier handling of hot and heavy dishes.





TO COOK BEAUTIFULLY WWW.BERTAZZONI.COM

FEATURES	
Gas burners	5
Burner type	brass
Maintop	one piece stainless steel sheet
Burner controls	knobs
Knobs	metal finish
Grates	cast iron
Backguard	standard 4 inches
Gas safety device	thermocouple technology
One hand ignition	standard
Standard accessories	wok ring & simmer plate
Dual Power burner	750 - 18,000 Btu/h
Rapid burner	11,000 Btu/h
Semi-rapid burner	6500 Btu/h
Auxiliary burner	3400 Btu/h
Simmer rate	750 Btu/h
Main oven	electric convection self-clean with electric broiler
Main oven functions	convection, bake, convection bake, turbo/ convection, convection broil, defrost/dehydrate, proofing, warming, broil, self clean
Main oven volume	4.0 ft ³
Inner oven door	quadruple glass
Oven equipment	1 telescopic glide shelf, 1 baking tray, 2 heavy gauge wire shelves, 1 grill trivet for tray
Legs	height adjustable stainless steel wrapped legs
TECHNICAL SPECIFICATIONS	
Voltage, frequency	120/208 V - 120/240 V, 60Hz
Max Amp Usage, power rating	24.3 A-5000 W, 27.8 A-8000 W
Certification	CSA
Warranty	2 years parts and labor
ACCESSORIES	
Toe kick panel (TKS 36 X), flat island trim (IRF 36 X), side trim (ST 36 X)	
A LP conversion kit for all burners is included	

MATCHING VENTILATION SOLUTIONS

Bertazzoni offers a variety of matching ventilation solutions for this range. Please check our website under the ventilation tab for a complete overview of all choices

COLORS OF ITALY

Color is an essential expression of Italian exuberance and artistic elegance. Bertazzoni celebrates these special qualities with seven color choices inspired by the wonderful produce of Emilia-Romagna, heartland of Italian food since Roman times.



INSTALLATION INSTRUCTIONS PRO36 6 DFS X



Bertazzoni recommends to operate the appliance after it has been installed in a cabinet. The kitchen cabinets shall be made of materials capable of withstanding temperatures at least 117°F (65°C) above room temperature in order to avoid possible damage to the cabinets during oven usage. For further installation instructions refer to the installation manual.

Disclaimer: while every effort has been made to insure the accuracy of the information contained in this brochure, Fratelli Bertazzoni reserves the right to change any part of the information at any time without notice.

Fratelli Bertazzoni, Bertazzoni and the winged wheel brand icon are registered trademarks of Bertazzoni Spa.

5⁄16