

HAIKU[®]

Enjoy the perfect blend of form and function with the expertly crafted Haiku from Big Ass Fans. With advanced features including automated SenseME™ technology, premium finishes, and available LED downlight and color-changing Chromatic Uplight, Haiku offers an unprecedented level of style, comfort, and control. Make the most of your favorite indoor and covered outdoor spaces with the whisper-quiet operation and world-class airflow from the world's most efficient smart fan.



KEY FEATURES

- ▶ **Three precision-balanced airfoils** in Moso bamboo or aircraft-grade aluminum
- ▶ **Built-in SenseME™ technology** for automated convenience and efficiency
- ▶ **LED downlight and Chromatic Uplight** available together or separately
- ▶ **Permanent-magnet motor** for whisper-quiet, energy-efficient airflow
- ▶ **Superior airflow control** with bluetooth remote, seven speed settings, mobile app, and more
- ▶ **Indoor and covered outdoor models** available

DIAMETER

52, 60, 84 IN
(132, 152, 213 CM)

MOUNTING

- UNIVERSAL
- LOW PROFILE

CONTROL

- BLUETOOTH REMOTE - 0-10V
- VOICE INTEGRATION - MOBILE APP
- OPTIONAL WIRED WALL CONTROL

WARRANTY

UP TO
5 YEARS
INDOOR

UP TO
3 YEARS
OUTDOOR



BIG ASS FANS[®]

DISCOVER MORE ABOUT HAIKU

Learn more at bigassfans.com or call our comfort experts for a free custom quote.


US +1 877.244.3267 | CA +1 844.924.4277 | AU +61 1300 244 277 | SG +65 6709 8500

HAIKU

THE WORLD'S SMARTEST FAN JUST GOT BRIGHTER.



Airfoil Finishes



Hardware Finishes



Construction Features


Airfoils	Motor ¹	Controls ²	Onboard Sensors ³	Integrations ²	Mounting	Environment ⁴	Accessories
Bamboo (indoor only) or aircraft-grade aluminum	High-efficiency, brushless DC/EC motor Fan Eco Mode	Bluetooth remote Big Ass Fans mobile app Voice control 0–10 V (optional)	Temperature and motion sensors enable SenseME Technology	Voice control with Google Assistant or Amazon Alexa Apple Homekit with Matter	Low Profile: Flat ceilings from 8 to 10 ft (2.4 to 3 m) Universal: Sloped or flat ceilings from 9 to ≥14 ft (2.7 to ≥4.3 m) Maximum slope: 33°	Indoor or covered damp locations	Haiku Light Kit Chromatic Uplight (indoor only) 0–10 V Module Extended downrod lengths Stabilizer Kit

Ordering Information

Diameter	Environment and Mounting ^{5,6}	Airfoil Material	Hardware Finish	Airfoil Finish ⁷	Motor	Downrod	Region	Downlight
52 inch: MK-HK4-04 60 inch: MK-HK4-05 84 inch: MK-HK4-07	84 inch Indoor, Universal: 1806 Damp, Universal: 1906 52 and 60 inch Indoor, Low Profile: 2400 Damp, Low Profile: 2500 Indoor, Universal: 2406 Damp, Universal: 2506	Aluminum: Blank Bamboo: 01	Black: A258 White: A259 Satin Nickel: A470 Oil-Rubbed Bronze: A471 Good As Gold: A850	Black: F258 White: F259 Caramel Bamboo ⁷ : F221 Cocoa Bamboo ⁷ : F222 Natural Bamboo: F860 Caramel Wood Grain: F504 Cocoa Wood Grain: F654 Driftwood: F772 Satin Nickel: F470 Oil-Rubbed Bronze: F471 Brushed Aluminum: F531 Oh Shell Yeah: F277	US, CA, MX: G10 International: G11	12 inch: I12	US, CA, MX: Blank APAC: R03 GCC: R04	Downlight: S2



Shown with low profile mount



Compatible with universal mount only

Bluetooth Remote



¹ Activate Fan Eco Mode in Big Ass Fans app to fully leverage the energy savings from your ceiling fan.

² Voice control requires an Amazon Alexa-enabled device or the Google Assistant. Google Assistant is a trademark of Google LLC. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

³ SenseME Technology and the Haiku mobile app are supported by Android[™] and iOS[®].

⁴ Damp-rated fans installed in covered outdoor locations must have fixed/permanent full overhead coverage extending at least two feet (61 cm) out from the airfoil tips on all sides. The included fan stabilizer must be installed. Not suitable for salt air environments. Fan must be installed at least 50 miles (80.5 km) inland from coast.

⁵ 52- and 60-inch indoor fans with the both the uplight and downlight must use the universal mount, indoor only (TB06). Low profile mount not available for 84-inch fans.

⁶ Uplight not available on damp-rated fans. Compatible with universal mount only. Light kits purchased separately.

⁷ Bamboo finishes are indoor use only.

Lead times may vary.
Warranty period and terms vary by country and application.



USA
BIGASSFANS.COM
877-244-3267


CANADA
BIGASSFANS.COM
844-924-4277

AUSTRALIA
BIGASSFANS.COM/AU
1300 244 277


SINGAPORE
BIGASSFANS.COM/SG
65 6709 8500

HAIKU

THE WORLD'S SMARTEST FAN JUST GOT BRIGHTER.



Low Profile Mount



Universal Mount

Universal Mount Downrod Lengths

Downrod (A) ¹	Included Downrod	Optional Downrods (Ordered Separately)				
	12 in. (305 mm)	7 in. (178 mm)	20 in. (508 mm)	32 in. (813 mm)	48 in. (1219 mm)	60 in. (1524 mm)
Fan Height (B) ²	21 in. (533 mm)	16 in. (406 mm)	29 in. (737 mm)	41 in. (1041 mm)	57 in. (1448 mm)	69 in. (1753 mm)
Ceiling Height	9–10.5 ft (2.7–3.2 m)	9–11 ft (2.7–2.9 m)	10.5–11 ft (3.2–3.4 m)	11–13 ft (3.4–4 m)	13–14 ft (4–4.3 m)	>14 ft (>4.3 m)

Fan Specifications — Aluminum Airfoils

Diameter	Environment	Mount	Weight ³	Max Speed	CFM	Max Watts	Operating Voltage	Ambient Operational Temperature	Sound Level ⁴
52 in. (132 cm)	Covered Damp	Low Profile	16.5 lb (7.5 kg)	177 RPM	5,172	15.1 W	100–240 VAC, 1 Φ, 50–60 Hz	32° to 104° F (0° to 40° C)	<35 dba at max speed
	Covered Damp	Universal	15.5 lb (7 kg)	199 RPM	6,145	20.1 W			
60 in. (152 cm)	Covered Damp	Low Profile	18.5 lb (8.4 kg)	174 RPM	6,062	15.9 W			
	Covered Damp	Universal	17.5 lb (8 kg)	199 RPM	7,281	22.4 W			
84 in. (213 cm)	Covered Damp	Universal	26 lb (11.8 kg)	128 RPM	17,369	42.3 W			
	Indoor	Low Profile	16.5 lb (7.5 kg)	177 RPM	5,172	14.7 W			
52 in. (132 cm)	Indoor	Universal	15.5 lb (7 kg)	199 RPM	6,106	18.8 W			
	Indoor	Low Profile	18.5 lb (8.4 kg)	174 RPM	6,420	17.8 W			
60 in. (152 cm)	Indoor	Universal	17.5 lb (8 kg)	199 RPM	7,803	24.5 W			
	Indoor	Universal	26 lb (11.8 kg)	128 RPM	17,031	41.9 W			

Fan Specifications — Bamboo Airfoils⁵

Diameter	Environment	Mount	Weight ³	Max Speed	CFM	Max Watts	Operating Voltage	Ambient Operational Temperature	Sound Level ⁴
52 in. (132 cm)	Indoor	Low Profile	14 lb (6.4 kg)	177 RPM	5,731	19.5 W	100–240 VAC, 1 Φ, 50–60 Hz	32° to 104° F (0° to 40° C)	<35 dba at max speed
	Indoor	Universal	13 lb (5.9 kg)	200 RPM	6,973	28.9 W			
60 in. (152 cm)	Indoor	Low Profile	16 lb (7.3 kg)	175 RPM	6,319	16.2 W			
	Indoor	Universal	15 lb (6.8 kg)	199 RPM	7,632	25.1 W			
84 in. (213 cm)	Indoor	Universal	21 lb (9.5 kg)	128 RPM	15,081	32.9 W			



Automate your comfort with SenseME

SenseME automatically adjusts your fans and lights to keep your home feeling and looking exactly the way you want it to. Download the Big Ass Fans mobile app to group multiple fans and set your comfort preferences for hands-free control.

¹ Optional downrod lengths packaged separately. The 7 in. (178 mm) downrod is not available for 84-inch (2134 mm) fans. 60 in. (1524 mm) is the longest downrod available.

² Fan heights do not include the Haiku Light Kit. Add 0.8 in. (20 mm) for 84-inch (2134 mm) diameter fans.

³ The precise fan weight will vary based on individual component weights and finishing.

⁴ Actual results of sound measurements in the field may vary due to sound reflective surfaces and environmental conditions.

⁵ Bamboo airfoils must be installed in indoor, dry environments only.

Lead times may vary.
Warranty period and terms vary by country and application.



USA
BIGASSFANS.COM
877-244-3267

CANADA
BIGASSFANS.COM
844-924-4277

AUSTRALIA
BIGASSFANS.COM/AU
1300 244 277

SINGAPORE
BIGASSFANS.COM/SG
65 6709 8500