



AFFINITY CONTROLS COLLECTION

TAP INTO COMFORT

Bromic's best in class controls have arrived with our Affinity Smart Heat[™] Collection. These wifi and bluetooth enabled controllers offer more available heater channels than ever, and pair seamlessly to our state of the art app where users have complete, customizable control over their comfort.



The Affinity Difference

- ▶ WiFi & Bluetooth pairing
- Complete control of heat output with On/Off and Dimming functionality
- Multi-heater management of unlimited connected controllers
- Create heater grouping within zones
- ▶ Timer & schedule settings
- Voice control integration with Amazon Alexa & Google Home
- ▶ Manage multiple sites from one app
- Admin control with multi-user management
- Option for Ethernet control or management system integration















Features:

- Available in 1, 2 and 5 channel output options
- Compatible with Platinum and Tungsten Collection gas or electric heaters
- Enables turning connected Bromic Heaters on or off
- Full power capacity

Control Options:

• Each channel input controls up to 6000W of power or ten gas heaters

Affinity Dimmer Series

Feature

- Available in 1 and 2 channel output options 5 channel coming 2025
- Suitable for Bromic's Platinum and Tungsten Collection Electric heaters
- Each channel input controls up to 6000W of power

Control Options:

- Precise adjustment of heat output
- Adjustments down to 1% increments

Affinity Eclipse Series (COMING SPRING 2025)

Features:


- Available in 1 and 5 channel output options coming Spring 2025
- Compatible with Eclipse Electric heater
- Control via the Bromic Heating app

Control Options:

- On/Off control over heat and incremental control over LED light for 1 channel
- Incremental control over heat and LED light for 5 channel

AFFINITY CONTROLS COLLECTION

CONNECT TO COMFORT





AFFINITY ON/OFF SERIES

FOR BROMIC'S PLATINUM AND TUNGSTEN COLLECTION GAS & ELECTRIC HEATERS

MODEL NUMBER	BH3130051	BH3130052	BH3130053
NO OF CHANNELS	1	2	5
VOLTAGE - MAX CAPACITY PER CHANNEL	100-127V - 1kW 208-277V - 6kW	100-127V - 1kW 208-277V - 6kW	3N~ 220/380V - 6kW 3N~ 230/400V - 6kW 3N~ 240/415V - 6kW 3N~ 277/480V - 6kW 3~ 120/208V - 6kW
PROTECTION RATING	IP54	IP54	IP54
DIMENSIONS	11.4 x 8.0 x 4.4"	11.4 x 8.0 x 4.4"	19.7 x 13.4 x 8.0"
WEIGHT	3.1 lbs	3.6 lbs	24.3 lbs

AFFINITY DIMMER SERIES

FOR BROMIC'S PLATINUM AND TUNGSTEN COLLECTION ELECTRIC HEATERS

MODEL NUMBER	BH3130061	BH3130062	BH3130063
NO OF CHANNELS	1	2	5
VOLTAGE - MAX CAPACITY PER CHANNEL	208-277V - 6kW	208-277V - 6kW	3N- 220/380V - 6kW 3N- 230/400V - 6kW 3N- 240/415V - 6kW 3N- 277/480V - 6kW 3- 120/208V - 6kW
PROTECTION RATING	IP54	IP54	IP54
DIMENSIONS	11.4 x 8.0 x 6.4"	11.4 x 8.0 x 6.4"	19.7 x 13.4 x 10.0"
WEIGHT	3.5 lbs	5.3 lbs	7.6 lbs

AFFINITY ECLIPSE SERIES

FOR BROMIC ECLIPSE ELECTRIC HEATERS

MODEL NUMBER	BH8380051	BH8380055
NO OF CHANNELS	1	5
VOLTAGE - MAX CAPACITY PER CHANNEL	220-240V	220-240V
PROTECTION RATING	IP54	IP54
DIMENSIONS	11.4 x 8.0 x 4.4"	19.7 x 13.4 x 10.0"
WEIGHT	3.5 lbs	33.1 lbs