

## FEATURES

Heavy-Duty, 3-Speed Motor

Downrod Only

8" Downrod (Included)

Limited Lifetime Warranty

Remote Control - RCI-103 (Included) Wall Control - WC-100 (Included)

Suitable for Damp Locations

#### SPECS

 Blade Sweep.
 47"

 Number of Blades.
 2 x 3

 Blade Pitch.
 20°

 Motor Size (MM)
 82 x 25

 AMPS (HI Speed)
 <1</td>

 Shipping Wt. (lbs.)
 36.95


 CU. FT. in Carton
 3.26

 Airflow\*
 (Cubic Feet Per Minute)
 4,032

 Watts (HI Speed)
 98


 Airflow Efficiency\*
 (CFM Per Watt)
 71

## CEILING DROP DIMENSIONS



**A:** 8" DR-19" **B:** 8" DR-14" **C:** 47" **D:** 6.0" **E:** 8"

\*DR = Downrod











A | Aged Bronze Brushed Faraday II

Model . . . . . . . FARII13ABZ3RW Blade..... Aged Bronze Brushed Location . . . . . Suitable for Damp Locations B | Brushed Polished Nickel Faraday II

Model . . . . . . . FARII13BNK3RW Blade..... Brushed Polished Nickel Location . . . . . Suitable for Damp Locations

AVAILABLE FINISHES **BLADE OPTIONS** LIGHT KIT OPTIONS

ABZ Aged Bronze Brushed BNK Brushed Polished Nickel Included

Not Adaptable

## FAN CONTROL OPTIONS

Faraday Remote & Wall Control Included







FEATURES

Heavy-Duty, 3-Speed Motor

Wall Mount

Limited Lifetime Warranty

Hard Wire or Cord and Plug-4 ft.

Suitable for Damp Locations

# SPECS

 Blade Sweep
 14"

 Number of Blades
 3

 Blade Pitch
 20"


 Motor Size (MM)
 82 x 25

 AMPS (HI Speed)
 <1</td>

 Shipping Wt. (lbs.)
 22.82

 CU. FT. in Carton
 1.80

# CEILING DROP DIMENSIONS



**A:** 18.5" **C:** 6.125"

**B:** 21.0"













A | Aged Bronze Brushed Faraday

Model-Finish . . . **FAR14ABZ3W** Blade-Finish . . . **Aged Bronze Brushed** 

Location . . . . . Suitable for Damp Locations

B | Brushed Polished Nickel Faraday

Model . . . . . . . FAR14BNK3W

Blade..... Brushed Polished Nickel Location . . . . . Suitable for Damp Locations

AVAILABLE FINISHES BLADE OPTIONS LIGHT KIT OPTIONS

ABZ Aged Bronze Brushed

BNK Brushed Polished Nickel

Included

Not Adaptable

FAN CONTROL OPTIONS

Not Available