

RNO, RNOV

Document # PG01-015



Revised 11/25/14 Page 1/3



Renaissance® 27" and 30" Wide Single Wall Ovens


PLANNING GUIDE

Product tolerances: $\pm 1/16"$ (± 1.6 mm) unless otherwise stated



⚠ WARNING

- Observe all governing codes and ordinances during planning and installation. Contact your local building department for further information.
- This appliance must be installed in accordance with the accompanying installation instructions.



Handle Dimensions

ELECTRICAL SPECIFICATIONS		
Model	Dedicated Circuit Requirements	Total Connected Load
RNO[V]127	240 Vac 60 Hz., 4-wire,*** 30 Amp.	240 Vac 60 Hz, 19.0 Amp., 4.7 kW
RNO[V]130	240 Vac 60 Hz., 4-wire,*** 30 Amp.	240 Vac 60 Hz, 24.5 Amp., 6.0 kW

*** Two 120 Vac hot (L1 and L2), one neutral, one ground

The above specifications are for reference only. See the appliance data plate for exact specifications.

Model	(A) Overall Width	(B) Chassis Width	(C) Overall Height	(D)* Chassis Height	(E) Control Panel Overlay
RNO[V]127	26 7/8" (68.3 cm)	25 1/2" (64.8 cm)	27 3/4" (70.5 cm)	27 3/8" (69.5 cm)	3/8" (1.0 cm)
RNO[V]130	29 7/8" (75.9 cm)	28 1/2" (72.4 cm)	27 3/4" (70.5 cm)	27 3/8" (69.5 cm)	3/8" (1.0 cm)

* To top of chassis notch behind control panel

(F) Utility Cutout Width	(G) Utility Cutout Height	(H) Utility Cutout Depth	(J) Control Panel Depth	(K) Chassis Depth	(L) Control Panel Notch Depth	(M) Notch Height
6 1/2" (16.5 cm)	5" (12.7 cm)	7 7/8" (20.0 cm)	3/4" * (1.9 cm)	24" (61.0 cm)	1/2" (1.3 cm)	3/4" (1.9 cm)

* 7/8" (2.2 cm) for models RNO[V]127B, RNO[V]130B, RNO127W and RNO130W



RNO, RNOV

Document # PG01-015


Revised 11/25/14 Page 2/3




Renaissance 27" and 30" Wide, Single Wall Oven

PLANNING GUIDE

Cabinet tolerances: +1/16" (+1.6 mm) -0, unless otherwise stated



CUTOUT DIMENSIONS - STANDARD WALL INSTALLATION SINGLE WALL OVEN



CUTOUT DIMENSIONS - STANDARD UNDER COUNTER INSTALLATION SINGLE WALL OVEN

Minimum interior cabinet depth: 24" (61.0 cm)

Model	(N) Minimum Cabinet Width	(P) Cutout Width	(R) Minimum Cutout Height
RNO[V]127	27" (68.6 cm)	25 5/8" (65.1 cm) minimum (recommended) 26 1/8" (66.4 cm) maximum	27 1/2" (69.9 cm)
RNO[V]130	30" (76.2 cm)	28 5/8" (72.7 cm) minimum (recommended) 29 1/8" (74.0 cm) maximum	27 1/2" (69.9 cm)

RNO, RNOV

Document # PG01-015

Revised 11/25/14 Page 3/3






Renaissance 27" and 30" Wide, Single Wall Oven

PLANNING GUIDE

CUTOUT DIMENSIONS - FLUSH INSTALLATION SINGLE WALL OVEN

Cabinet tolerances: +1/16" (+1.6 mm) -0, unless otherwise stated



Model	(T) Minimum Cabinet Depth	(U) Cutout Width	(V) Cutout Height	(W) Stop Depth	(X) Stop Width
RNO127[F]S	24 3/4" (62.9 cm)	27" (68.6 cm)	27 7/8" (70.8 cm)	3/4" (1.9 cm)	3/8" (1.0 cm)
RNO130[F]S	24 3/4" (62.9 cm)	30" (76.2 cm)	27 7/8" (70.8 cm)	3/4" (1.9 cm)	3/8" (1.0 cm)
RNO[V]127B, RNO127W	24 7/8" (63.2 cm)	27" (68.6 cm)	27 7/8" (70.8 cm)	7/8" (2.2 cm)	3/8" (1.0 cm)
RNO[V]130B, RNO130W	24 7/8" (63.2 cm)	30" (76.2 cm)	27 7/8" (70.8 cm)	7/8" (2.2 cm)	3/8" (1.0 cm)

* Back of wall oven control panel rests against stops