

# 24-INCH REFRIGERATOR COLUMN, PANEL-READY

DRR24980LAP | DRR24980RAP









### PRODUCT FEATURES

- → Full height door with true flush cabinet integration without exposed venting grille
- → SteelCool™ Stainless Steel Interior illuminated by 3DLighting™
- → Push-To-Open<sup>™</sup> Door Assist opens the door upon a slight push for a luxuriously convenient experience
- → Internal Water Dispenser for easy access to clean, filtered water
- → iQ RemoteView<sup>™</sup> Cameras (Wi-Fi) enables users to check what's in your fridge from your phone

TEM	PER/	ATUR	E RA	NGES

REFRIGERATOR	34°F (1°C) TO 44°F (7°C)
REFRIGERATOR - POWER COOL	34°F (1°C)
FRESHZONE™ DRAWER	37°F (3°C) / 33°F (-1°C)/29°F (-1°C)


### **DIMENSIONS & WEIGHT**

APPLIANCE DIMENSIONS (W X H X D) (IN.)	23 <sup>3</sup> / <sub>4</sub> " X 83 <sup>3</sup> / <sub>8</sub> " X 25"
REQUIRED CUTOUT SIZE (W X H X D) (IN.)	24" X 84" X 25"
NET WEIGHT (LBS)	377

GENERAL PROPERTIES	
PANEL READY	YES
DOOR SWING	
PUSH-TO-OPEN™ DOOR ASSIST	LAP-LEFT, RAP-RIGHT YES
INTERNAL WATER DISPENSER	YES
IQ REMOTEVIEW™ CAMERA	YES (2 EA)
DEODORIZING FILTER	YES (Z EA)
LIGHTING	3DLIGHTING™
INTERIOR MATERIAL	STEELCOOL™ STAINLESS STEEL INTERIOR
FULL WIDTH SHELVES	4 EA
SHELF MATERIAL	TEMPERED, METAL TRIM, SPILL-PROOF
FULL EXTENSION DRAWERS AT 90° DOOR OPENING ANGLE	YES
FRESHZONE™ DRAWER	YES - CHEESE (37°F) / COLD DRINKS (33°F) / MEAT (29°F)
CRISPER DRAWERS	2 EA
DOOR BINS	4 EA
DOOR OPEN ALARM	YES
SPECIAL MODES	SABBATH MODE
CAPACITY	
TOTAL UNIT GROSS CAPACITY (CU.FT.) - AHAM	13.7 CU. FT.
REFRIGERATOR GROSS CAPACITY (CU.FT.)	13.7 CU. FT.
PERFORMANCE	
DEDICATED EVAPORATOR & COMPRESSOR SYSTEM	YES
POWER COOL	YES
PRECISE COOLING	YES
EFFICIENCY	
ENERGY STAR QUALIFIED	YES
ANNUAL ENERGY CONSUMPTION	260 KWH/YEAR
TECHNICAL DETAILS	
CURRENT (A)	15
VOLTS (V)	115
FREQUENCY (HZ)	60
POWER CORD LENGTH (IN.)	78 3/4"
POWER CORD LENGTH (IIV.)	
PLUG TYPE	120 V, 3 PRONG
	120 V, 3 PRONG
PLUG TYPE	120 V, 3 PRONG 2 YEAR
PLUG TYPE  WARRANTY  LIMITED, ENTIRE APPLIANCE, PARTS AND LABOR ON ANY PART OF THE	
PLUG TYPE  WARRANTY  LIMITED, ENTIRE APPLIANCE, PARTS AND LABOR ON ANY PART OF THE REFRIGERATOR  LIMITED WARRANTY FOR SEALED REFRIGERATION SYSTEM; PARTS	2 YEAR




#### APPLIANCE DIMENSIONS A (WIDTH) 23 <sup>3</sup>/<sub>4</sub>" (603 MM) B (WITH PANEL) 25" (635 MM) B1 (WITHOUT PANEL) 23 <sup>13</sup>/<sub>16</sub>" (605MM) C (HEIGHT) 83 <sup>3</sup>/<sub>8</sub>" (2118MM) 23 5/8" (600 MM) D1 (WITH PANEL) 24 1/8" (631 MM) D2 (WITH MODERNIST HANDLE) 26 <sup>3</sup>/<sub>4</sub>" (680 MM) D3 (WITH PRO HANDLE) 27 <sup>3</sup>/<sub>8</sub>" (696 MM) 50 <sup>3</sup>/<sub>4</sub>" (1289 MM) Ε F 13 <sup>11</sup>/<sub>16</sub>" (348 MM) G 49 <sup>11</sup>/<sub>16</sub>" (1261 MM)




### CUSTOM PANEL DIMENSIONS


A-1 (WIDTH)	23 <sup>3</sup> / <sub>4</sub> " (756MM)
A-2 (HEIGHT)	79 1/8" (2029MM)
A-3 (DEPTH)	<sup>3</sup> / <sub>4</sub> " (19MM)
MAX WEIGHT	110.0 LBS. (50KG)



#### INSTALLATION CUTOUT DIMENSIONS A (WIDTH) 24" (762MM) B (DEPTH) 25" (635MM) C (HEIGHT) 84" (2,134MM) D 14" (508MM) Е 80" (2,032MM)



### WATER SUPPLY CONNECTION REQUIREMENTS



ACCESSORIES	
MODERNIST GRAPHITE STAINLESS STEEL - 24" PANEL KIT	RAC24AMLHMS (LEFT HINGE), RAC24AMRHMS (RIGHT HINGE)
MODERNIST SILVER STAINLESS STEEL - 24" PANEL KIT	RAC24AMLHSR (LEFT HINGE), RAC24AMRHSR (RIGHT HINGE)
HERITAGE PRO SILVER STAINLESS STEEL - 24" PANEL KIT	RAC24AHLHSR (LEFT HINGE), RAC24AHRHSR (RIGHT HINGE)
MODERNIST GRAPHITE STAINLESS STEEL - 24" KICK PLATE	RAC24TKBBMS
MODERNIST SILVER STAINLESS STEEL - 24" KICK PLATE	RAC24TKBBSR
GRAPHITE STAINLESS STEEL - MODERNIST HANDLE	RACOOMHAAMS
SILVER STAINLESS STEEL - MODERNIST HANDLE	RACOOMHAASR
SILVER STAINLESS STEEL - HERITAGE PRO HANDLE	RACOOPHAASR
SILVER STAINLESS STEEL - EPICURE HANDLE	ADRRZHIE
PAIR INSTALLATION KIT	RACOOCPAAAA
WATER FILTER	RACOOWFAAAA
DEODORIZING FILTER	RACOODFAAAA

### **DRZ18980LAP**

## 18-INCH FREEZER COLUMN, LEFT-HINGE

MODERNIST, PANEL-READY







### FEATURES & BENEFITS

- Full height door with true flush cabinet integration without exposed venting grille
- SteelCool™ Stainless Steel Interior Illuminated by 3DLighting™
- Push-To-Open™ Door Assist opens the door upon a slight push for a luxuriously convenient experience


TEMPERATURE RANGES	
Freezer	5°F (-15°C) to -8°F (-23°C)
Freezer - Power Freeze	-8°F (-23°C)

ACCESSORIES (OPTIONAL)	
Graphite Stainless Steel - 18" Panel (Left Hinge)	RAC18DPLHMS
Graphite Stainless Steel - 18" Kick Plate	RAC18TKBBMS
Graphite Stainless Steel - Modernist Handle	RAC00MHAAMS
Silver Stainless Steel - 18" Panel (Left Hinge)	RAC18DPLHSR
Silver Stainless Steel - 18" Kick Plate	RAC18TKBBSR
Silver Stainless Steel - Modernist Handle	RAC00MHAASR
Silver Stainless Steel - Dacor Pro Handle	RAC00PHAASR
Pair Installation Kit	RAC00CPAAAA
Water Filter	RAC00WFAAAA
Deodorizing Filter	RAC00DFAAAA

GENERAL PROPERTIES	
Panel Ready	Yes
Door Swing	Left
Push-To-Open™ Door Assist	Yes
Icemaker	Standard Icemaker
Lighting	3DLighting™
Interior Material	SteelCool™ Stainless Steel Interior
Full Width Shelves	3 ea
Shelf Material	Tempered, Metal Trim, Spill- Proof
Full Extension Drawers at 90° Door Opening Angle	Yes
Hidden Box with Flip-up Cover	No
Freezer Drawer	2 ea
Door Bins	4 ea
Door Open Alarm	Yes
Special Modes	Sabbath Mode
CAPACITY	
Total Unit Gross Capacity (cu. ft.) - AHAM	9.4 cu. ft.
Freezer Gross Capacity (cu. ft.)	9.4 cu. ft.
PERFORMANCE	
Dedicated Evaportator & Compressor System	Yes
Power Freeze	Yes
Defrost Process	Frost-Free
Temperature Fluctuation	±0.36°F* (±0.2°C*)
TECHNICAL DETAILS	
Current (A)	3
Volts (V)	115
Frequency (Hz)	60
Power Cord Length (in.)	78 3/4"
Plug Type	120V, 3 Prong
DIMENSIONS	
Appliance dimensions (H x W x D) (in.)	83 3/8" x 17 5/8" x 23 13/16"
Required Cutout Size (H x W x D) (in.)	84" x 18" x 25"
EFFICIENCY	
ENERGY STAR Qualified	Yes
Annual Energy Consumption	465 kWh
WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Freezer	2 Year
Limited Warranty for Sealed Freezer System; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Freezer System; Parts Only	7th to 12th Year


# **18-INCH FREEZER COLUMN, LEFT-HINGE** MODERNIST, PANEL-READY






	18"
A (Width)	17 5/8" (447mm)
B (Depth)	23 13/16" (605mm)
C (Height)	83 3/8"" (2118mm)

### INSTALLATION CUTOUT DIMENSIONS



	18"
A (Width)	18" (457mm)
B (Depth)	25" (635mm)
C (Height)	84" (2134mm)
A'	3" (140mm)
B'	8" (356mm)
C'	80" (2032mm)

### **CUSTOM PANEL DIMENSIONS**



	18"
A-1 (Width)	17 3/4" (603mm)
A-2 (Height)	79 7/8" (2029mm)
A-3 (Depth)	3/4" (19mm)
Max Weight	132.0 lbs. (60kg)

### **DRZ18980RAP**

## 18-INCH FREEZER COLUMN, RIGHT-HINGE

MODERNIST, PANEL-READY







### FEATURES & BENEFITS

- Full height door with true flush cabinet integration without exposed venting grille
- SteelCool™ Stainless Steel Interior Illuminated by 3DLighting™
- Push-To-Open™ Door Assist opens the door upon a slight push for a luxuriously convenient experience

TEMPERATURE RANGES	
Freezer	5°F (-15°C) to -8°F (-23°C)
Freezer - Power Freeze	-8°F (-23°C)


ACCESSORIES (OPTIONAL)	
Graphite Stainless Steel - 18" Panel (Right Hinge)	RAC18DPLHMS
Graphite Stainless Steel - 18" Kick Plate	RAC18TKBBMS
Graphite Stainless Steel - Modernist Handle	RAC00MHAAMS
Silver Stainless Steel - 18" Panel (Right Hinge)	RAC18DPLHSR
Silver Stainless Steel - 18" Kick Plate	RAC18TKBBSR
Silver Stainless Steel - Modernist Handle	RAC00MHAASR
Silver Stainless Steel - Dacor Pro Handle	RAC00PHAASR
Pair Installation Kit	RAC00CPAAAA
Water Filter	RAC00WFAAAA
Deodorizing Filter	RACOODFAAAA

GENERAL PROPERTIES	
	Yes
Panel Ready	
Door Swing Push-To-Open™ Door Assist	Right Yes
Icemaker	Standard Icemaker
Lighting	3DLighting™
Interior Material	SteelCool™ Stainless Steel Interior
Full Width Shelves	3 ea
Shelf Material	Tempered, Metal Trim, Spill- Proof
Full Extension Drawers at 90° Door Opening Angle	Yes
Hidden Box with Flip-up Cover	No
Freezer Drawer	2 ea
Door Bins	4 ea
Door Open Alarm	Yes
Special Modes	Sabbath Mode
CAPACITY	
Total Unit Gross Capacity (cu. ft.) - AHAM	9.4 cu. ft.
Freezer Gross Capacity (cu. ft.)	9.4 cu. ft.
PERFORMANCE	
Dedicated Evaportator & Compressor System	Yes
Power Freeze	Yes
Defrost Process	Frost-Free
Temperature Fluctuation	±0.36°F* (±0.2°C*)
TECHNICAL DETAILS	
Current (A)	3
Volts (V)	115
Frequency (Hz)	60
Power Cord Length (in.)	78 3/4"
Plug Type	120V, 3 Prong
DIMENSIONS	_
Appliance dimensions (H x W x D) (in.)	83 3/8" x 17 5/8" x 23 13/16"
Required Cutout Size (H x W x D) (in.)	84" x 18" x 25"
EFFICIENCY	
ENERGY STAR Qualified	Yes
Annual Energy Consumption	465 kWh
WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Freezer	2 Year
Limited Warranty for Sealed Freezer System; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Freezer System; Parts Only	7th to 12th Year

### DRZ18980RAP


# **18-INCH FREEZER COLUMN, RIGHT-HINGE** MODERNIST, PANEL-READY






	18"
A (Width)	17 5/8" (447mm)
B (Depth)	23 13/16" (605mm)
C (Height)	83 3/8"" (2118mm)

### INSTALLATION CUTOUT DIMENSIONS



	18"
A (Width)	18" (457mm)
B (Depth)	25" (635mm)
C (Height)	84" (2134mm)
A'	3" (140mm)
B'	8" (356mm)
C'	80" (2032mm)

### **CUSTOM PANEL DIMENSIONS**



	18"
A-1 (Width)	17 3/4" (603mm)
A-2 (Height)	79 7/8" (2029mm)
A-3 (Depth)	3/4" (19mm)
Max Weight	132.0 lbs. (60kg)