# **DRR36980LAP**

**36-INCH REFRIGERATOR COLUMN, LEFT-HINGE** MODERNIST, PANEL-READY







- Full height door with true flush cabinet integration without exposed venting grille • SteelCool™ Stainless Steel Interior Illuminated by 3DLighting™
- Push-To-Open™ Door Assist opens the door upon a slight push for a luxuriously convenient experience
- Internal Water Dispenser for easy access to clean, filtered water
- iQ RemoteView™ Cameras (Wi-Fi) enables users to check what's
- in your fridge from your phone


TEMPERATURE RANGES	
Refrigerator	34°F (1°C) to 44°F (7°C)
Refrigerator - Power Cool	34°F (1°C)
FreshZone™ Drawer	37°F (3°C) / 33°F (1°C) /29°F (-1°C)

ACCESSORIES (OPTIONAL)	
Graphite Stainless Steel - 36″ Panel (Left Hinge)	RAC36DPLHMS
Graphite Stainless Steel - 36" Kick Plate	RAC36TKBBMS
Graphite Stainless Steel - Modernist Handle	RACOOMHAAMS
Silver Stainless Steel - 36″ Panel (Left Hinge)	RAC36DPLHSR
Silver Stainless Steel - 36" Kick Plate	RAC36TKBBSR
Silver Stainless Steel - Modernist Handle	RACOOMHAASR
Silver Stainless Steel - Dacor Pro Handle	RACOOPHAASR
Pair Installation Kit	RACOOCPAAAA
Water Filter	RACOOWFAAAA
Deodorizing Filter	RACOODFAAAA


GENERAL PROPERTIES	
	No -
Panel Ready	Yes
Door Swing	Left
Push-To-Open™ Door Assist	Yes
Internal Water Dispenser	Yes
iQ RemoteView™ Camera	Yes (2 ea)
Deodorizing Filter	Yes
Lighting	3DLighting™
Interior Material	SteelCool™ Stainless Steel Interior
Full Width Shelves	4 ea
Shelf Material	Tempered Glass Shelves w/ Metal Trim
Full Extension Drawers at 90° Door Opening Angle	Yes
FreshZone™ Drawer	Yes - Cheese (37°F) / Cold Drinks (33°F) / Meat (29°F)
Humidity Control Drawer	2 ea
Door Bins	4 ea
Door Open Alarm	Yes
Special Modes	Sabbath Mode
CAPACITY	
Total Unit Gross Capacity (cu. ft.) - AHAM	21.5 cu. ft.
Refrigerator Gross Capacity (cu. ft.)	21.5 cu. ft.
PERFORMANCE	
Dedicated Evaportator & Compres- sor System	Yes
Power Cool	Yes
PreciseTemp™ Technology	Minimized temperature fluc- tuation ±0.36°F* (±0.2°C*)
TECHNICAL DETAILS	
Current (A)	3
Volts (V)	115
Frequency (Hz)	60
Power Cord Length (in.)	78.34″
Plug Type	120V, 3 Prong
DIMENSIONS	
Appliance dimensions (H x W x D) (in.)	83 3/8" x 35 3/4" x 23 13/16"
Required Cutout Size (H x W x D) (in.)	84" x 36" x 25"
EFFICIENCY	
ENERGY STAR Qualified	Yes
Annual Energy Consumption	290 kWh
WARRANTY	· 
Limited, Entire Appliance, Parts and Labor on Any Part of the Refriger- ator	2 Year
Limited Warranty for Sealed Refrig- eration System; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrig- eration System; Parts Only	7th to 12th Year


# DRR36980LAP

**36-INCH REFRIGERATOR COLUMN, LEFT-HINGE** MODERNIST, PANEL-READY dacor



### INSTALLATION CUTOUT DIMENSIONS





	36"
A (Width)	35 3/4" (908mm)
B (Depth)	23 13/16" (605mm)
C (Height)	83 3/8"" (2118mm)

	36"
A (Width)	36" (914mm)
B (Depth)	25" (635mm)
C (Height)	84" (2134mm)
A'	9" (228mm)
Bʻ	26" (660mm)
C'	80" (2032mm)

	36"
A-1 (Width)	35 3/4" (908mm)
A-2 (Height)	79 7/8" (2029mm)
A-3 (Depth)	3/4" (19mm)
Max Weight	66.0 lbs. (30kg)

## **DRR36980RAP**

**36-INCH REFRIGERATOR COLUMN, RIGHT-HINGE** MODERNIST, PANEL-READY







- Full height door with true flush cabinet integration without exposed venting grille • SteelCool™ Stainless Steel Interior Illuminated by 3DLighting™
- Push-To-Open™ Door Assist opens the door upon a slight push
- for a luxuriously convenient experience Internal Water Dispenser for easy access to clean, filtered water
- iQ RemoteView™ Cameras (Wi-Fi) enables users to check what's
- in your fridge from your phone

TEMPERATURE RANGES	
Refrigerator	34°F (1°C) to 44°F (7°C)
Refrigerator - Power Cool	34°F (1°C)
FreshZone™ Drawer	37°F (3°C) / 33°F (1°C) /29°F (-1°C)


ACCESSORIES (OPTIONAL)	
Graphite Stainless Steel - 36" Panel (Right Hinge)	RAC36DPRHMS
Graphite Stainless Steel - 36" Kick Plate	RAC36TKBBMS
Graphite Stainless Steel - Modernist Handle	RACOOMHAAMS
Silver Stainless Steel - 36" Panel (Right Hinge)	RAC36DPRHSR
Silver Stainless Steel - 36" Kick Plate	RAC36TKBBSR
Silver Stainless Steel - Modernist Handle	RACOOMHAASR
Silver Stainless Steel - Dacor Pro Handle	RACOOPHAASR
Pair Installation Kit	RACOOCPAAAA
Water Filter	RACOOWFAAAA
Deodorizing Filter	RACOODFAAAA

GENERAL PROPERTIES	
Panel Ready	Yes
Door Swing	Right
Push-To-Open™ Door Assist	Yes
Internal Water Dispenser	Yes
iQ RemoteView™ Camera	Yes (2 ea)
Deodorizing Filter	Yes
Lighting	3DLighting™
Interior Material	SteelCool™ Stainless Steel Interior
Full Width Shelves	4 ea
Shelf Material	Tempered Glass Shelves w/ Metal Trim
Full Extension Drawers at 90° Door Opening Angle	Yes
FreshZone™ Drawer	Yes - Cheese (37°F) / Cold Drinks (33°F) / Meat (29°F)
Humidity Control Drawer	2 ea
Door Bins	4 ea
Door Open Alarm	Yes
Special Modes	Sabbath Mode
CAPACITY	
Total Unit Gross Capacity (cu. ft.) - AHAM	21.5 cu. ft.
Refrigerator Gross Capacity (cu. ft.)	21.5 cu. ft.
PERFORMANCE	
Dedicated Evaportator & Compres- sor System	Yes
Power Cool	Yes
PreciseTemp™ Technology	Minimized temperature fluc- tuation ±0.36°F* (±0.2°C*)
TECHNICAL DETAILS	
Current (A)	3
Volts (V)	115
Frequency (Hz)	60
Power Cord Length (in.)	78.34″
Plug Type	120V, 3 Prong
DIMENSIONS	
Appliance dimensions (H x W x D) (in.)	83 3/8" x 35 3/4" x 23 13/16"
Required Cutout Size (H x W x D) (in.)	84" x 36" x 25"
EFFICIENCY	<u> </u>
ENERGY STAR Qualified	Yes
Annual Energy Consumption	290 kWh
WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Refriger- ator	2 Year
Limited Warranty for Sealed Refrig- eration System; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Refrig- eration System; Parts Only	7th to 12th Year


# DRR36980RAP


**36-INCH REFRIGERATOR COLUMN, RIGHT-HINGE** MODERNIST, PANEL-READY





### INSTALLATION CUTOUT DIMENSIONS





	36"
A (Width)	35 3/4" (908mm)
B (Depth)	23 13/16" (605mm)
C (Height)	83 3/8"" (2118mm)

	36"
A (Width)	36" (914mm)
B (Depth)	25" (635mm)
C (Height)	84" (2134mm)
A'	9" (228mm)
Bʻ	26" (660mm)
C'	80" (2032mm)

	36"
A-1 (Width)	35 3/4" (908mm)
A-2 (Height)	79 7/8" (2029mm)
A-3 (Depth)	3/4" (19mm)
Max Weight	66.0 lbs. (30kg)

# DRZ36980LAP 36-INCH FREEZER COLUMN, LEFT-HINGE

MODERNIST, PANEL-READY







- Full height door with true flush cabinet integration without exposed venting grille
- SteelCool™ Stainless Steel Interior Illuminated by 3DLighting™
- Push-To-Open™ Door Assist opens the door upon a slight push for a luxuriously convenient experience
- Dual icemaker with Standard and Cocktail Ice™

TEMPERATURE RANGES	
Freezer	5°F (-15°C) to -8°F (-23°C)
Freezer - Power Freeze	-8°F (-23°C)


ACCESSORIES (OPTIONAL)	
Graphite Stainless Steel - 36″ Panel (Left Hinge)	RAC36DPLHMS
Graphite Stainless Steel - 36" Kick Plate	RAC36TKBBMS
Graphite Stainless Steel - Modernist Handle	RACOOMHAAMS
Silver Stainless Steel - 36″ Panel (Left Hinge)	RAC36DPLHSR
Silver Stainless Steel - 36" Kick Plate	RAC36TKBBSR
Silver Stainless Steel - Modernist Handle	RACOOMHAASR
Silver Stainless Steel - Dacor Pro Handle	RACOOPHAASR
Pair Installation Kit	RACOOCPAAAA
Water Filter	RACOOWFAAAA
Deodorizing Filter	RACOODFAAAA

GENERAL PROPERTIES	
Panel Ready	Yes
Door Swing	Left
Push-To-Open™ Door Assist	Yes
Icemaker	Dual Icemaker for Standard and Cocktail Ice™
Lighting	3DLighting™
Interior Material	SteelCool™ Stainless Steel Interior
Full Width Shelves	3 ea
Shelf Material	Tempered, Metal Trim, Spill- Proof
Full Extension Drawers at 90° Door Opening Angle	Yes
Hidden Box with Flip-up Cover	l ea
Freezer Drawer	2 ea
Door Bins	4 ea
Door Open Alarm	Yes
Special Modes	Sabbath Mode
CAPACITY	
Total Unit Gross Capacity (cu. ft.) - AHAM	21.1 cu. ft.
Freezer Gross Capacity (cu. ft.)	21.1 cu. ft.
PERFORMANCE	
Dedicated Evaportator & Compres- sor System	Yes
Power Freeze	Yes
Defrost Process	Frost-Free
Temperature Fluctuation	±0.36°F* (±0.2°C*)
TECHNICAL DETAILS	
Current (A)	3
Volts (V)	115
Frequency (Hz)	60
Power Cord Length (in.)	78 3/4"
Plug Type	120V, 3 Prong
DIMENSIONS	
Appliance dimensions (H x W x D) (in.)	83 3/8" x 35 3/4" x 23 13/16"
Required Cutout Size (H x W x D) (in.)	84" x 36" x 25"
EFFICIENCY	
ENERGY STAR Qualified	Yes
Annual Energy Consumption	580 kWh
WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Freezer	2 Year
Limited Warranty for Sealed Freezer System; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Freezer System; Parts Only	7th to 12th Year


# DRZ36980LAP


**36-INCH FREEZER COLUMN, LEFT-HINGE** MODERNIST, PANEL-READY





### INSTALLATION CUTOUT DIMENSIONS





	36"
A (Width)	35 3/4" (908mm)
B (Depth)	23 13/16" (605mm)
C (Height)	83 3/8"" (2118mm)

	36"
A (Width)	36" (914mm)
B (Depth)	25" (635mm)
C (Height)	84" (2134mm)
A'	9" (228mm)
Bʻ	26" (660mm)
C'	80" (2032mm)

	36"
A-1 (Width)	35 3/4" (908mm)
A-2 (Height)	79 7/8" (2029mm)
A-3 (Depth)	3/4" (19mm)
Max Weight	66.0 lbs. (30kg)

# DRZ36980RAP

**36-INCH FREEZER COLUMN, RIGHT-HINGE** MODERNIST, PANEL-READY







- Full height door with true flush cabinet integration without exposed venting grille
- SteelCool™ Stainless Steel Interior Illuminated by 3DLighting™
- Push-To-Open™ Door Assist opens the door upon a slight push for a luxuriously convenient experience
- Dual icemaker with Standard and Cocktail Ice™

TEMPERATURE RANGES	
Freezer	5°F (-15°C) to -8°F (-23°C)
Freezer - Power Freeze	-8°F (-23°C)


ACCESSORIES (OPTIONAL)	
Graphite Stainless Steel - 36" Panel (Right Hinge)	RAC36DPRHMS
Graphite Stainless Steel - 36" Kick Plate	RAC36TKBBMS
Graphite Stainless Steel - Modernist Handle	RACOOMHAAMS
Silver Stainless Steel - 36″ Panel (Right Hinge)	RAC36DPRHSR
Silver Stainless Steel - 36" Kick Plate	RAC36TKBBSR
Silver Stainless Steel - Modernist Handle	RACOOMHAASR
Silver Stainless Steel - Dacor Pro Handle	RACOOPHAASR
Pair Installation Kit	RACOOCPAAAA
Water Filter	RACOOWFAAAA
Deodorizing Filter	RACOODFAAAA

GENERAL PROPERTIES	
Panel Ready	Yes
Door Swing	Right
Push-To-Open™ Door Assist	Yes
Icemaker	Dual Icemaker for Standard and Cocktail Ice™
Lighting	3DLighting™
Interior Material	SteelCool™ Stainless Steel Interior
Full Width Shelves	3 ea
Shelf Material	Tempered, Metal Trim, Spill- Proof
Full Extension Drawers at 90° Door Opening Angle	Yes
Hidden Box with Flip-up Cover	l ea
Freezer Drawer	2 ea
Door Bins	4 ea
Door Open Alarm	Yes
Special Modes	Sabbath Mode
CAPACITY	
Total Unit Gross Capacity (cu. ft.) - AHAM	21.1 cu. ft.
Freezer Gross Capacity (cu. ft.)	21.1 cu. ft.
PERFORMANCE	
Dedicated Evaportator & Compres- sor System	Yes
Power Freeze	Yes
Defrost Process	Frost-Free
Temperature Fluctuation	±0.36°F* (±0.2°C*)
TECHNICAL DETAILS	
Current (A)	3
Volts (V)	115
Frequency (Hz)	60
Power Cord Length (in.)	78 3/4"
Plug Type	120V, 3 Prong
DIMENSIONS	
Appliance dimensions (H x W x D) (in.)	83 3/8" x 35 3/4" x 23 13/16"
Required Cutout Size (H x W x D) (in.)	84" x 36" x 25"
EFFICIENCY	
ENERGY STAR Qualified	Yes
Annual Energy Consumption	580 kWh
WARRANTY	
Limited, Entire Appliance, Parts and Labor on Any Part of the Freezer	2 Year
Limited Warranty for Sealed Freezer System; Parts and Labor	3rd to 6th Year
Limited Warranty for Sealed Freezer System; Parts Only	7th to 12th Year


# DRZ36980RAP


**36-INCH FREEZER COLUMN, RIGHT-HINGE** MODERNIST, PANEL-READY





INSTALL	ATION	CUTOL	JT DIMFN	SIONS





	36"
A (Width)	35 3/4" (908mm)
B (Depth)	23 13/16" (605mm)
C (Height)	83 3/8"" (2118mm)

	36"
A (Width)	36" (914mm)
B (Depth)	25" (635mm)
C (Height)	84" (2134mm)
A'	9" (228mm)
Bʻ	26" (660mm)
C'	80" (2032mm)

	36"
A-1 (Width)	35 3/4" (908mm)
A-2 (Height)	79 7/8" (2029mm)
A-3 (Depth)	3/4" (19mm)
Max Weight	66.0 lbs. (30kg)