

SEMI-GLOSS/MATTE™

GLAZED WALL & COUNTER



Semi Gloss and Matte glazed wall tile offers an extensive collection of colors options. This color palette offers a selection that extends from neutral and earthy to bright and trendy. With both matte and semi-gloss surfaces, this line is suitable for both residential and commercial usage including interior and exterior walls, countertops, and pool linings. From clean neutrals to bright and vibrant colors, you're sure to find the color you need to create the perfect design color scheme.

SEMI-GLOSS™ GLAZED WALL & COUNTER

Field Tile



(1), (2), (3), (4) and (5) indicate Price Groups, (1) being the least expensive.

[&]quot;Q" colors are Special Order.

[★] Subject to crazing; black grout not recommended.

[◆] Made-to-order colors.

MATTE™ GLAZED WALL & COUNTER

Field Tile



- (1), (2), (3), (4) and (5) indicate Price Groups, (1) being the least expensive.
- "Q" colors are Special Order.
- ◆ Made-to-order color.

See the Rittenhouse Square Collection for colors available in 3×6 sizes.

CREATIVE IDEAS

Coordinating Accent Ideas





RITTENHOUSE SQUARE White K101 Classic

ALMOND




RITTENHOUSE SQUARE Almond K165 Wave

ALMOND



RITTENHOUSE SQUARE Almond 0135 Shelf Rail

Backsplash Design Idea



Backsplash features 4-1/4 x 4-1/4 Semi-Gloss field tile in Cobalt with City Lights 1/2 x 1/2 mosaic in Capri.

SIZES

		SQ.FT. CARTON	PIECES PER CARTON
6 x 6 Field Tile	(6" x 6") (15.2 cm x 15.2 cm)	12.50	50
4-1/4 x 4-1/4 Field Tile	(4-1/4" × 4-1/4") (10.8 cm × 10.8 cm)	12.50	100

RESIDENTIAL USAGE

FLOORS	WALLS	COUNTERTOPS	EXTERIOR PATIOS	EXTERIOR POOL DECKS
F*	W**	C***		

 $^{^{*}}$ Matte finish suitable for residential bathroom floors only, not subject to outside foot traffic.

COMMERCIAL USAGE

		INTERIOR	EXTERIOR		
	RESIDENTIAL	LIGHT COMMERCIAL	COMMERCIAL	RESIDENTIAL	COMMERCIAL
Floors/Patios	Bathrooms Only**				
Walls/Backsplashes	~	✓	✓	~	~
Countertops*	~	✓	✓	✓	~
Pool Decking					
Pool Linings	✓	~	✓	~	✓

Suitable for non-freezing climates when proper installation methods are followed.

SHADE VARIATION



LOW (VI)

Monochromatic; consistent color within each tile and from tile to tile.

INSTALLATION

THICKNESS	GROUT JOINT RECOMMENDATION
5/16"	1/16"

SLIP RESISTANCE (WET): I & 2

The higher the rating, the higher the slip resistance.

I < .50 (SEMI-GLOSS) 2 .50 - .59 (MATTE) 3 ≥ .60

NOTES

Since there are variations in all fired ceramic products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile and trim samples or color reproductions. Manufactured in accordance with ANSI A 1371.1 standards.

Water, oil, grease, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

For additional information refer to "Factors to Consider" at: www.daltile.com/ CommercialFactors or www.daltile.com/ResidentialFactors.

TRIM

	TYPE	NUMBER	SIZE	SEMI-GLOSS	MATTE
	Bullnose*	A-4200	2 × 6	Group I	Group I
0	Bullnose Corner*	AN-4200	2 × 2	•	•
	Bullnose**	S-4269	2 × 6	•	•
	Bullnose**	S-4449	4-1/4 × 4-1/4	•	•
	Bullnose**	S-4669	6 × 6	Groups 1, 2, 4	Groups 1, 2
0	Bullnose Corner**	SN-4269	2 × 2	•	•
	Bullnose Corner**	SCR-L-4449	4-1/4 × 4-1/4	•	•
	Bullnose Corner**	SCR-L-4669	6 × 6	Groups 1, 2, 4	Groups 1, 2
	Cove*	A-3401	4-1/4 × 4-1/4	Groups 1, 2, 4	Groups 1, 2
	Cove*	A-3601	6 × 6	Groups 1, 2, 4	Groups 1, 2
	Cove*	A-3461	4-1/4 × 6	Group I	Group I
	Cove Corner*	SCR-L-3401	4-1/4 × 4-1/4	Groups 1, 2, 4	Groups 1, 2
	Cove Radius Corner*	ACR-L-3401	4-1/4 × 4-1/4	Groups I, 4	Group I
	Cove Corner*	SCR-L-3601	6 × 6	Groups 1, 2, 4	Groups 1, 2
0	Sanitary Cove Base [▲]	S-3419T	4-1/4 × 6	Groups 1, 2, 4	Groups 1, 2
	Sanitary Cove Base [▲]	S-3619T	6 × 6	Groups I, 4	Group I
	Sanitary Cove Base Corner [*]	SCRL-3419T	4-1/4 × 6	Groups 1, 2, 4	Groups 1, 2
	Sanitary Cove Base Corner [*]	SCRL-3619T	6 × 6	Groups I, 4	Group I
	Quarter Round	A-106	3/4 × 6	Groups 1, 2, 4	Groups 1, 2
0	Quarter Round Beak	AC-106	3/4 × 6	Groups 1, 2, 4	Group I, 2
\bigcirc	Sink Rail/V-Cap*	WA-8262	2-1/2 × 2 × 6	Groups 1, 2†	Group I
1	Sink Rail/ Outside Corner*	WAC-8262	2-1/2 × 2	Groups 1, 2†	Group I

All colors available (except 0DMI) through Special Order.

TEST RESULTS

	ASTM#	WALL RESULT
Water Absorption	C373	< 20.0%
Breaking Strength	C648	120-230 lbs
Scratch Hardness	MOHS	4.0-6.5
Chemical Resistance	C650	Resistant
Coefficient of Friction*	C1028	Wet: < 0.50 Dry: ≥ 0.80

^{*}Matte finish only

^{**} Suitable for exterior walls in non-freezing climates only.

^{***} Darker colors may show scratches.

^{*} Darker colors on countertops may show scratches

^{**} Matte finish only

^{*}For conventional mortar installation

^{**} For thinset bed installation

[▲] Roundtop

[■] Made-to-order

[†] Only available in colors K101, K111, K165 and K175.


Available in all groups.

SEMI-GLOSS™ COLOR TRENDS GLAZED WALL & COUNTER

Semi-Gloss Color Trends offers eight new vibrant trendsetting colors. Designers and homeowners now have more color options available to execute a contemporary design palette. Available in 6 x 6 and 4-1/4 x 4-1/4 field tile, and suitable for both residential and commercial applications, this line is perfect for creating bold, trendy designs.

Please see Semi-Gloss™ Color Trends Sales Sheet for complete product line information.

Field Tile



(1), (2), (3), and (4) indicate Price Groups, (1) being the least expensive. "Q" colors are Special Order.



SEMI-GLOSS/MATTE™ GLAZED WALL & COUNTER

floor • wall • countertop





By their very design, Daltile products can help make it easier for you to earn LEED™ points and/or points towards many industry leading green home building programs. From using recycled material content to establishing manufacturing facilities within 500 miles of your project, we help ensure you don't have to compromise your design to be environmentally conscious. For detailed information, visit daltilegreenworks.com.







All or selected items within this series are Made in the USA. For more information visit www.daltile.com/SemiGloss or www.daltile.com/Matte.

