



MOSAIC

FLOOR | WALL  
**KEYSTONES™**  
COLORBODY™ PORCELAIN MOSAICS

 **daltile®**  
IMAGINE WHAT'S POSSIBLE™



FLOOR | WALL

# KEYSTONES™

COLORBODY™ PORCELAIN MOSAICS

## Create A Stylized Space With The Latest Mosaic Looks

It's a celebration of new colors and sizes with Keystones™ through ColorBody porcelain mosaics from Daltile. Created with continuous color throughout the product, this collection proudly introduces brand-new shades, shapes and sizes for the freshest options and even more design flexibility. From floors and walls to countertops, patios and pools, create custom designs perfect for any space. Add stylized borders and corners for a finishing touch and unified look.

- ANYWHERE & ANYPLACE
  - Suitable for exteriors, interiors, pools, flooring, walls, countertops and beyond
- TRENDY COLORS & SIZES
  - Available in multiple sizes and fresh, new color blends for countless styling options
- CONTINUOUS COLOR
  - Synchronizing the color of the body lessens the visibility of any impact chips, which may occur. The color remains consistent throughout the tile.
- BOLD PATTERNS
  - Create patterns and unique, custom designs to personalize your space
- FINISHING TOUCHES
  - Stylized borders and corners add the perfect touch

### MOSAIC

#### USAGE



FLOOR



WALL



COUNTERTOP



SHOWER FLOOR



EXTERIOR FLOOR



MADE IN THE U.S.A.



MOSAIC/DECO



CUSTOMIZE

### SPECIAL FEATURES



PC

COLORBODY PORCELAIN



LOW HIGH  
SEE CHARTS FOR FULL PRODUCT DETAILS

Cover photo features Keystones™ Berry Blend Weave Mosaic on pool deck.  
Above photo features Keystones™ Beach Blend 1" Square Mosaic on the wall.

### GROUP 1



BISCUIT (1) D317



PEPPER WHITE  
(1) D037




MOONSHINE (1)  
D117



URBAN PUTTY  
(1) D161



URBAN PUTTY  
SPECKLE (1) D201



BUFFSTONE  
RANGE (1) D147




ELEMENTAL  
TAN (1) D166



ELEMENTAL  
TAN SPECKLE  
(1) D175

### GROUP 2



MOTTLED MEDIUM  
BROWN (1) D050



DESERT GRAY (1)  
D014



DESERT GRAY  
SPECKLE (1) D200



SPA (1) D148



ARCTIC WHITE (2)  
D617



GOLDEN  
GRANITE (2) D138



ALMOND (2) D335



CORNSILK (2)  
D160



LUMINARY GOLD  
(2) D142



ARCHITECTURAL  
GRAY (2) D109




UPTOWN  
TAUPE (2) D132




UPTOWN TAUPE  
SPECKLE (2) D202



ARTISAN BROWN  
(2) D144



ARTISAN BROWN  
SPECKLE D204



MARBLE (2)  
D325



WATERFALL (2)  
D169

### GROUP 3




MINT ICE (2) D152



CYPRESS (2)  
D452



SUEDE GRAY (2)  
D182



SUEDE GRAY  
SPECKLE (2)  
D208




AQUA GLOW (3)  
D197



AEGEAN (3) D192



EMERALD GREEN  
(3) D116



SEA  
SPECKLE (3)  
D372

### GROUP 4




BROWNBERRY  
(3) D118



CASTLEROCK  
(3) D618



OAK MOSS (3)  
D195



BLACK (3) D311



SUNSHINE (4)  
D620



MUSTARD (4)  
D181



PUMPKIN SPICE  
(4) D090




LIME SHERBET (4)  
D619

### GROUP 5



OCEAN BLUE (4)  
D159



DEEP PURPLE (4)  
D044




NAUTICAL  
BLUE (4) D621



GALAXY (4) D023



NAVY (4) D189



NAVY SPECKLE  
(4) D209



CLEMENTINE (5)  
D622




RED (5) D017



## COLOR PALETTE

## STOCKED BLENDS AND PATTERNS



BEACH BLEND DK04 (1) +  
1 x 1 Mosaic  
33% 33% Almond D335  
33% Biscuit D317  
34% Urban Putty D161



WHEAT BLEND DK21 (1) +  
1/2 Hex Shamrock Mosaic  
33% Moonshine D117  
33% Suede Gray D182  
33% Desert Gray D014



ALMOND BLEND DK22 (1) +  
1/2 Hex Trinity Mosaic  
33% Almond D335  
33% Architectural Gray  
33% Urban Putty D161




OLIVE BLEND DK23 (2) +  
1/2 Hex Pinwheel Mosaic  
40% Arctic White  
40% Emerald D116  
20% Lime Sherbet D619



BERRY BLEND DK24 (2) +  
1/2 Hex Shamrock Mosaic  
33% Moonshine D117  
33% D169 Waterfall  
33% Navy D189




MACARON BLEND DK25 (2) +  
1/2 Hex Trinity Mosaic  
33% Galaxy D023  
33% Arctic White D617  
33% Spa D148




MAPLE BLEND DK26 (1) +  
1/2 Hex Mirage Weave Mosaic  
40% Arctic White D617  
40% Architectural Gray D109  
20% Brownberry D118




RYE BLEND DK27 (1) +  
1/2 Hex Pinwheel Mosaic  
33% Oak Moss D195  
33% Mint D152  
33% Cypress D452




1/2 HEX DK31  
Balanced Hex Mosaic  
50% Arctic White D617 and Black D311



PENNY ROUND DK30  
Retro Dot Mosaic  
Arctic White D617 and Black D311



PENNY ROUND DK28  
Diamond Mosaic  
Arctic White D617 and Black D311




PENNY ROUND DK31  
Rosette Mosaic  
Arctic White D617 and Black D311



HEXAGON DK16  
2" Hexagonal Tile  
Arctic White D617 and Black D311



HEXAGON DK16  
1" Hexagonal Tile  
Arctic White D617 and Black D311



WINDMILL DK20  
1 x 1 & 2 x 1 Mosaic  
Biscuit D317 with Black D311

+ DK04, DK21, DK22, DK23, DK24, DK25, DK26, DK27 blends stocked in 1x1, Modern Weave, Pinwheel, Shamrock and Trinity



SLIP RESISTANT



WATERPROOF



STAINPROOF



DENTPROOF



SCRATCH-RESISTANT\*  
\*Applicable to products with Matte and Textured Finishes



FIRE-RESISTANT\*  
\*Not Applicable to Mesh-Mounted Mosaics




















CLIMATEPRO™



SIMPLICLEAN™

VISIT THE WHY TILE PAGE AT [WWW.DAL TILE.COM](http://WWW.DAL TILE.COM) FOR A COMPLETE LIST OF QUALIFICATIONS AND EXCLUSIONS.

## SIZES

	ColorBody Porcelain Dot-Mount Mosaics		Thickness	Sq. Ft./Carton	Pieces/Carton
	2 x 2 Mosaic	(2" x 2" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	24.00	12
	1 x 1 Mosaic	(1" x 1" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	24.00	12
	2 x 1 Straight-joint Mosaic	(2" x 1" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	24.00	12
	2 x 1 Brick-joint Mosaic	(2" x 1" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	22.00	12
	2" Hexagon Mosaic	(2" x 2" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	24.24	12
	1" Hexagon Mosaic	(1" x 1" Piece) (12" x 22-5/8" Sheet) (30.48 cm x 58.10 cm Sheet)	1/4"	21.00	12
	2 x 4 Straight-joint Mosaic	(2" x 4" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	24.00	12
	2 x 1 / 1 x 1 Windmill Mosaic	(2" x 1" & 1" x 1" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	24.00	12
	Penny Round Solid Colors	(1" x 1" Piece) (10" x 22" Sheet) (25.40 cm x 55.88 cm Sheet)	1/4"	21.12	12
	Penny Round Retro Dot	(1" x 1" Piece) (10" x 22" Sheet) (25.40 cm x 55.88 cm Sheet)	1/4"	18.12	12
	Penny Round Rosette	(1" x 1" Piece) (10" x 22" Sheet) (25.40 cm x 55.88 cm Sheet)	1/4"	17.40	12
	Penny Round Diamond	(1" x 1" Piece) (10" x 22" Sheet) (25.40 cm x 55.88 cm Sheet)	1/4"	17.40	12
	1/2 Hex Mirage Weave	(1" x 2" Piece) (13" x 21" Sheet) (33.02 cm x 53.34 cm Sheet)	1/4"	17.31	12
	1/2 Hex Balanced Hex	(1" x 2" Piece) (13" x 25" Sheet) (33.02 cm x 53.34 cm Sheet)	1/4"	24.24	12
	1/2 Hex Shamrock	(1" x 2" Piece) (13" x 21" Sheet) (33.02 cm x 53.34 cm Sheet)	1/4"	20.76	12
	1/2 Hex Trinity	(1" x 2" Piece) (13" x 23" Sheet) (33.02 cm x 53.34 cm Sheet)	1/4"	20.76	12
	1/2 Hex Pinwheel	(1" x 2" Piece) (13" x 24" Sheet) (33.02 cm x 53.34 cm Sheet)	1/4"	21.35	12

1" x 1" and 2" x 2" mosaics are available in every color and can be ordered in standard or custom patterns and blends. All colors in 1" x 1" and 2" x 2" size can also be ordered with ClearFace mounting system (which is recommended for use in pool tanks and submerged applications)

All other sizes are available in select colors (see color groups section for details) and can be made to order in standard or custom patterns and blends.

Mirage Weave, Balanced Hex, Shamrock, Trinity and Pinwheel half hex mosaics are stocked in several patterns and can be ordered in custom patterns and blends using any color (excluding Group S Red and Clementine).

Please see the "Pattern and Border Guide" (available on-line) for templates; and for order assistance please contact your local Daltile Sales Representative.

To view Keystones complete product information visit our website at [daltile.com](http://daltile.com)

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	✓
Wet & Level – Interior Floor	≥ 0.42	✓
Shower Floors (Residential or Commercial)	≥ 0.42	✓
Exterior Floor Applications, including Pool Decking & Other Wet Areas with Minimal Footwear	≥ 0.55	✓*
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	✓
Pool Linings	N/A	✓
Pool Tank/Submerged	N/A	✓**

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest™, visit [daltille.com/DCOF](https://daltille.com/DCOF).

APPLICATION NOTES:

Suitable for exterior applications in freezing and non-freezing climates, when proper installation methods are followed.

\* Keystones mosaics have recurrent grout joints and reflect a DCOF of ≥ 0.55 wet making them suitable for these applications.

\*\* Keystones mosaics with ClearFace™ mounting system recommended for pool tanks and submerged applications.

INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8" Approximately	<div><div></div>Medium (V2) to <div></div>Random (V4)</div>

Solid colors have medium shade variation, mottled and speckled colors have medium, and blends have random.

PERFORMANCE CHARACTERISTICS




















	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 300 lbs
Scratch Hardness	MOHS	N/A
Chemical Resistance	C650	Resistant
Abrasion Resistance	C1027	N/A

For additional information on test results, visit us at: [daltille.com/information/TestResults](https://daltille.com/information/TestResults).



All or select items within this series meet the requirements for these qualifications. For more information, visit [daltille.com](https://daltille.com).

TRIM

	Type	Number	Size	Pieces / LF Per Carton	Groups
	Bullnose	S-862	1 x 1	196	1, 2
	Bullnose	S-886	2 x 2	180	1, 2, 3, 4
	Bullnose Corner	SC-862 ♦	1 x 1	100	1, 2
	Bullnose Corner	SC-886	2 x 2	100	1, 2, 3, 4
	Cove Base	C-813	1 x 1	84	1, 2
	Cove Base	C-833	2 x 2	84	1, 2, 3
	Cove Base Corner	CB-813	1 x 1	100	1, 2
	Cove Base Corner	CK-813	1 x 1	100	1, 2, 3
	Cove Base Corner	SB-816 ♦	2 x 2	100	1, 2
	Cove Base Corner	SC-816 ♦	2 x 2	100	1, 2
	Outcorner	SCRL-833 ♦	2 x 1	100	1, 2, 3
	Universal Trim	S-812 ♦	1 x 1	112	1, 2
	Universal Trim	S-832	2 x 2	112	1, 2
	Universal Trim	SC-813	2 x 2	100	1, 2, 3
	Universal Trim	C-701 ♦	2 x 1	50	1, 2, 3, 4
	Build-up Base	MB-4C	(3) Rows 1 x 1 (1) Row C-813	26	1, 2
	Build-up Cove Base	MB-5	(1) Row S-862 (3) Rows 1 x 1 (1) Row C-813	26	1, 2
	Build-up Base	MB-5A	(2) Rows 2 x 2 (1) Row C-833	26	1, 2, 3
	Build-up Cove Base	MB-5B	(1) Row S-886 (1) Row 2 x 2 (1) Row C-833	26	1, 2, 3

♦ Made-to-order

## GROUP 1

Color Name	Keystones Unglazed 1 x 1 & 2 x 2	Keystones Unglazed 2 x 1 & 2 x 4	Penny Rounds	Keystones 1" Hex	Keystones 2" Hex	Trim
D317 Biscuit	STK	STK	STK	STK	N/A	STK
D147 Buffstone Range	STK	N/A	N/A	MTO	N/A	STK
D014 Desert Gray	STK	STK	STK	MTO	STK	STK
D200 Desert Gray Speckle	STK	STK	N/A	N/A	STK	STK
D166 Elemental Tan	STK	N/A	N/A	N/A	N/A	STK
D175 Elemental Tan Speckle	STK	N/A	N/A	N/A	N/A	STK
D117 Moonshine	STK	N/A	STK	MTO	STK	*
D050 Mottled Medium Brown	STK	N/A	N/A	MTO	MTO	STK
D037 Pepper White	STK	N/A	STK	N/A	N/A	STK
D148 Spa	MTO	N/A	N/A	MTO	N/A	*
D161 Urban Putty	STK	STK	STK	N/A	STK	STK
D201 Urban Putty Speckle	STK	STK	N/A	N/A	STK	STK

## GROUP 2

Color Name	Keystones Unglazed 1 x 1 & 2 x 2	Keystones Unglazed 2 x 1 & 2 x 4	Penny Rounds	Keystones 1" Hex	Keystones 2" Hex	Trim
D335 Almond	STK	STK	STK	MTO	MTO	STK
D109 Architectural Gray	STK	STK	STK	N/A	STK	*
D617 Arctic White	STK	STK	STK	STK	STK	STK
D144 Artisan Brown	STK	N/A	N/A	N/A	MTO	*
D204 Artisan Brown Speckle	STK	N/A	N/A	N/A	MTO	*
D160 Cornsilk	MTO	N/A	N/A	MTO	N/A	+
D452 Cypress	MTO	N/A	N/A	MTO	MTO	+
D138 Golden Granite	STK	N/A	N/A	MTO	N/A	*
D142 Luminary Gold	MTO	N/A	N/A	N/A	MTO	+
D325 Marble	STK	N/A	N/A	N/A	N/A	STK
D152 Mint Ice	MTO	N/A	N/A	N/A	MTO	+
D182 Suede Gray	STK	STK	STK	MTO	MTO	STK
D208 Suede Gray Speckle	STK	STK	N/A	N/A	MTO	STK
D132 Uptown Taupe	STK	N/A	N/A	MTO	N/A	*
D202 Uptown Taupe Speckle	STK	N/A	N/A	N/A	MTO	STK
D169 Waterfall	STK	N/A	N/A	N/A	N/A	*

## GROUP 3

Color Name	Keystones Unglazed 1 x 1 & 2 x 2	Keystones Unglazed 2 x 1 & 2 x 4	Penny Rounds	Keystones 1" Hex	Keystones 2" Hex	Trim
D192 Aegean	MTO	N/A	N/A	N/A	N/A	+
D197 Aqua Glow	MTO	N/A	N/A	N/A	N/A	+
D311 Black	STK	N/A	STK	STK	MTO	*
D618 Castlerock	STK	N/A	N/A	N/A	MTO	*
D195 Oak Moss	MTO	N/A	N/A	N/A	N/A	+
D372 Sea Spec	MTO	N/A	N/A	N/A	N/A	+
D118 Brownberry	STK	N/A	N/A	MTO	N/A	+
D116 Emerald	STK	N/A	N/A	MTO	N/A	+

\* Trim Stocked in S886, SC886, C833 and SC813. Made-to-Order in C701, SCR-L833, CK813, MB5B and MB5A. No other trim available.

+ Trim Made-to-order in S886, SC886, C833, SC813, C701, SCR-L833, CK813, MB5B and MB5A. No other trim available. STK Trim stocked in S862, S886, SC886, C813, C833, CB813, CK813, S832, SC813, MB-4C, MB-5, MB-5A, MB-5B and made to order in SC862, SB816, SC816, SCR-L833, S812 and C701

STK = stocked, NA = Not available, MTO = Made-to-Order. Made to Order items require 6 - 8 week lead time.

All colors (except D017 Red and D622 Clementine ) available with 7 ½ % abrasive content on a made to order basis in 1 x 1 and 2 x 2.

All colors available on a made to order basis in 1x1 and 2x2 with ClearFace™ mounting system.

GROUP 4

Color Name	Keystones Unglazed 1 x 1 & 2 x 2	Keystones Unglazed 2 x 1 & 2 x 4	Penny Rounds	Keystones 1" Hex	Keystones 2" Hex	Trim
D044 Deep Purple	MTO	N/A	N/A	MTO	N/A	MTO**
D023 Galaxy	STK	N/A	N/A	MTO	MTO	STK**
D619 Lime Sherbet	STK	N/A	N/A	N/A	N/A	STK**
D181 Mustard	STK	N/A	N/A	MTO	N/A	STK**
D621 Nautical Blue	STK	N/A	N/A	N/A	N/A	STK**
D189 Navy	STK	N/A	N/A	N/A	N/A	STK**
D209 Navy Speckle	STK	N/A	N/A	N/A	N/A	STK**
D159 Ocean Blue	MTO	N/A	N/A	N/A	N/A	MTO**
D090 Pumpkin Spice	MTO	N/A	N/A	MTO	N/A	MTO**
D620 Sunshine	STK	N/A	N/A	N/A	N/A	MTO**

GROUP 5

Color Name	Keystones Unglazed 1 x 1 & 2 x 2	Keystones Unglazed 2 x 1 & 2 x 4	Penny Rounds	Keystones 1" Hex	Keystones 2" Hex	Trim
D017 Red #	MTO	N/A	N/A	N/A	N/A	N/A
D622 Clementine #	MTO	N/A	N/A	N/A	N/A	N/A

\*\* Group 4 trim offered in S886, SC886 and C701. No other trim offered.

# Available in 1 x 1 and 2 x 2 only (no trim) on a made to order basis.

CLEARFACE™ MOUNTING SYSTEM

- Keystones™ ClearFace™ is a mounting system intended primarily for use in swimming pools and submerged applications. ClearFace™ mounted tile is a premium product to existing paper-face offerings and supplements dot-mounted mosaics.
- Additionally, ClearFace™ allows the contractor to see chips as they are being installed, allowing for realignment when wet should a chip need adjustment. ClearFace's premium feature includes complete tile-back-to-substrate mortar transfer.
- All Keystones 1" and 2" colors are available on a standard made-to-order basis using the ClearFace™ mounting system.
- Complete tile-to-substrate mortar transfer
- Premium alternative for swimming pool installations
- Provides 100% contact between the tile and setting materials, providing additional bond strength
- Allows for visual inspection and better alignment during installation
- Comes with extended 25-year pro-rated limited warranty



NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

For additional information refer to "Factors to Consider" at: [daltile.com/Factors](http://daltile.com/Factors).

Random visuals enhance the natural beauty of this product. To achieve optimal results, all tile should be selected from multiple cartons and shading and graphic arrangement planned prior to installation.

Special care should be taken when grouting with dark pigmented colors. A grout release is recommended to prevent finely powdered pigments from lodging in the pores of the surface. Use of a latex modified thin-set is recommended for installation.