



FLOOR | WALL

KEYSTONES™
COLORBODY™ PORCELAIN MOSAICS

 **daltile®**
IMAGINE WHAT'S POSSIBLE™



Cover photo features Keystones™ Moonlight Blend 2 x 1 mosaic and Navy 1 x 1 mosaic on the wall. Floor features Forest Park™ White Oak. Above photo features Keystones™ Biscuit 2 x 2 with Galaxy 2 x 2 in a custom border pattern. Keystones for pool installations available in ClearFace™ mounting system. Contact your sales representative for more information.

Create a Stylized Space with the Latest Mosaic Looks

It's a celebration of new colors and sizes with Keystones™ unglazed mosaics from Daltile. As a prominent product for years, this collection proudly introduces brand-new shades and sizes for the freshest options and even more design flexibility. From floors and walls to countertops, patios and pools, create custom designs perfect for any space. Add stylized borders and corners for a finishing touch and unified look.

- ANYWHERE & ANYPLACE
 - Suitable for exteriors, interiors, pools, flooring, walls, countertops and beyond
- TRENDY COLORS & SIZES
 - Available in multiple sizes and fresh, new colors for countless styling options
- BOLD PATTERNS
 - Create patterns and unique, custom designs to personalize your space
- FINISHING TOUCHES
 - Stylized borders and corners add the perfect touch



PRE-CONSUMER RECYCLED MATERIALS



MADE IN THE U.S.A.

All or select items within this series meet the requirements for these qualifications. For more product information, visit daltile.com.

CERTIFIED PORCELAIN TILE
0.5% or less water absorption


GROUP 1




GROUP 2




GROUP 3



GROUP 4



GROUP 5




(1), (2), (3), (4) and (S) indicate Price Groups, (1) being the least expensive.

All Keystones™ 1 x 1 and 2 x 2 mosaics are offered in all colors and available on a standard made-to-order basis using ClearFace™ mounting system.


KEYSTONES™

COLORBODY™ PORCELAIN MOSAICS


STOCKED BLENDS AND PATTERNS



WINDMILL DK20
1 x 1 & 2 x 1 Mosaic
Biscuit D317 with Black D311



BEACH DK04
1 x 1 Mosaic
33% Porcelain D335, 33% Biscuit D317, 34% Urban Putty D161



MIRAGE DK11
1 x 1 Mosaic
40% Biscuit D317, 30% Urban Putty D161,
30% Architectural Gray D109



KHAKI DK12
1 x 1 Mosaic
33% Urban Putty D161, 33% Almond D335,
33% Elemental Tan D166



CHOCOLATE DK13
1 x 1 Mosaic
40% Almond D335, 30% Urban Putty D161,
30% Artisan Brown D144



MOONLIGHT DK14
1 x 1 Mosaic (Also available in 2 x 1 Brick-Joint)
33% Arctic White D617, 33% Suede Gray D182,
33% Desert Gray D014



HEXAGON DK16
2" Hexagonal Tile
Arctic White D617 and Black D311








HEXAGON DK16
1" Hexagonal Tile
Arctic White D617 and Black D311

DK04, DK11, DK12, and DK14 are also available in 2 x 1 brick-joint.

KEYSTONES™

COLORBODY™ PORCELAIN MOSAICS

SIZES

			Thickness	Sq. Ft. per Carton	Pieces per Carton
	2 x 2 Mosaic (Dot-mounted on 12" x 24" Sheet)	(2" x 2" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	24.00	12
	1 x 1 Mosaic (Dot-mounted on 12" x 24" Sheet)	(1" x 1" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	24.00	12
	2 x 1 Straight-joint Mosaic (Dot-mounted on 12" x 24" Sheet)	(2" x 1" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	24.00	12
	2 x 1 Brick-joint Mosaic (Dot-mounted on 12" x 24" Sheet)	(2" x 1" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	22.00	12
	2" Hexagon Mosaic (Dot-mounted on 12" x 24" Sheet)	(2" x 2" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	24.24	12
	1" Hexagon Mosaic (Dot-mounted on 12" x 24" Sheet)	(1" x 1" Piece) (12" x 22-5/8" Sheet) (30.48 cm x 58.10 cm Sheet)	1/4"	21.00	12
	2 x 4 Straight-joint Mosaic (Dot-mounted on 12" x 24" Sheet)	(2" x 4" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	24.00	12
	2 x 4 Brick-joint Mosaic (Dot-mounted on 12" x 24" Sheet)	(2" x 4" Piece) (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet)	1/4"	20.04	12

All colors in 1 x 1 and 2 x 2 size available with Keystones ClearFace™ mounting system on a made-to-order basis.

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	✓
Wet & Level – Interior Floor	≥ 0.42	✓
Shower Floors (Residential or Light Commercial)	≥ 0.42	✓
Exterior Floor Applications, including Pool Decking & Other Wet Areas with Minimal Footwear	≥ 0.55	✓*
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	✓
Pool Linings	N/A	✓
Pool Tank/Submerged	N/A	✓**



A DCOF value of ≥ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-2012, Section 9.6. For more information about DCOF and the DCOF AcuTest™, visit daltile.com/DCOF.

APPLICATION NOTES:

- * Keystones mosaics have recurrent grout joints and reflect a DCOF of ≥ 0.55 wet making them suitable for these applications.
- ** Keystones mosaics with ClearFace™ mounting system recommended for pool tanks and submerged applications.

Suitable for exterior applications in freezing and non-freezing climates when proper installation methods are followed.

INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8" Approximately	 Low (V1) to  Random (V4)

Solid colors have low shade variation, mottled and speckled colors have medium, and blends have random.




















TEST RESULTS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 300 lbs
Scratch Hardness	MOHS	N/A
Chemical Resistance	C650	Resistant

KEYSTONES™

COLORBODY™ PORCELAIN MOSAICS

TRIM

	Type	Number	Size	Pieces / LF Per Carton	Groups
	Bullnose	S-862	1 x 1	196	1, 2
	Bullnose	S-886	2 x 2	180	1, 2, 3, 4
	Bullnose Corner	SC-862 ◆	1 x 1	100	1, 2
	Bullnose Corner	SC-886	2 x 2	100	1, 2, 3, 4
	Cove Base	C-813	1 x 1	84	1, 2
	Cove Base	C-833	2 x 2	84	1, 2, 3
	Cove Base Corner	CB-813	1 x 1	100	1, 2
	Cove Base Corner	CK-813	1 x 1	100	1, 2, 3
	Cove Base Corner	SB-816 ◆	2 x 2	100	1, 2
	Cove Base Corner	SC-816 ◆	2 x 2	100	1, 2
	Outcorner	SCRL-833 ◆	2 x 1	100	1, 2, 3
	Universal Trim	S-812 ◆	1 x 1	112	1, 2
	Universal Trim	S-832	2 x 2	112	1, 2
	Universal Trim	SC-813	2 x 2	100	1, 2, 3
	Universal Trim	C-701 ◆	1 x 1	50	1, 2, 3, 4
	Build-up Base	MB-4C	(3) Rows 1 x 1 (1) Row C-813	26	1, 2
	Build-up Base	MB-5	(1) Row S-862 (3) Rows 1 x 1 (1) Row C-813	26	1, 2
	Build-up Base	MB-5A	(2) Rows 2 x 2 (1) Row C-833	26	1, 2, 3
	Build-up Base	MB-5B	(1) Row S-886 (1) Row 2 x 2 (1) Row C-833	26	1, 2, 3

◆ Made-to-order

NOTES

Strong random shading enhances the natural beauty of this product. To achieve optimal results, tile should be selected from multiple cartons and shading arrangement planned prior to installation.

Special care should be taken when grouting with dark pigmented colors. A grout release is recommended to prevent finely powdered pigments from lodging in the pores of the surface. Use of a latex modified thin-set is recommended for installation.

Since there are variations in all fired ceramic products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile samples or color reproductions. Manufactured in accordance with ANSI A137.1 standards.

Water, oil, grease, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

For additional information refer to "Factors to Consider" at daltile.com/Factors.

CLEARFACE™ MOUNTING SYSTEM

- Keystones™ ClearFace™ is a new mounting system intended primarily for use in swimming pools and submerged applications. ClearFace™ mounted tile is a premium product to existing paper-face offerings and supplements dot-mounted mosaics.
- Additionally, ClearFace™ allows the contractor to see chips as they are being installed, allowing for realignment when wet should a chip need adjustment. ClearFace's premium feature includes complete tile-back-to-substrate mortar transfer.
- All Keystones 1" and 2" colors are available on a standard made-to-order basis using the ClearFace™ mounting system.
- Complete tile-to-substrate mortar transfer
- Premium alternative for swimming pool installations
- Provides 100% contact between the tile and setting materials, providing additional bond strength
- Allows for visual inspection and better alignment during installation
- Comes with extended 25-year pro-rated limited warranty



KEYSTONES™

COLORBODY™ PORCELAIN MOSAICS

GROUP 1

Color Name	Keystones Unglazed 1 x 1 & 2 x 2	Keystones Unglazed 2 x 1 & 2 x 4	Keystones 1" Hex	Keystones 2" Hex	Trim
D317 Biscuit	STK	STK	STK	MTO	STK
D147 Buffstone Range	STK	N/A	MTO	N/A	STK
D139 Crisp Linen	MTO	N/A	MTO	N/A	+
D014 Desert Gray	STK	STK	MTO	STK	STK
D200 Desert Gray Speckle	STK	STK	N/A	STK	STK
D166 Elemental Tan	STK	N/A	N/A	N/A	STK
D175 Elemental Tan Speckle	STK	N/A	N/A	N/A	STK
D050 Mottled Medium Brown	STK	N/A	MTO	MTO	STK
D037 Pepper White	STK	N/A	N/A	N/A	STK
D148 Spa	MTO	N/A	MTO	N/A	*
D161 Urban Putty	STK	STK	N/A	STK	STK
D201 Urban Putty Speckle	STK	STK	N/A	STK	STK
D169 Waterfall	STK	N/A	N/A	N/A	*

GROUP 2

D335 Almond	STK	STK	MTO	MTO	STK
D109 Architectural Gray	STK	STK	N/A	STK	*
D617 Arctic White	STK	STK	STK	STK	STK
D144 Artisan Brown	STK	N/A	N/A	MTO	*
D204 Artisan Brown Speckle	STK	N/A	N/A	MTO	*
D160 Cornsilk	MTO	N/A	MTO	N/A	+
D452 Cypress	MTO	N/A	MTO	MTO	+
D141 Garden Spot	MTO	N/A	N/A	N/A	+
D138 Golden Granite	STK	N/A	MTO	N/A	*
D142 Luminary Gold	MTO	N/A	N/A	MTO	+
D325 Marble	STK	N/A	N/A	N/A	STK
D152 Mint Ice	MTO	N/A	N/A	MTO	+
D182 Suede Gray	STK	STK	MTO	MTO	STK
D208 Suede Gray Speckle	STK	STK	N/A	MTO	STK
D132 Uptown Taupe	STK	N/A	MTO	N/A	*
D202 Uptown Taupe Speckle	STK	N/A	N/A	MTO	STK

* Trim Stocked in S886, SC886, C833 and SC813. Made-to-Order in C701, SCR-L833, CK813, MB5B and MB5A. No other trim available.

+ Trim Made-to-order in S886, SC886, C833, SC813, C701, SCR-L833, CK813, MB5B and MB5A. No other trim available. STK Trim stocked in S862, S886, SC886, C813, C833, CB813, CK813, S832, SC813, MB-4C, MB-5, MB-5A, MB-5B and made to order in SC862, SB816, SC816, SCR-L833, S812 and C701

** Group 4 trim offered in S886, SC886 and C701. No other trim offered.

STK = stocked, NA = Not available, MTO = Made-to-Order. Made to Order items require 6 - 8 week lead time.

All colors (except D017 Red and Orange) available with 7 ½ % abrasive content on a made to order basis in 1x1 and 2x2.

All colors available on a made to order basis in 1x1 and 2x2 with ClearFace™ mounting system.

KEYSTONES™

COLORBODY™ PORCELAIN MOSAICS

GROUP 3

Color Name	Keystones Unglazed 1 x 1 & 2 x 2	Keystones 1" Hex	Keystones 2" Hex	Trim
D192 Aegean	MTO	N/A	N/A	+
D197 Aqua Glow	MTO	N/A	N/A	+
D311 Black	STK	STK	MTO	*
D618 Castlerock	STK	N/A	MTO	*
D007 Cinnamon Range	MTO	MTO	N/A	+
D171 Cityline Kohl	MTO	N/A	N/A	+
D207 Cityline Kohl Speckle	MTO	N/A	N/A	+
D195 Oak Moss	MTO	N/A	N/A	+
D372 Sea Spec	MTO	N/A	N/A	+

GROUP 4

D044 Deep Purple	MTO	MTO	N/A	MTO**
D023 Galaxy	STK	MTO	MTO	STK**
D619 Lime Sherbet	STK	N/A	N/A	STK**
D181 Mustard	STK	MTO	N/A	STK**
D621 Nautical Blue	STK	N/A	N/A	STK**
D189 Navy	STK	N/A	N/A	STK**
D209 Navy Speckle	STK	N/A	N/A	STK**
D159 Ocean Blue	MTO	N/A	N/A	MTO**
D090 Pumpkin Spice	MTO	MTO	N/A	MTO**
D620 Sunshine	STK	N/A	N/A	MTO**

GROUP 5

D017 Red #	MTO	N/A	N/A	N/A
D622 Clementine #	MTO	N/A	N/A	N/A

Available in 1 x 1 and 2 x 2 only (no trim) on a made to order basis.



DESIGNED TO HELP EARN LEED™ CREDITS. For more detailed information, visit daltilegreenworks.com.



SCAN QR CODE FOR PRODUCT INFORMATION

Get a QR Code reader at: GET.DALTILE.COM



7834 C. F. Hawn Freeway, Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile® products and information, visit our website at daltile.com.



IMAGINE WHAT'S POSSIBLE™

©2016 Daltile (9/16)