MOSAIC

# KEYSTONES<sup>™</sup> colorbody<sup>™</sup> porcelain

AP DESENT

A DALTILE DE

# Create A Stylized Space With The Latest Mosaic Looks

MOSAIC

A

SPECIAL FEATUR

It's a celebration of color and patterns with Keystones<sup>™</sup> through ColorBody porcelain mosaics from Daltile. Created with continuous color throughout the product, this collection proudly introduces a well-rounded class of shapes, sizes and patterns with our newest additions, the textured Criss Cross surface pattern and new organic shapes. From floors and walls to countertops, patios and pools, create custom designs perfect for any space. Add stylized borders and corners for a finishing touch and unified look.

Cover photo features Keystones™ Ocean Blue 2 x 2, Nautical Blue 2 x 2 & Arctic White 2 x 2 in a custom mosaic pattern on the wall, Ocean Blue 2 x 2 on the pool lining and Nominee™ Sand, 24 x 24 paver on the floor.

Above photo features Keystones™ Biscuit 2 x 2 Criss Cross on the wall and Volume 1.0™ Clay, 12 x 24 matte on the floor.

FINISHES: MATTE | CRISS CROSS | ABRASIVE

## GROUP 1

GROUP 1							
BISCUIT (1) D317	PEPPER WHITE (1) D037	MOONSHINE (1) D117	URBAN PUTTY (1) D161	URBAN PUTTY SPECKLE (1) D201	BUFFSTONE RANGE (1) D147	ELEMENTAL TAN (1) D166	ELEMENTAL TAN SPECKLE (1) D175
				GROUP 2			
MOTTLED MEDIUM BROWN (1) D050		DESERT GRAY SPECKLE (1) D200	SPA (1) D148	ARCTIC WHITE (2) D617	GOLDEN GRANITE (2) D138	ALMOND (2) D335	CORNSILK (2) D160
LUMINARY GOLD	ARCHITECTURAL	UPTOWN	UPTOWN TAUPE	ARTISAN BROWN	ARTISAN BROWN	MARBLE (2)	WATERFALL (2)
(2) D142	GRAY (2) D109	TAUPE (2) D132	SPECKLE (2) D202		SPECKLE D204	D325	D169
				GROUP 3			
MINT ICE (2) D152	CYPRESS (2) D452	SUEDE GRAY (2) D182	SUEDE GRAY SPECKLE (2) D208	AQUA GLOW (3) D197	AEGEAN (3) D192	EMERALD GREEN (3) D116	SEA SPECKLE (3) D372
			2200	GROUP 4			0072
BROWNBERRY (3) D118	CASTLEROCK (3) D618	OAK MOSS (3) D195	BLACK (3) D311	SUNSHINE (4) D620	MUSTARD (4) D181	PUMPKIN SPICE (4) D090	LIME SHERBET (4) D619
	and the second second					GROUP S	



D159

BLUE (4) D621

GALAXY (4) D023 NAVY (4) D189

NAVY SPECKLE (4) D209

CLEMENTINE (S) RED (S) D017 D622

(1), (2), (3), (4) AND (S) INDICATE PRICE GROUPS. (1) BEING THE LEAST EXPENSIVE.

# **KEYSTONES**<sup>™</sup>

### STOCKED BLENDS AND PATTERNS



BEACH BLEND DK04 (1) 1 x 1 Mosaic 33% 33% Almond D335 33% Biscuit D317 34% Urban Putty D161



BERRY BLEND DK24 (2) 1 x 1 Mosaic 33% Moonshine D117 33% Waterfall D169 33% Navy D189



PENNY ROUND DK30 Retro Dot Mosaic Arctic White D617 and Black D311



HEXAGON DK16 1" Hexagonal Mosaic Arctic White D617 and Black D311



WHEAT BLEND DK21 (1) 1 x 1 Mosaic 33% Moonshine D117 33% Suede Gray D182 33% Desert Gray D014

MACARON BLEND DK25 (2)

1 x 1 Mosaic

33% Galaxy D023

33% Spa D148

33% Arctic White D617

PENNY ROUND DK28

Arctic White D617 and Black D311

Diamond Mosaic

WINDMILL DK20

1x1&2x1Mosaic

Biscuit D317 with Black D311



ALMOND BLEND DK22 (1) 1 x 1 Mosaic 33% Almond D335 33% Architectural Gray D109 33% Urban Putty D161



MAPLE BLEND DK26 (1) 1 x 1 Mosaic 40% Arctic White D617 40% Architectural Gray D109 20% Brownberry D118



PENNY ROUND DK29 Rosette Mosaic Arctic White D617 and Black D311



WINDMILL DK40 1x1&2x1Mosaic Arctic White D617 and Black D311



OLIVE BLEND DK23 (2) 1 x 1 Mosaic 40% Arctic White D617 40% Emerald D116 20% Lime Sherbet D619



RYE BLEND DK27 (1) 1 x 1 Mosaic 33% Oak Moss D195 33% Mint D152 33% Cypress D452



HEXAGON DK16 2" Hexagonal Mosaic Arctic White D617 and Black D311





MOSAIC

















VISIT THE WHY TILE PAGE AT WWW.DALTILE.COM FOR A COMPLETE LIST OF QUALIFICATIONS AND EXCLUSIONS.

### CRISS CROSS SURFACE



ARCTIC WHITE D617\* 2" Hexagon Criss Cross Mosaic



SUEDE GRAY D182\* 2" Hexagon Criss Cross Mosaic



ARCTIC WHITE D617\* 2 x 2 Criss Cross Mosaic



SUEDE GRAY D182\* 2 x 2 Criss Cross Mosaic



BISCUIT D317\* 2" Hexagon Criss Cross Mosaic



BLACK D311\* 2'' Hexagon Criss Cross Mosaic



2 x 2 Criss Cross Mosaic



2 x 2 Criss Cross Mosaic



URBAN PUTTY D161\* 2" Hexagon Criss Cross Mosaic



GALAXY D023\* 2" Hexagon Criss Cross Mosaic



URBAN PUTTY D161\* 2 x 2 Criss Cross Mosaic



GALAXY D023\* 2 x 2 Criss Cross Mosaic



DESERT GREY D014\* 2" Hexagon Criss Cross Mosaic



DESERT GREY D014\* 2 x 2 Criss Cross Mosaic

### ORGANIC 2" HEXAGON MOSAIC



# **KEYSTONES<sup>™</sup>**

COLORBODY<sup>™</sup> PORCELAIN

#### SIZES

	ColorBody Porcelai	n Dot-Mount Mosaics	Thickness	Finish	Made in U.S.A.
	2 x 2 Mosaic	12" x 24" Sheet (30.48 cm x 60.96 cm Sheet)	1/4"	M T A	**=
	1 x 1 Mosaic	12" x 24" Sheet (30.48 cm x 60.96 cm Sheet)	1/4"	MA	**
	2" Hexagon Mosaic	12" x 24" Sheet (30.48 cm x 60.96 cm Sheet)	1/4"	MT	**
	Organic 2'' Hexagon Mosaic	12" x 24" Sheet (30.48 cm x 60.96 cm Sheet)	1/4"	M	**
	1" Hexagon Mosaic	12" x 22-5/8" Sheet (30.48 cm x 58.10 cm Sheet)	1/4"	M	**
	2 x 1 / 1 x 1 Windmill Mosaic	12" x 24" Sheet (30.48 cm x 60.96 cm Sheet)	1/4"	M	**=
	1" Penny Round Solid Colors	10" x 22" Sheet (25.40 cm x 55.88 cm Sheet)	1/4"	M	**=
	1" Penny Round Retro Dot	10" x 22" Sheet (25.40 cm x 55.88 cm Sheet)	1/4"	M	**
0 0 0 0	1" Penny Round Rosette	10" x 22" Sheet (25.40 cm x 55.88 cm Sheet)	1/4"	M	**
	1" Penny Round Diamond	10" x 22" Sheet (25.40 cm x 55.88 cm Sheet)	1/4"	M	**
	Organic 1" Penny Mosaic	12" x 22" Sheet (30.48 cm x 55.88 cm Sheet)	1/4"	M	**=

#### Matte Finish

T Textured Finish (Textured Finish available in D617, D317, D161, D014, D182, D023, D311 only.)

Abrasive Finish (Abrasive Finish available in all colors, except D017 Red and D622 Clementine, on a made to order basis.)

1" x 1" and 2" x 2" mosaics are available in every color and can be ordered in standard or custom patterns and blends. All colors in 1" x 1" and 2" x 2" size can also be ordered with ClearFace mounting system (which is recommended for use in pool tanks and submerged applications).

All other sizes are available in select colors (see color groups section for details) and can be made to order in standard or custom patterns and blends.

Please see the "Pattern and Border Guide" (available on-line) for templates; and for order assistance please contact your local Daltile Sales Representative.

To view Keystones complete product information visit our website at daltile.com

#### APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	$\checkmark$
Wet & Level – Interior Floor	≥ 0.42	~
Shower Floors - Standard Center Drain	≥ 0.42	~
	≥ 0.55 (Matte)	~
Shower Floors - Linear Drain	≥ 0.60 (Abrasive)	~
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.55	✓*
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	~
Countertops	N/A	~
Pool Linings	N/A	~
Pool Tank/Submerged	N/A	<b>V</b> **

A DCOF value of  $\geq$ 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF AcuTest<sup>\*\*</sup>, visit daltile.com/DCOF.

#### APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in freezing and non-freezing climates, when proper installation methods are followed.

- \* Keystones mosaics have recurrent grout joints and reflect a DCOF of  $\geq 0.55$  wet making them suitable for these applications.
- \*\* Keystones mosaics with ClearFace<sup>™</sup> mounting system recommended for pool tanks and submerged applications.

#### INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8" Approximately*	Low (V1) to Random (V4)

Solid colors have medium shade variation, mottled and speckled colors have medium, and blends have random.

\* Organic Hex and Penny Mosaic grout joints are intended to vary due to the unique mosaic shape.

#### PERFORMANCE CHARACTERISTICS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 300 lbf
Scratch Hardness	C1895	7.0 - 8.0
Chemical Resistance	C650	Resistant

For additional information on test results, visit us at: daltile.com/information/TestResults.

#### DURABILITY

#### Floor Surface Wear Resistance

1	Residential Bathrooms	3	All Residential / Light Commercial	

2 All Residential Areas ④ All Residential / Commercial

PRE-CONSUMER RECYCLED MATERIALS

All or select items within this series meet the requirements for these qualifications. For more information, visit daltile.com.

# LRV & MUNSELL

COLOR #	LRV Illuminate-OBS: F02-02 (CWF)	MUNSELL
D037 Pepper White	65.8	4.7Y 8.3/0.7
D335 Almond	61.8	2.0Y 8.1/1.4
D618 Castle Rock	10.9	8.4PB 3.8/0.4
D311 Black	6.5	0.3P 3.0/0.2
D144 Artisan Brown	15.8	9.5YR 4.5/1.9
D147 Buffstone Range	35.7	2.4Y 6.4/1.1
D161 Urban Putty	39.9	1.5Y 6.7/1.8
D014 Desert Gray	40.2	2.9Y 6.8/0.6
D023 Galaxy	9.3	4.6PB 3.7/4.9
D044 Deep Purple	13.6	5.6P 4.3/1.9
D050 Mottled Medium Brown	26.6	0.3Y 5.7/2.2
D090 Pumpkin Spice	28.1	6.1YR 5.7/5.6
D109 Architectural Gray	31.6	3.3Y 6.1/1.3
D116 Emerald	18.1	2.10 4.9/2.9
D117 Moonshine	57.0	2.9Y 7.9/0.7
D118 Brown Berry	9.4	10.0R 3.5/2.7
D132 Uptown Taupe	31.0	8.7YR 6.1/1.4
D138 Golden Granite	70.6	1.9Y 8.6/1.0
D142 Luminary Gold	51.1	1.0Y 7.4/4.7
D148 Spa	46.0	7.3G 7.2/1.2
D152 Mint Ice	57.2	6.5GY 7.9/1.3
D159 Ocean Blue	25.8	2.4B 5.8/4.5
D160 Cornsilk	64.2	2.6Y 8.2/4.1
D166 Elemental Tan	24.2	9.4YR 5.4/2.1
D169 Waterfall	37.2	9.4B 6.7/2.9
D175 Elemental Tan Speckle	33.2	9.6YR 6.2/2.5
D181 Mustard	42.0	9.2YR 6.8/6.7
D182 Suede Gray	24.1	9.8RP 5.5/1.2
D189 Navy	7.2	2.4PB 3.3/2.2
D192 Aegean	23.3	1.2BG 5.5/2.4
D195 Oak Moss	8.2	9.0GY 3.4/1.3
D197 Aqua Glow	35.3	8.7BG 6.6/3.4
D200 Desert Gray Speckle	41.7	3.7Y 6.9/0.6
D201 Urban Putty Spk	44.7	1.7Y 7.1/1.8
D202 Uptown Taupe Speckle	26.9	9.1YR 5.7/1.2

COLOR #	LRV Illuminate-OBS: F02-02 (CWF)	MUNSELL
D204 Artisan Brown Speckle	16.4	0.5Y 4.6/1.5
D208 Suede Gray Speckle	23.7	1.7Y 5.4/0.2
D209 Navy Speckle	9.9	5.1PB 3.8/4.0
D317 Biscuit	69.9	3.5Y 8.6/0.9
D325 Marble	57.1	0.5Y 7.9/1.3
D372 Sea Speck	14.1	3.2B 4.5/3.0
D452 Cypress	25.5	2.4GY 5.6/1.6
D617 Arctic White	75.0	0.4GY 8.8/0.4
D619 Lime Sherbert	44.5	5.6GY 7.1/5.0
D620 Sunshine	66.3	7.1Y 8.2/7.2
D621 Nautical Blue	8.5	5.2PB 3.7/6.9
D017 Red	13.3	5.6R 4.2/8.8
D622 Clementine	36.7	2.2YR 6.3/9.9

## TRIM INSTALLATION

KEYSTONES<sup>™</sup> COLORBODY<sup>™</sup> PORCELAIN

Trim is available in single linear foot lengths, or it can be ordered with cap and/or cove face-mounted on the sheet with flat tile. Trim members with modular 1 x 1 and 2 x 2 flat tile.





UNIVERSALTRIM (typical installation)



2 x 2 CONVENTIONAL MORTAR BED SC-813 C-833 C-833

## MOUNTED TILE SHEETS

- Master-Set® back-edge mounting system for ceramic mosaics, borders and pattern designs.
- All glazed and unglazed porcelain mosaic colors are mounted.
- Easy to cut with knife or pointed trowel.
- Strong, flexible 12 x 24 sheets.

	Туре	Number	Size	Pieces / LF Per Carton	Groups
D	Bullnose	S862	1 x 1	196	1, 2
$\square$	Bullnose	S886	2 x 2	180	1, 2, 3, 4
$\bigcirc$	Bullnose Corner	SC862 *	1 x 1	100	1, 2
	Bullnose Corner	SC886	2 x 2	100	1, 2, 3, 4
C	Cove Base	C813	1 x 1	84	1, 2
0	Cove Base	C833	2 x 2	84	1, 2, 3
$\bigcirc$	Cove Base Corner	CB813	1 x 1	100	1, 2
$\square$	Cove Base Corner	CK813	1 x 1	100	1, 2, 3
$\square$	Cove Base Corner	SB816 *	2 x 2	100	1, 2
j.	Cove Base Corner	SC816 •	2 x 2	100	1, 2
$\bigcirc$	Outcorner	SCL833 • SCR833 •	2 x 1	100	1, 2, 3
D	Universal Trim	S812 *	1 x 1	112	1, 2
$\square$	Universal Trim	S832	2 x 2	112	1, 2
$\bigcirc$	Universal Trim	SC813	2 x 2	100	1, 2, 3
$\sim$	Universal Trim	C701 *	2 x 1	50	1, 2, 3, 4
	4 pc x 12 pc Build-up Base (4" x 12" Sheet)	MB4C	(3) Rows 1 x 1 (1) Row C-813	26	1, 2
	5 pc x 12 pc Build-up Cove Base (5" x 12" Sheet)	MB5	(1) Row S-862 (3) Rows 1 x 1 (1) Row C-813	26	1, 2
	3 pc x 6 pc Build-up Base (5" x 12" Sheet)	MB5A	(2) Rows 2 x 2 (1) Row C-833	26	1, 2, 3
	3 pc x 6 pc Build-up Cove Base (5" x 12" Sheet)	MB5B	(1) Row S-886 (1) Row 2 x 2 (1) Row C-833	26	1, 2, 3

Made-to-order

TOIM

#### GROUP 1

Color N	Name	Keystones Unglazed 1 x 1 & 2 x 2	2 x 2 and 2" Hexagon Criss Cross	Keystones Organic 2" Hex & 1" Penny	Penny Rounds	Keystones 1" Hex	Keystones 2" Hex	Trim
D317	Biscuit	STK	STK	NA	STK	STK	N/A	STK
D147	Buffstone Range	STK	N/A	NA	N/A	N/A	N/A	STK
D014	Desert Gray	STK	STK	STK	STK	STK	STK	STK
D200	Desert Gray Speckle	STK	N/A	NA	N/A	N/A	STK	STK
D166	Elemental Tan	STK	N/A	NA	N/A	N/A	N/A	STK
D175	Elemental Tan Speckle	STK	N/A	NA	N/A	N/A	N/A	STK
D050	Mottled Medium Brown	STK	N/A	NA	N/A	N/A	N/A	STK
D037	Pepper White	STK	N/A	NA	STK	N/A	N/A	STK
D148	Spa	STK	N/A	STK	N/A	STK	N/A	*
D161	Urban Putty	STK	STK	STK	STK	N/A	STK	STK
D201	Urban Putty Speckle	STK	N/A	NA	N/A	N/A	STK	STK
D117	Moonshine	STK	N/A	NA	STK	STK	STK	STK

#### GROUP 2

Color N	lame	Keystones Unglazed 1 x 1 & 2 x 2	2 x 2 and 2" Hexagon Criss Cross	Keystones Organic 2" Hex & 1" Penny	Penny Rounds	Keystones 1" Hex	Keystones 2" Hex	Trim
D335	Almond	STK	N/A	STK	STK	STK	N/A	STK
D109	Architectural Gray	STK	N/A	NA	STK	N/A	STK	*
D617	Arctic White	STK	STK	STK	STK	STK	STK	STK
D144	Artisan Brown	STK	N/A	NA	N/A	N/A	N/A	*
D204	Artisan Brown Speckle	STK	N/A	NA	N/A	N/A	N/A	*
D160	Cornsilk	МТО	N/A	NA	N/A	N/A	N/A	+
D452	Cypress	МТО	N/A	NA	N/A	N/A	N/A	+
D138	Golden Granite	STK	N/A	NA	N/A	N/A	N/A	*
D142	Luminary Gold	МТО	N/A	NA	N/A	N/A	N/A	+
D325	Marble	STK	N/A	NA	N/A	N/A	N/A	*
D152	Mint Ice	МТО	N/A	STK	N/A	N/A	N/A	+
D182	Suede Gray	STK	STK	NA	STK	N/A	STK	STK
D208	Suede Gray Speckle	STK	N/A	NA	N/A	N/A	N/A	STK
D132	Uptown Taupe	STK	N/A	NA	N/A	N/A	N/A	*
D202	Uptown Taupe Speckle	STK	N/A	NA	N/A	N/A	N/A	STK
D169	Waterfall	STK	N/A	NA	N/A	N/A	N/A	*

### GROUP 3

Color	Name	Keystones Unglazed 1 x 1 & 2 x 2	2 x 2 and 2" Hexagon Criss Cross	Keystones Organic 2" Hex & 1" Penny	Penny Rounds	Keystones 1" Hex	Keystones 2" Hex	Trim	
D192	Aegean	MTO	N/A	STK	N/A	N/A	N/A	+	
D197	Aqua Glow	MTO	N/A	NA	N/A	N/A	N/A	+	
D311	Black	STK	STK	NA	STK	STK	STK	*	
D618	Castlerock	STK	N/A	STK	N/A	N/A	N/A	STK	
D195	Oak Moss	MTO	N/A	NA	N/A	N/A	N/A	+	
D372	Sea Speckle	МТО	N/A	NA	N/A	N/A	N/A	+	
D118	Brownberry	STK	N/A	NA	N/A	STK	N/A	*	
D116	Emerald	STK	N/A	NA	N/A	STK	N/A	*	

STK Trim stocked in S862, S886, SC886, C813, C833, CB813, CK813, S832, SC813, MB-4C, MB-5A, MB-5A, MB-5B and made to order in SC862, SB816, SC816, SCR-L833, S812 and C701

\* Trim Stocked in S886, SC886, C833 and SC813. Made-to-Order in C701, SCR-L833, CK813, MB5B and MB5A. No other trim available.

+ Trim Made-to-order in S886, SC886, C833, SC813, C701, SCR-L833, CK813, MB5B and MB5A. No other trim available.

STK = stocked, N/A = Not available, MTO = Made-to-Order. Made to Order items require 6 - 8 week lead time.

## MOSAIC

# KEYSTONES<sup>™</sup> COLORBODY<sup>™</sup> PORCELAIN

#### **GROUP** 4

Color Name		Keystones Unglazed 1 x 1 & 2 x 2	2 x 2 and 2" Hexagon Criss Cross	Keystones Organic 2" Hex & 1" Penny	Penny Rounds	Keystones 1" Hex	Keystones 2" Hex	Trim**
D044	Deep Purple	MTO	N/A	NA	N/A	N/A	N/A	MTO
D023	Galaxy	STK	STK	STK	N/A	STK	N/A	MTO
D619	Lime Sherbet	STK	N/A	NA	N/A	N/A	N/A	MTO
D181	Mustard	STK	N/A	NA	N/A	N/A	N/A	MTO
D621	Nautical Blue	STK	N/A	NA	N/A	N/A	N/A	MTO
D189	Navy	STK	N/A	NA	N/A	N/A	N/A	MTO
D209	Navy Speckle	STK	N/A	NA	N/A	N/A	N/A	MTO
D159	Ocean Blue	STK	N/A	STK	N/A	N/A	N/A	MTO
D090	Pumpkin Spice	MTO	N/A	NA	N/A	N/A	N/A	MTO
D620	Sunshine	STK	N/A	NA	N/A	N/A	N/A	MTO

#### GROUP S

Color Name	Keystones Unglazed 1 x 1 & 2 x 2	2 x 2 and 2" Hexagon Criss Cross	Penny Rounds	Keystones 1" Hex	Keystones 2" Hex	Trim
D017 Red #	MTO	N/A	N/A	N/A	N/A	N/A
D622 Clementine #	MTO	N/A	N/A	N/A	N/A	N/A

<sup>#</sup> Available in 1 x 1 and 2 x 2 only (no trim) on a made to order basis.

STK Trim stocked in S862, S886, SC886, C813, C833, CB813, CK813, S832, SC813, MB4C, MB5, MB5A, MB5B. and made to order in SC862, SB816, SC816, SCR-L833, S812 and C701

\* Trim Stocked in S886, SC886, C833 and SC813. Made-to-Order in C701, SCR-L833, CK813, MB5B and MB5A. No other trim available.

+ Trim Made-to-order in S886, SC886, C833, SC813, C701, SCR-L833, CK813, MB5B and MB5A. No other trim available.

\*\* Group 4 trim offered in in S886, SC886 and C701. No other trim offered.

STK = stocked, N/A = Not available, MTO = Made-to-Order. Made to Order items require 6 - 8 week lead time.

#### NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 standards.

Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

For additionall information refer to "Factors to Consider" at: daltile.com/Factors.

Random visuals enhance the natural beauty of this product. To achieve optimal results, all tile should be selected from multiple cartons and shading and graphic arrangement planned prior to installation.

Special care should be taken when grouting with dark pigmented colors. A grout release is recommended to prevent finely powdered pigments from lodging in the pores of the surface. Use of a latex modified thin-set is recommended for installation.

### CLEARFACE<sup>™</sup> MOUNTING SYSTEM

- Keystones<sup>™</sup> ClearFace<sup>™</sup> is a mounting system intended primarily for use in swimming pools and submerged applications. ClearFace<sup>™</sup> mounted tile is a premium product to existing paper-face offerings and supplements dot-mounted mosaics.
- Additionally, ClearFace<sup>™</sup> allows the contractor to see chips as they are being installed, allowing for realignment when wet should a chip need adjustment. ClearFace's premium feature includes complete tile-back-tosubstrate mortar transfer.
- All Keystones 1" and 2" colors are available on a standard made-to-order basis using the ClearFace<sup>™</sup> mounting system.
- Complete tile-to-substrate mortar transfer
- Premium alternative for swimming pool installations
- Provides 100% contact between the tile and setting materials, providing additional bond strength
- Allows for visual inspection and better alignment during installation
- · Comes with extended 25-year pro-rated limited warranty

7834 C.F. Hawn Freeway, Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile<sup>®</sup> products and information, visit our website at daltile.com.







©2025 Daltile (5/25)

