

## HEATHLAND™

## GLAZED CERAMIC



Heathland glazed ceramic tile offers homeowners, designers, builders, and architects the rustic look they have been seeking in a wide array of colors, sizes and mosaic patterns. Heathland offers a full floor and wall package with the complement of trim options and versatile decorative accents. Suitable for both commercial and residential use, Heathland will add natural character to any décor.

# HEATHLAND™ GLAZED CERAMIC

## Field Tile



WHITE ROCK HL01



RAFFIA HL02



AMBER HL03



EDGEWOOD HL04



ASHLAND HL05\*



SAGE HL06\*

\*Available in floor tile only

## Wall Tile



WHITE ROCK HL01



RAFFIA HL02



AMBER HL03



EDGEWOOD HL04

### Mosaics



SUNRISE BLEND HL07 2 x 2 Mosaic (White Rock HL01 and Rafia HL02)



SUNSET BLEND HL08 2 x 2 Mosaic (Amber HL03, Edgewood HL04, Ashland HL05, Sage HL06)

## Decorative Accents



SUNRISE HL07 4 x 12 Floor Border (White Rock HL01, Rafia HL02, Edgewood HL04)



SUNSET HL08 4 x 12 Floor Border (Amber HL03, Edgewood HL04, Ashland HL05, Sage HL06)



UNIVERSAL HL09 2 x 10 Wall Border\*

\*Wall border is natural stone and glass blend

## Backsplash Design Idea



Backsplash features Heathland in Raffia  $12 \times 12$  field tile and Universal Wall  $2 \times 10$  decorative accent.

## Pattern Ideas



MODULAR RECTANGLE



MULTI-PINWHEEL



TRIAD HOPSCOTCH

#### **SIZES**

		SQ.FT. CARTON	PIECES PER CARTON
18 x 18 Field Tile	(17-3/4" x 17-3/4") (45.2 cm x 45.2 cm)	18.00	8
I2 x I2 Field Tile	(11-13/16" x 11-13/16") (30.0 cm x 30.0 cm)	11.00	11
9 x 12 Wall Tile*	(8-15/16" x 11-15/16") (22.7 cm x 30.3 cm)	11.25	15
6 x 6 Wall Tile*	(6" × 6") (15.2 cm × 15.2 cm)	12.50	50
3 x 6 Wall Tile*	(3" × 6") (7.6 cm × 15.2 cm)	12.50	100
2 x 2 Mosaic** (Dot-mounted on a 1' x 2' sheet)	(1-15/16" x 1-15/16") (4.9 cm x 4.9 cm)	24.00	12
4 x 12 Floor Border ▲	(4-1/16" x 11-3/4") (10.3 cm x 29.9 cm)		10
2 x 10 Wall Border ■	(1-7/8" x 10") (4.76 cm x 25.8 cm)		10

 $<sup>^{</sup>st}$  Wall tile available in HL01, HL02, HL03 and HL04 only.

- ▲ Sunrise Border is HL01 White Rock, Hl02 Rafia, and HL04 Edgewood; Sunset Border is HL03 Amber, HL04 Edgewood, HL05 Ashland, and HL06 Sage.
- Universal HL09 Wall Border is natural stone and glass blend.

#### **RESIDENTIAL USAGE**

FLOORS	WALLS	COUNTERTOPS	EXTERIOR PATIOS	EXTERIOR POOL DECKS
F	$\bigvee$	C	EP	

#### **COMMERCIAL USAGE**

		INTERIOR		EXTE	RIOR
	RESIDENTIAL	LIGHT COMMERCIAL	COMMERCIAL	RESIDENTIAL	COMMERCIAL
Floors/Patios	<b>✓</b>	<b>✓</b>	<b>✓</b>	~	
Walls/Backsplashes	<b>✓</b>	<b>✓</b>	<b>✓</b>	~	~
Countertops	<b>✓</b>	<b>✓</b>	<b>~</b>	~	~
Pool Decking					
Pool Linings	<b>✓</b>	<b>✓</b>	<b>~</b>	~	<b>✓</b>

Suitable for exterior applications in non-freezing climates only when proper installation methods are followed.

#### **NOTES**

Since there are variations in all fired ceramic products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile and trim samples or color reproductions. Manufactured in accordance with ANSI A 137.1 standards.

For additional information, refer to "Factors to Consider" at www.daltile.com/CommercialFactors. Water, oil, grease, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

#### **TRIM**

	TYPE	NUMBER	SIZE	PCS. PER CARTON
	Bullnose	P-43C9	3 x 12	22
	Bullnose*	S-4669	6 x 6	50
	Bullnose Corner*	SCRL-4669	6 x 6	50
	Surface Bullnose*	S-4269	2 × 6	100
$\overline{\bigcirc}$	Surface Bullnose Outcorner*	SN-4269	2 x 2	50
	Radius Bullnose*	A-4200	2 × 6	100
0	Radius Bullnose Corner*	AN-4200	2 x 2	20
	Bullnose *	S-4309	3 x 9	54
	Bullnose Corner*	SN-4309	3 x 3	32
10	Counter Rail*	26-CRWL	2 × 6	36
7	Counter Rail Corner*	22-CRCN	2 x 2	24
	Quarter Round*	A-106	I x 6	152
٥	Quarter Round* Corner	UC-106	١x١	40
	Mosaic Bullnose	S-886	2 x 2	108
	Cove Base	P-36C9TB	6 x 12	22
	Cove Corner	PC-36C9TB	I x 6	15

<sup>\*</sup>Wall trim available in HL01, HL02, HL03 and HL04 only.

#### SHADE VARIATION



HIGH (V3)

Color variation from tile to tile and within each tile.

#### INSTALLATION

THICKNESS	GROUT JOINT RECOMMENDATION
5/16" (Floor andWall), 1/4" (Mosaics)	3/16" (Floor), 1/16" (Wall), 1/8" (Mosaics)

#### SLIP RESISTANCE (WET): 3

The higher the rating, the higher the slip resistance.

1 < .50</li>2 .50 - .593 ≥ .60

#### TEST RESULTS & (Floor tile only)

	ASTM#	FLOOR/MOSAIC RESULT	WALL RESULT
Water Absorption	C373	< 3.0%	< 20.0%
Breaking Strength	C648	250 lbs	120-230 lbs
Scratch Hardness	MOHS	8.0	4.0-6.5
Chemical Resistance	C650	Resistant	Resistant
Coefficient of Friction	C1028	Wet: ≥ 0.60 Dry: ≥ 0.65	Wet: < 0.50 Dry: ≥ 0.80
Abrasion Resistance	C1027	4	

<sup>\*\*\*</sup> Sunrise Mosaic blend is random 50% HL01 White Rock and 50% HL02Raffia; Sunset Mosaic Blend is random 30% HL03 Amber, 30% HL04 Edgewood, 20% HL05 Ashland, and 20% HL06 Sage.

<sup>\*</sup> Wall field tile also suitable on residential bathroom floors not subject to outside foot traffic, excluding wall accent.

# HEATHLAND™

## GLAZED CERAMIC







By their very design, Daltile products can help make it easier for you to earn LEED  $^{\circ}$  points and/or points towards many industry leading green home building programs. From using recycled material content to establishing manufacturing facilities within 500 miles of your project, we help ensure you don't have to compromise your design to be environmentally conscious. For detailed information, visit daltilegreenworks.com.



POST CONSUMER RECYCLED MATERIALS



PRE CONSUMER



EXTERIOR

