



MOSAIC

COLOR WAVE™
GLASS TILE AND MOSAICS & BLENDS



 dalTile®
IMAGINE WHAT'S POSSIBLE™


COLOR WAVE™

GLASS TILE AND MOSAICS & BLENDS

Add a Wave of Color with Glass Mosaics

Colorful glass and glowing mosaics make up Color Wave™ from Daltile. With jovial tones and fresh dimensions, this collection is fashion-forward, trendy and chic. Create a space that pops with personality and drama using the Vibrant Colors offering, or bask in the radiance of the solid Classic Colors and coordinating tones of the Random Block or Interlocking Blends. You're sure to transform your room with Color Wave, offering a sensational approach to design and an array of stylish options.

- TRENDY SIZES
 - Available in trendy linear sizes for an array of styling options
- FASHION-FORWARD LOOK
 - Create a unique space that is trendy and chic
- EXTENSIVE COLOR COLLECTION
 - Choose from an extensive collection of vibrant and classic color options
 - Mix and match with classic solid colors and coordinating blends



Cover photo features Color Wave™ Twilight Blue 2 x 12 wall tile on the wall.
Above photo features Color Wave™ Ice White 3 x 6 wall tile on the backsplash.

MOSAIC

USAGE



FLOOR



WALL



COUNTERTOP



SHOWER FLOOR



EXTERIOR FLOOR



STEPWISE™



TRU-EDGE™



MOSAIC/DECO



LARGE FORMAT



MOSAIC/DECO



ENCAUSTIC



TERRAZZO



PAVER



CUSTOMIZE



FLEXFIT™



GLASS



SEE CHARTS FOR FULL PRODUCT DETAILS


SPECIAL FEATURES

SIZES:




FINISHES: GLOSSY


CLASSIC COLORS




ICE WHITE CW01




FEATHER WHITE CW02




SILVER MINK CW04




WHISPER GREEN CW12




BLUE LAGOON CW13




TWILIGHT BLUE CW14



SMOKED PEARL CW17



TOP HAT CW18




NINE IRON CW19

COLOR WAVE™

GLASS TILE AND MOSAICS & BLENDS


1 x 1 MOSAIC BLENDS




WILLOW WATER CW21



CASHMERE CW22



WINTER BLUES CW27



EVENING MIXER CW28


2 x 1 BRICK-JOINT MOSAIC BLENDS



WILLOW WATER CW21



CASHMERE CW22



WINTER BLUES CW27



EVENING MIXER CW28


RANDOM INTERLOCKING MOSAIC BLENDS



WILLOW WATER CW21



CASHMERE CW22



WINTER BLUES CW27



EVENING MIXER CW28

SIZES

			Thickness	Sq. Ft./ Carton	Pieces/ Carton
	3 x 6 Wall Tile	(3" x 6") (7.30 cm x 14.80 cm)	5/16"	4.00	32
	2 x 12 Wall Tile	(1-7/8" x 11-7/8") (6.90 cm x 32.30 cm)	5/16"	10.00	60
	1 x 6 Straight-joint Mosaic (Mesh-mounted)	(11-7/8" x 11-7/8" Sheet) (29.90 cm x 29.90 cm Sheet)	5/16"	10.00	10
	2 x 1 Brick-joint Mosaic (Mesh-mounted)♦	(12-7/8" x 11-7/8" Sheet) (34.80 cm x 32.30 cm Sheet)	5/16"	10.00	10
	1 x 1 Mosaic (Mesh-mounted)	(11-7/8" x 11-7/8" Sheet) (29.90 cm x 29.90 cm Sheet)	5/16"	10.00	10
	Random Interlocking Mosaic (Mesh-mounted)♦	(12" x 18" Sheet) (30.48 cm x 45.72 cm Sheet)	5/16"	10.00	10

♦ Available in blends only.

APPLICATIONS

	Target DCOF wet	Suitable
Dry & Level – Interior Floor	N/A	
Wet & Level – Interior Floor	≥ 0.42	
Shower Floors (Residential or Light Commercial)	≥ 0.42	
Exterior Floor Applications (including patios, pool decking & other wet areas with minimal footwear)	≥ 0.60	
Ramps & Inclines	≥ 0.65	
Walls/Backsplashes	N/A	✓
Countertops	N/A	
Pool Linings	N/A	✓ †

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A1371-A326.3. For more information about DCOF and the DCOF AcuTest™, visit daltile.com/DCOF.

APPLICATION NOTES:

Suitable for exterior applications (provided it is noted as suitable in the applications chart above) in freezing and non-freezing climates, when proper installation methods are followed.

† 1 x 1, 2 x 1, and 3 x 6 suitable for pool linings.



All or select items within this series meet the requirements for these qualifications. For more information, visit daltile.com.

BLENDS

Blend	Blend Components
CW21	25% Feather White CW02, 25% Smoked Pearl CW17, 25% Powder Puff CW03, and 25% Silver Mink CW04
CW22	25% Casual Tan CW07, 25% Silver Mink CW04, 25% Feather White CW02, and 25% Kinetic Khaki CW09
CW27	33% Twilight Blue CW14, 33% Whisper Green CW12, 33% Blue Lagoon CW13
CW28	25% Ice White CW01, 25% Nine Iron CW19, 25% Smoked Pearl CW17, and 25% Top Hat CW18

INSTALLATION

Grout Joint Recommendation	Shade Variation
1/8" Approximately	 Medium (V2) Solids
	 Random (V4) Blends

PERFORMANCE CHARACTERISTICS

	ASTM#	Result
Water Absorption	C373	< 0.5%
Breaking Strength	C648	> 100 lbs
Scratch Hardness	MOHS	4.0
Chemical Resistance	C650	Resistant
Abrasion Resistance	C1027	N/A

For additional information on test results, visit us at: daltile.com/information/TestResults.

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A1371 standards.

Random visuals enhance the natural beauty of this product. To achieve optimal results, all tile should be selected from multiple cartons and shading and graphic arrangement planned prior to installation.

Use of a white latex modified thin-set is recommended for installation.

For additional information refer to "Factors to Consider" at: daltile.com/Factors.



7834 C.F. Hawn Freeway,
Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile® products and information, visit our website at daltile.com.

