



FLOOR | WALL

STRATFORD PLACE™
GLAZED CERAMIC with REVEAL IMAGING®

 **daltile®**
IMAGINE WHAT'S POSSIBLE™



Above and cover photos feature Doran Grey 12 x 12 floor tile on the floor, 10 x 14 wall tile and 2 x 9 Universal decorative accent on the bath wall.

Em body the Elegant Look of Stone

Imagine being whisked away to a distant Roman courtyard. That's the feeling evoked by Stratford Place™, with its travertine look and subtle, earthy hues. From floors to walls to mosaics in a variety of sizes and trim, Stratford Place embodies the elegance you're looking for.

- **SUBTLE STONE LOOK**
 - Travertine visual adds the look of stone to the space
 - Color palette consists of refined, natural hues
- **MULTITUDE OF DESIGN OPTIONS**
 - Multiple sizes of floor and wall tile offered
 - Coordinating decorative accent and mosaic available



**POST-CONSUMER
RECYCLED MATERIALS**



**PRE-CONSUMER
RECYCLED MATERIALS**



REVEAL IMAGING®

STRATFORD PLACE™

GLAZED CERAMIC with REVEAL IMAGING®

FLOOR TILE



ALABASTER SANDS SD91



WILLOW BRANCH SD92



DORCAN GREY SD94



TRUFFLE FIELD SD93

WALL TILE



ALABASTER SANDS SD91



WILLOW BRANCH SD92



DORCAN GREY SD94



TRUFFLE FIELD SD93

2 x 2 MOSAIC



STRATFORD BLEND SD95

2 x 9 DECORATIVE ACCENT









UNIVERSAL SD90

STRATFORD PLACE™

GLAZED CERAMIC with REVEAL IMAGING®

SIZES

| | | | Thickness | Sq. Ft. per Carton | Pieces per Carton |
|--|--|--|-----------|--------------------|-------------------|
|  | 18 x 18 ^a Floor Tile | (17-3/4" x 17-3/4") (45.20 cm x 45.20 cm) | 5/16" | 18.00 | 8 |
|  | 12 x 12 Floor Tile | (11-13/16" x 11-13/16") (30.00 cm x 30.00 cm) | 5/16" | 11.00 | 11 |
|  | 10 x 14 Wall Tile | (9-13/16" x 13-15/16") (24.99 cm x 35.40 cm) | 5/16" | 14.58 | 15 |
|  | 6 x 6 Wall Tile | (6" x 6") (15.20 cm x 15.20 cm) | 5/16" | 12.50 | 50 |
|  | 2 x 9 Decorative Accent | (2-3/8" x 9-7/8") (6.03 cm x 25.08 cm) | 5/16" | -- | 10 |
|  | 2 x 2 Mosaic (Dot-mounted on 12" x 24" Sheet) | (12" x 24" Sheet) (30.48 cm x 60.96 cm Sheet) | 1/4" | 24.00 | 12 |

^a This product is manufactured regionally. Slight variances in size and shading may occur between regions. Please contact your sales representative to verify carton square footage. As with all tile projects, be sure to purchase sufficient quantities with your initial order.

FLOOR APPLICATIONS

| (Excludes Wall Tile) | Target DCOF wet | Suitable |
|---|-----------------|----------|
| Dry & Level- Interior | N/A | ✓ |
| Wet & Level- Interior | 0.42 | ✓ |
| Exterior Applications; Pool Decking & Other Wet Areas with Minimum Footwear | 0.60 | |
| Ramps & Inclines | 0.65 | |

A DCOF value of 0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-2012, Section 9.6. For more information about DCOF and the DCOF AcuTest™, visit dalTile.com/DCOF.

OTHER APPLICATIONS

| | Suitable |
|--------------------|----------|
| Walls/Backsplashes | ✓ |
| Countertops | ✓* |
| Pool Linings | ✓** |

APPLICATION NOTES:

* Floor tile, 6 x 6 wall tile and mosaic only















** Mosaic and 6 x 6 wall tile only

Suitable for exterior applications in non-freezing climates only when proper installation methods are followed.

INSTALLATION

| Grout Joint Recommendation | Shade Variation |
|---|---|
| Floor: 3/16" Wall: 1/16" Mosaic: 1/8" |  High (V3) |
| |  Random (V4) |

TRIM

| | Type | Number | Size | Pieces per Carton |
|---|------------------------|----------------------|--------|-------------------|
|  | Floor Bullnose* | P-43C9 | 3 x 12 | 22 |
|  | Wall Bullnose | S-4310 (10" side) | 3 x 10 | 54 |
|  | Wall Bullnose | S-4669 | 6 x 6 | 50 |
|  | Wall Bullnose | S-4269 (6" side) | 2 x 6 | 100 |
|  | Radius Bullnose | A-4200 | 2 x 6 | 100 |
|  | Wall Bullnose Corner | SCRL-4669 | 6 x 6 | 50 |
|  | Wall Bullnose Corner | SN-4310 | 3 x 3 | 32 |
|  | Wall Bullnose Corner | SN-4269 | 2 x 2 | 25 |
|  | Radius Bullnose Corner | AN-4200 | 2 x 2 | 200 |
|  | Mosaic Bullnose | S-886 | 2 x 2 | 108 |
|  | Counter Rail | 26CRWL | 2 x 6 | 36 |
|  | Quarter Round | A-106 | 1 x 6 | 152 |
|  | Counter Rail Corner | 22CRCN | 2 x 2 | 24 |
|  | Quarter Round Corner | UC-106 | 1 x 1 | 40 |

* Floor bullnose trim is intended to coordinate with floor field tile in the standard 90-degree installation position.

TEST RESULTS

| | ASTM # | Floor Result | Wall Result | Mosaic Result |
|---------------------|--------|--------------|-------------|---------------|
| Water Absorption | C373 | < 70% | < 20.0% | < 3.0% |
| Breaking Strength | C648 | > 250 lbs | 120-230 lbs | > 250 lbs |
| Scratch Hardness | MOHS | 8.0 | 4.0-6.0 | 8.0 |
| Chemical Resistance | C650 | Resistant | Resistant | Resistant |
| Abrasion Resistance | C1027 | 4 | N/A | 4 |

For additional information, visit dalTile.com/information/TestResults.

NOTES

Special consideration needs to be given when installing tiles greater than 15 inches. Please refer to dalTile.com/LargeTiles form for more information.

Since there are variations in all fired ceramic products, tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile samples or color reproductions. Manufactured in accordance with ANSI A137.1 standards.

Water, oil, grease, etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

For additional information refer to "Factors to Consider" at dalTile.com/Factors.



DESIGNED TO HELP EARN LEED™ CREDENTIALS. Form our detailed information, visit dalTilegreenworks.com.

SCAN QR CODE FOR PRODUCT INFORMATION

Get a QR Code reader at: GETDALTILE.COM



7834 C.F. Haw n Freeway, Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of DalTile® products and information, visit our website at dalTile.com.



IMAGINE WHAT'S POSSIBLE™

© 2016 DalTile Corporation (8/16)