

NATURAL STONE
SUBLIMITY
MARBLE, LIMESTONE AND TRAVERTINE MOSAICS

~



## NATURAL STONE SUBLIMITY<sup>™</sup>

MARBLE, LIMESTONE AND TRAVERTINE MOSAICS

# Transcendent Details

Enhance your design and elevate your thoughts with Natural Stone mosaics that capture the essence of the sublime. These unique marble and encaustic mosaics deliver transcendent style for the backsplash and beyond. Beautiful geometric motifs provide simple access to luxurious details that exalt your living spaces.

- PURIFIED MARBLE
  - Daltile's most popular white and grey marbles harmonize your design
  - Eight unique mosaic patterns for style that reflect your identity
  - Carefully arranged hexagon, linear, and diamond patterns
- ENCAUSTIC BEAUTY
  - Intricate but freeing, these encaustic blends combine a perfect patchwork of refinement
  - 3" x 3" encaustic mosaic with various patterns
  - Soothing neutral color sequences range from gray and white to beige, taupe, blue, and black

Û

SEE CHARTS FOR FULI

#### NATURAL STONE

**SUBLIMITY**<sup>™</sup>

FINISHES: POLISHED | HONED

MARBLE, LIMESTONE AND TRAVERTINE MOSAICS





MARBLE

**CIRRUS STORM M018** 



CUBIST MOSAIC - HONED M018

NAMASTE M072



ELONGATED HEX MOSAIC -HONED M018



PARQUET MOSAIC -HONED M018





HYPNOTIC MOSAIC -HONED M103



TRAPEZOID MOSAIC -HONED M018



HERRINGBONE MOSAIC -HONED M072



RANDOM LINEAR MOSAIC HONED M072

### 3 x 3 ENCAUSTIC MOSAIC\*



POWER SEQUENCE SB60 - HONED



RESTORE SEQUENCE SB64 - HONED

\* Encaustic Mosaics not suitable for floor applications



BREATH SEQUENCE SB61 - HONED



SCULPT SEQUENCE SB65 – HONED



CORE SEQUENCE SB62 – HONED



ENERGY SEQUENCE SB66 - HONED



MINDFUL SEQUENCE SB63 – HONED



STRENGTH SEQUENCE SB67 – POLISHED

7834 C.F. Hawn Freeway, Dallas, Texas 75217 | 1.800.933.TILE

To view the complete collection of Daltile® products and information, visit our website at **daltile.com**.



BALANCE MOSAIC -HONED M103

#### NOTES

Natural stone products inherently lack uniformity and are subject to variation in aesthetics (color, shade, finish, etc.) and performance (hardness, strength, slip resistance, etc.). Natural stone products do not meet minimum coefficient of friction thresholds recommended by safety standard setting organizations. No warranties, expressed or implied, relative to merchantability or fitness for a particular purpose are made regarding the natural stone products distributed by Dal-Tile. Check local building codes prior to specification or installation to verify that product technical characteristics comply with required parameters.

The existence and dimensions of a bevel may vary from lot to lot. Be sure to request a sample of the specific lot you are planning to order if the bevel is an important feature of your job.

For additional application and technical information, refer to the "Stone Usage Guide" at daltile.com/sug.

