



Built-in and Plug-in

ELECTRIC FIREBOXES

 **Dimplex**[®]

Revillusion Built-in Electric Fireboxes



RBF30 Shown with Single Glass Pane (RBFGLASS30)
30" Built-in Electric Firebox
31 1/4" x 26 5/8" x 12 1/8" (WxHxD)
79.2 cm x 67.7 cm x 30.7 cm



RBF36 Shown with Single Glass Pane (RBFGLASS36)
36" Built-in Electric Firebox
37 1/4" x 26 5/8" x 12 1/8" (WxHxD)
94.4 cm x 67.7 cm x 30.7 cm

Revillusion Firebox Features



The Future of
Fireplaces is Clear.™



Revillusion® Flame Technology
Flames are larger, brighter and more random, appearing from within the logs.



Mirage™ Flame Panel
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.



ThruView™ Full-depth Design
See clear through the flames to the back of a masonry fireplace for a more authentic experience.



Color Enhancement
Adjust the flame base color to red or blue.



Mood Lighting
Customize the firebox glow with a choice of warm hues, plus midnight mode.



Brightness and Flicker
Adjust light level to suit the room and choose flicker effect for enhanced firelight.



Realogs® Plus
A full grate of life-size hardwood-cast logs, tiered for greater depth.




Hidden Heat
Fan-forced ceramic heater provides hidden comfort for any space.



Direct-wire
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).



RBFB36P Shown with Single Glass Pane (RBFGLOSS36P)
 36" Portrait Built-in Electric Firebox
 37¹/₄" x 31¹/₈" x 12¹/₈" (WxHxD)
 94.4 cm x 78.8 cm x 30.7 cm



RBFB42 Shown with Double Glass Doors (RBFDOOR42)
 42" Built-in Electric Firebox
 43¹/₄" x 31¹/₈" x 12¹/₈" (WxHxD)
 109.8 cm x 78.8 cm x 30.7 cm

Accessories

Double Glass Doors

Functional doors with tempered glass



RBFDOR30

33⁷/₈" x 27¹/₄" x 1⁷/₈" (WxHxD)
 (85.9cm x 69.4cm x 4.67cm)

RBFDOR36

39⁷/₈" x 27-1/4" x 1⁷/₈" (WxHxD)
 (101.1cm x 69.4cm x 4.67cm)

RBFDOR36P

39⁷/₈" x 31³/₄" x 1⁷/₈" (WxHxD)
 (101.1cm x 80.8cm x 4.67cm)

RBFDOR42

45⁷/₈" x 31³/₄" x 1⁷/₈" (WxHxD)
 (116.5cm x 80.8cm x 4.67cm)

Single Glass Pane

Tempered front glass.



RBFGLOSS30

29¹/₄" x 22¹/₈" x 3/4" (WxHxD)
 (74.0cm x 56cm x 1.62cm)

RBFGLOSS36

35¹/₈" x 22¹/₈" x 3/4" (WxHxD)
 (89.1cm x 56cm x 1.62cm)

RBFGLOSS36P

35¹/₈" x 26⁵/₈" x 3/4" (WxHxD)
 (89.1cm x 67.5cm x 1.62cm)

RBFGLOSS42

41¹/₈" x 26⁵/₈" x 3/4" (WxHxD)
 (104.5cm x 67.5cm x 1.62cm)

RBFPUG

Optional 120V plug kit
 for RBF fireboxes.



Revillusion Electric Log Sets



RLG20
 23³/₄" x 19" x 12¹/₂" (WxHxD)
 60,3 cm x 48,2 cm x 31,7 cm

REM-KIT
 Ash Mat for RLG20
 18⁷/₈" x 1¹/₈" x 5⁵/₈" (WxHxD)
 47,8 cm x 3,0 cm x 14,1 cm




RLG25
 25⁵/₈" x 19" x 13" (WxHxD)
 65,0 cm x 48,2 cm x 32,9 cm

Plug-in Electric Fireboxes - Multi-Fire XD®




PF2325HL
 25" Multi-Fire XD Firebox - Realogs®
 25⁷/₈" x 18⁷/₈" x 9¹/₄" (WxHxD)
 65,7 cm x 47,9 cm x 23,3 cm
 120 V | 1,500 W | 5,118 BTU

 **Heater Disable**




PF2325CG | 25" Multi-Fire XD Curved Glass Firebox - Acrylic Ice
 25⁷/₈" x 18⁷/₈" x 10¹/₈" (WxHxD)
 65,7 cm x 47,9 cm x 25,5 cm
 120 V | 1,500 W | 5,118 BTU

 **Heater Disable**




PF3033HL | 33" Multi-Fire XD Firebox - Realogs®
 32⁷/₈" x 23³/₈" x 9³/₈" (WxHxD)
 83,7 cm x 59,3 cm x 23,8 cm
 120 V | 1,500 W | 5,118 BTU






 **Heater Disable**



PF3033HG | 33" Multi-Fire XD Firebox - Acrylic Ice
 32⁷/₈" x 23³/₈" x 9³/₈" (WxHxD)
 83,7 cm x 59,3 cm x 23,8 cm
 120 V | 1,500 W | 5,118 BTU

 **Heater Disable**

Multi-Fire XD Features

-  **Multi-Fire XD® Flame Effect**
 Vivid flames that are brighter and more lifelike day or night.
-  **Media Accent Colors**
 Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.
-  **ComfortSaver™ Heating System**
 The patented ComfortSaver™ ceramic heating system uses 11% less energy than the leading quartz infrared heater by automatically adjusting fan speed and heater wattage to safely and precisely match the requirements of the room.
-  **Mood-maker Remote**
 Customize the light color and intensity for a fireplace that reflects your personality.
-  **Realogs®**
 Molded from meticulously selected and charred hardwood and positioned to maximize the illusion of depth and the appearance of burning firewood.

Plug-in Electric Fireboxes



DFR2551L
25" Firebox with Logs
26" x 18³/₄" x 7⁵/₈" (WxHxD)
66.0 cm x 47.4 cm x 19.2 cm
120 V | 1,500 W | 5,118 BTU

- Floating Display™
- Inner glow logs
- Color-Rich Flame
- Heater Disable



DFR2551G
Also available
with Acrylic Ice



DFR2651L
26" Firebox with Logs
27³/₈" x 23¹/₂" x 7¹/₄" (WxHxD)
69.5 cm x 59.7 cm x 18.4 cm
120 V | 1,500 W | 5,118 BTU

- Floating Display™
- Inner glow logs
- Color-Rich Flame
- Heater Disable



DF3215
32" Firebox with Logs
36¹/₂" x 31³/₄" x 13¹/₈" (WxHxD)
92.7 cm x 80.1 cm x 33.3 cm
120 V | 1,500 W | 5,118 BTU

- Inner glow logs
- Authentic brick-look interior
- Adjustable flame speed and interior light controls
- Bi-fold doors and mesh screens
- Heater Disable

*Rear-loading design – see Owner's Manual for framing details.



DF3015
30" Firebox with Logs
31¹/₂" x 26¹/₂" x 11¹/₄" (WxHxD)
80.0 cm x 67.0 cm x 28.4 cm
120 V | 1,500 W | 5,118 BTU

- Inner glow logs
- Authentic brick-look interior
- Adjustable flame speed and interior light controls
- Heater Disable



DF3033ST
33" Firebox with Logs
33¹/₈" x 23³/₈" x 9⁵/₈" (WxHxD)
84.1 cm x 59.4 cm x 24.2 cm
120 V | 780 W | 2,661 BTU

- Inner glow logs
- Adjustable flame speed and interior light controls
- Heater Disable
- Direct-wire option

Plug-in Firebox Features



The Original Dimplex Flame Effect™

A blend of technology, artistry and craftsmanship that sets the standard for realism.



Supplemental Heating

Includes a fan-forced heater that provides supplemental warmth for small spaces up to 1000 square feet.



Thermostat Control

Provides temperature control to ensure consistent comfort.



All-season Flames

Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.



Cool-touch Glass

Glass remains cool making it safe for children and pets in any location.



Multi-function Remote

Control 100% of the fireplace features from the comfort of your chair.



Just Plug It In

Simply plug into any standard household outlet for instant ambiance.

Specialty Features



Floating Display™

On-screen display shows temperature and feature settings at a glance.



Inner Glow Logs

Individually molded and hand-finished logs pulse and glow from within for the look of natural burning logs.



Media Accent Colors

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.

Built-in Electric Fireboxes

33" Slimline Built-in Firebox

BFSL33 | 33" Slimline Built-in Firebox
Includes 3-piece removable trim kit

32³/₄" x 28¹/₄" x 9¹/₂" (WxHxD)
83.2 cm x 71.8 cm x 24.1 cm

120 Volts | 1,223 Watts | 4,178 BTU
208 Volts | 1,823 Watts | 6,227 BTU
240 Volts | 2,423 Watts | 8,278 BTU

- Inner glow logs
- 3 Stage Remote
- Operates with or without heat

Doors & Trim Kits

BFSL33DOOR

Single pane, tamperproof glass.



39" Built-in Firebox

BF39DXP | 39" Built-in Firebox
Shown with tamperproof glass door

38³/₄" x 32³/₄" x 15¹/₄" (WxHxD)
98.4 cm x 83.2 cm x 38.9 cm

120 Volts | 1,440 Watts | 5,000 BTU
208 Volts | 2,100 Watts | 7,200 BTU
240 Volts | 2,700 Watts | 9,200 BTU

- Authentic brick-look interior
- Direct wire
- Operates with or without heat
- Inner glow logs

Doors & Trim Kits

BFGLOSS39BLK
39" Tamperproof Glass Door

BFSDOOR39BLK
39" Glass Swing Doors, Black Accents

BFDOOR39BLKSM
39" Bi-fold Look Glass Door

BF4TRIM39
4-piece Trim Kit, Black



33" Built-in Firebox

BF33DXP | 33" Built-in Firebox

32³/₄" x 28¹/₂" x 14¹/₄" (WxHxD)
83.2 cm x 73.5 cm x 36.2 cm

120 Volts | 1,440 Watts | 5,000 BTU
208 Volts | 2,100 Watts | 7,200 BTU
240 Volts | 2,700 Watts | 9,200 BTU

- Authentic brick-look interior
- Direct wire
- Operates with or without heat
- Inner glow logs

Doors & Trim Kits

BFGLOSS33BLK
33" Tamperproof Glass Door

BFSDOOR33BLK
33" Glass Swing Doors, Black Accents

BFDOOR33BLKSM
33" Bi-fold Look Glass Door

BF4TRIM33
4-piece Trim Kit, Black



39" Built-in Firebox

BF39STP | 39" Built-in Firebox

Shown with bi-fold glass door
38³/₄" x 32³/₄" x 15¹/₄" (WxHxD)
98.4 cm x 83.2 cm x 38.7 cm

120 Volts | 1,440 Watts | 5,000 BTU
208 Volts | 2,100 Watts | 7,200 BTU
240 Volts | 2,700 Watts | 9,200 BTU

- Authentic brick-look interior
- Direct wire
- Operates with or without heat
- Inner glow logs

Doors & Trim Kits

BFGLOSS39BLK
39" Tamperproof Glass Door

BFSDOOR39BLK
39" Glass Swing Doors, Black Accents

BFDOOR39BLKSM
39" Bi-fold Look Glass Door

BF4TRIM39
4-piece Trim Kit, Black







45" Built-in Firebox

BF45DXP | 45" Direct-wire Firebox shown with Bi-fold Look Glass Door Kit and Black Trim Kit

44³/₄" x 32³/₄" x 15³/₈" (WxHxD)
113.5 cm x 83.1 cm x 38.9 cm

120 Volts | 1,440 Watts | 4,919 BTU
208 Volts | 2,100 Watts | 7,173 BTU
240 Volts | 2,700 Watts | 9,223 BTU

-  **Authentic brick-look interior**
-  **Direct wire**
-  **Operates with or without heat**
-  **Inner glow logs**

Doors & Trim Kits

BFGLASS45BLK

45" Tamperproof Glass Door


BFDOOR45BLKSM


45" Bi-fold Look Glass Door

BF4TRIM45

4-piece Trim Kit, Black

Built-in Electric Firebox Features

 **The Original Dimplex Flame Effect™**
A blend of technology, artistry and craftsmanship that sets the standard for realism.


 **Primary Heating**
Option to use 240 volt supply for up to 9,200 BTU - use as part of primary heating plan.

 **All-season Flames**
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.


 **Direct-wire**
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).


* Based on national average residential electricity rate. Rates vary.

 **Cool-touch Glass**
Glass remains cool making it safe for children and pets in any location.

 **Frame, Wire and Finish**
Basic installation requires fewer tradespeople, no gas lines, venting or chimney.

 **Economical**
Economical to operate costing only pennies per hour.*

 **Heater Disable**
Easily disable the heater for tamperproof operation in commercial and residential installations.

 **Options**
Door kits, trim kits and control options available.

Door Kits



Tamperproof Glass Door

BFSL33DOOR | For BFSL33
BFGLASS33BLK | For BF33DXP
BFGLASS39BLK | For BF39STP,
BF39DXP
BFGLASS45BLK | For BF45DXP



Swing Door

BFSDOOR33BLK | For BF33DXP
BFSDOOR39BLK | For BF39STP,
BF39DXP



Glass Bi-fold Look Door

BFDOOR33BLKSM | For BF33DXP
BFDOOR39BLKSM | For BF39STP,
BF39DXP
BFDOOR45BLKSM | For BF45DXP

Trim Kit



Trim Kit

3" Black Surround Trim,
for use as 3-piece or 4-piece

BF4TRIM33 | For BF33DXP
BF4TRIM39 | For BF39STP, BF39DXP
BF4TRIM45 | For BF45DXP

Control Options



WRCPF-KIT
Wall Switch
Remote
Control Kit



TS521W
Wall-mount
Thermostat



BFRC-KIT
3-stage Remote
Control Kit (included
with BFSL33)



BFPLUGE
Plug Kit, includes
7 ft. cord

Plug-in Electric Fireplace Insert



Shown with
DFI2310 Insert

DFI23TRIMX







DFI2310 | 23" Deluxe Fireplace Insert

23 1/4" x 19 1/2" x 10 3/4" (WxHxD)
59 cm x 49.5 cm x 27.0 cm

120 Volts | 1,375 Watts | 4,692 BTU

Expandable trim kit available
DFI23TRIMX

-  **Inner glow logs**
-  **Operates with or without heat**
-  **Built-in fan-forced heater**
-  **On/off remote**

Product	Dimensions (WxHxD)	Volts	Watts	BTU	Wty
RBF30	31-3/4" x 26-5/8" x 12-1/8" 79.2 cm x 67.4 cm x 30.7 cm	120 V 208 V 240 V	1,375 W 1,975 W 2,575 W	4,400 6,745 8,794	2 yrs
RBF36	37-3/4" x 26-5/8" x 12-1/8" 94.4 cm x 67.4 cm x 30.7 cm	120 V 208 V 240 V	1,375 W 1,975 W 2,575 W	4,400 6,745 8,794	2 yrs
RBF36P	37-3/4" x 31-1/8" x 12-1/8" 94.4 cm x 78.8 cm x 30.7 cm	120 V 208 V 240 V	1,375 W 1,975 W 2,575 W	4,400 6,745 8,794	2 yrs
RBF42	43-3/4" x 31-1/8" x 12-1/8" 109.8 cm x 78.8 cm x 30.7 cm	120 V 208 V 240 V	1,375 W 1,975 W 2,575 W	4,400 6,745 8,794	2 yrs
RLG20	23-3/4" x 19" x 12-1/2" 60.3 cm x 48.2 cm x 31.7 cm	120 V	1,500 W	5,118	1 yr
RLG25	25-5/8" x 19" x 13" 65.0 cm x 48.2 cm x 32.9 cm	120 V	1,500 W	5,118	2 yrs
PF2325HL PF2325HG	25-7/8" x 18-7/8" x 9-1/4" 65.7 cm x 47.9 cm x 23.3 cm	120 V	1,500 W	5,118	1 yr
PF2325CG	25-7/8" x 18-7/8" x 10-1/8" 65.7 cm x 47.9 cm x 25.5 cm	120 V	1,500 W	5,118	1 yr
PF3033HL PF3033HG	32-7/8" x 23-3/8" x 9-1/2" 83.7 cm x 59.3 cm x 23.3 cm	120 V	1,500 W	5,118	1 yr
DFR2551L DFR2551G	26" x 18-3/4" x 7-5/8" 66.0 cm x 47.4 cm x 19.2 cm	120 V	1,500 W	5,118	1 yr
DFR2651L	27-3/8" x 23-1/2" x 7-1/4" 69.5 cm x 59.7 cm x 18.4 cm	120 V	1,500 W	5,118	1 yr
DF3015	31-1/2" x 26-1/2" x 11-1/4" 80.0 cm x 67.0 cm x 28.4 cm	120 V	1,500 W	5,118	5 yrs
DF3033ST	33-1/8" x 23-3/8" x 9-5/8" 84.1 cm x 59.4 cm x 24.2 cm	120 V	780 W	2,661	5 yrs
DF3215	36-1/2" x 31-3/4" x 13-1/8" 92.7 cm x 80.1 cm x 33.3 cm	120 V	1,500 W	5,118	10 yrs
BFSL33	32-3/4" x 28-1/4" x 9-1/2" 83.2 cm x 71.8 cm x 24.1 cm	120 V 208 V 240 V	1,223 W 1,823 W 2,423 W	4,178 6,227 8,278	2 yrs
BF33DXP	32-3/4" x 28-1/2" x 14-1/4" 83.2 cm x 73.5 cm x 36.2 cm	120 V 208 V 240 V	1,440 W 2,100 W 2,700 W	5,000 7,200 9,200	2 yrs
BF39DXP BF39STP	38-3/4" x 32-3/4" x 15-1/4" 98.4 cm x 83.2 cm x 38.9 cm	120 V 208 V 240 V	1,440 W 2,100 W 2,700 W	5,000 7,200 9,200	2 yrs
BF45DXP	44-3/4" x 32-3/4" x 15-3/8" 113.5 cm x 83.1 cm x 38.9 cm	120 V 208 V 240 V	1,440 W 2,100 W 2,700 W	4,919 7,173 9,223	2 yrs
DFI2310	23-1/4" x 19-1/2" x 10-3/4" 59.0 cm x 49.5 cm x 27.0 cm	120 V	1,375 W	4,692	1 yr

Your authorized Dimplex dealer:

For more information and product specifications, please visit dimplex.com

Glen Dimplex
AMERICAS

Enhancing the moments that matter in life

Visit us online at: www.dimplex.com



Glen Dimplex Americas
Telephone: 1-888-346-7539
Fax: 1-800-668-6665

Specifications, finishes and dimensions are subject to change and should be taken as a guide only.
This product may be covered by one or more U.S. patents or pending patent applications.
See www.dimplex.com/patents for details. © 2018 Glen Dimplex Americas



Printed in Canada LI-998-R08-091718