



Built-in and Plug-in

# ELECTRIC FIREBOXES

 **Dimplex**<sup>®</sup>




# Revillusion Built-in Electric Fireboxes



**RBF30** Shown with Single Glass Pane (RBFGLASS30)  
30" Built-in Electric Firebox

31<sup>1</sup>/<sub>4</sub>" x 26<sup>5</sup>/<sub>8</sub>" x 12<sup>1</sup>/<sub>8</sub>" (WxHxD)  
79.2 cm x 67.7 cm x 30.7 cm



**RBF36** Shown with Single Glass Pane (RBFGLASS36)  
36" Built-in Electric Firebox

37<sup>1</sup>/<sub>4</sub>" x 26<sup>5</sup>/<sub>8</sub>" x 12<sup>1</sup>/<sub>8</sub>" (WxHxD)  
94.4 cm x 67.7 cm x 30.7 cm

## Revillusion Firebox Features



The Future of  
Fireplaces is Clear.™



### Revillusion® Flame Technology

Flames are larger, brighter and more random, appearing from within the logs.



### Mirage™ Flame Panel

Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.



### ThruView™ Full-depth Design

See clear through the flames to the back of a masonry fireplace for a more authentic experience.



### Color Enhancement

Adjust the flame base color to red or blue.



### Mood Lighting

Customize the firebox glow with a choice of warm hues, plus midnight mode.



### Brightness and Flicker

Adjust light level to suit the room and choose flicker effect for enhanced firelight.



### Realogs® Plus

A full grate of life-size hardwood-cast logs, tiered for greater depth.



### Hidden Heat

Fan-forced ceramic heater provides hidden comfort for any space.




### Direct-wire

Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).





**RBFB36P** Shown with Single Glass Pane (RBFGLOSS36P)  
 36" Portrait Built-in Electric Firebox  
 37<sup>1</sup>/<sub>4</sub>" x 31<sup>1</sup>/<sub>8</sub>" x 12<sup>1</sup>/<sub>8</sub>" (WxHxD)  
 94.4 cm x 78.8 cm x 30.7 cm



**RBFB42** Shown with Double Glass Doors (RBFDOOR42)  
 42" Built-in Electric Firebox  
 43<sup>1</sup>/<sub>4</sub>" x 31<sup>1</sup>/<sub>8</sub>" x 12<sup>1</sup>/<sub>8</sub>" (WxHxD)  
 109.8 cm x 78.8 cm x 30.7 cm

## Accessories

### Double Glass Doors

Functional doors with tempered glass



#### RBFDOR30

33<sup>7</sup>/<sub>8</sub>" x 27<sup>1</sup>/<sub>4</sub>" x 1<sup>7</sup>/<sub>8</sub>" (WxHxD)  
 (85.9cm x 69.4cm x 4.67cm)

#### RBFDOR36

39<sup>7</sup>/<sub>8</sub>" x 27-1/4" x 1<sup>7</sup>/<sub>8</sub>" (WxHxD)  
 (101.1cm x 69.4cm x 4.67cm)

#### RBFDOR36P

39<sup>7</sup>/<sub>8</sub>" x 31<sup>3</sup>/<sub>4</sub>" x 1<sup>7</sup>/<sub>8</sub>" (WxHxD)  
 (101.1cm x 80.8cm x 4.67cm)

#### RBFDOR42

45<sup>7</sup>/<sub>8</sub>" x 31<sup>3</sup>/<sub>4</sub>" x 1<sup>7</sup>/<sub>8</sub>" (WxHxD)  
 (116.5cm x 80.8cm x 4.67cm)

### Single Glass Pane

Tempered front glass.



#### RBFGLOSS30

29<sup>1</sup>/<sub>4</sub>" x 22<sup>1</sup>/<sub>8</sub>" x 3/4" (WxHxD)  
 (74.0cm x 56cm x 1.62cm)

#### RBFGLOSS36

35<sup>1</sup>/<sub>8</sub>" x 22<sup>1</sup>/<sub>8</sub>" x 3/4" (WxHxD)  
 (89.1cm x 56cm x 1.62cm)

#### RBFGLOSS36P

35<sup>1</sup>/<sub>8</sub>" x 26<sup>5</sup>/<sub>8</sub>" x 3/4" (WxHxD)  
 (89.1cm x 67.5cm x 1.62cm)

#### RBFGLOSS42

41<sup>1</sup>/<sub>8</sub>" x 26<sup>5</sup>/<sub>8</sub>" x 3/4" (WxHxD)  
 (104.5cm x 67.5cm x 1.62cm)


### RBFPUG

Optional 120V plug kit  
 for RBF fireboxes.






# Revillusion Electric Log Sets

**RLG20**  
23<sup>3</sup>/<sub>4</sub>" x 19" x 12<sup>1</sup>/<sub>2</sub>" (WxHxD)  
60,3 cm x 48,2 cm x 31,7 cm




**REM-KIT**  
Ash Mat for RLG20  
18<sup>7</sup>/<sub>8</sub>" x 1<sup>1</sup>/<sub>8</sub>" x 5<sup>5</sup>/<sub>8</sub>" (WxHxD)  
47,8 cm x 3,0 cm x 14,1 cm





**RLG25**  
25<sup>5</sup>/<sub>8</sub>" x 19" x 13" (WxHxD)  
65,0 cm x 48,2 cm x 32,9 cm

# Plug-in Electric Fireboxes - Multi-Fire XD®




**PF2325HL**  
25" Multi-Fire XD Firebox - Realogs®  
25<sup>7</sup>/<sub>8</sub>" x 18<sup>7</sup>/<sub>8</sub>" x 9<sup>1</sup>/<sub>4</sub>" (WxHxD)  
65,7 cm x 47,9 cm x 23,3 cm  
120 V | 1,500 W | 5,118 BTU  
 **Heater Disable**




**PF2325CG** | 25" Multi-Fire XD Curved Glass Firebox - Acrylic Ice  
25<sup>7</sup>/<sub>8</sub>" x 18<sup>7</sup>/<sub>8</sub>" x 10<sup>1</sup>/<sub>8</sub>" (WxHxD)  
65,7 cm x 47,9 cm x 25,5 cm  
120 V | 1,500 W | 5,118 BTU  
 **Heater Disable**








**PF3033HL** | 33" Multi-Fire XD Firebox - Realogs®  
32<sup>7</sup>/<sub>8</sub>" x 23<sup>3</sup>/<sub>8</sub>" x 9<sup>1</sup>/<sub>4</sub>" (WxHxD)  
83,7 cm x 59,3 cm x 23,3 cm  
120 V | 1,500 W | 5,118 BTU  
 **Heater Disable**



**PF3033HG** | 33" Multi-Fire XD Firebox - Acrylic Ice  
32<sup>7</sup>/<sub>8</sub>" x 23<sup>3</sup>/<sub>8</sub>" x 9<sup>1</sup>/<sub>4</sub>" (WxHxD)  
83,7 cm x 59,3 cm x 23,3 cm  
120 V | 1,500 W | 5,118 BTU  
 **Heater Disable**

## Multi-Fire XD Features

-  **Multi-Fire XD® Flame Effect**  
Vivid flames that are brighter and more lifelike day or night.
-  **Media Accent Colors**  
Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.
-  **Comfort\$aver™ Heating System**  
The patented Comfort\$aver™ ceramic heating system uses 11% less energy than the leading quartz infrared heater by automatically adjusting fan speed and heater wattage to safely and precisely match the requirements of the room.
-  **Mood-maker Remote**  
Customize the light color and intensity for a fireplace that reflects your personality.
-  **Realogs®**  
Molded from meticulously selected and charred hardwood and positioned to maximize the illusion of depth and the appearance of burning firewood.

# Plug-in Electric Fireboxes



**DFR2551L**  
25" Firebox with Logs  
26" x 18<sup>3</sup>/<sub>4</sub>" x 7<sup>5</sup>/<sub>8</sub>" (WxHxD)  
66.0 cm x 47.4 cm x 19.2 cm  
120 V | 1,500 W | 5,118 BTU

- Floating Display™
- Inner glow logs
- Color-Rich Flame
- Heater Disable



**DFR2551G**  
Also available  
with Acrylic Ice



**DFR2651L**  
26" Firebox with Logs  
27<sup>3</sup>/<sub>8</sub>" x 23<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>4</sub>" (WxHxD)  
69.5 cm x 59.7 cm x 18.4 cm  
120 V | 1,500 W | 5,118 BTU

- Floating Display™
- Inner glow logs
- Color-Rich Flame
- Heater Disable



**DF3215**  
32" Firebox with Logs  
36<sup>1</sup>/<sub>2</sub>" x 31<sup>3</sup>/<sub>4</sub>" x 13<sup>1</sup>/<sub>8</sub>" (WxHxD)  
92.7 cm x 80.1 cm x 33.3 cm  
120 V | 1,500 W | 5,118 BTU

- Inner glow logs
- Authentic brick-look interior
- Adjustable flame speed and interior light controls
- Bi-fold doors and mesh screens
- Heater Disable

\*Rear-loading design – see Owner's Manual for framing details.



**DF3015**  
30" Firebox with Logs  
31<sup>1</sup>/<sub>2</sub>" x 26<sup>1</sup>/<sub>2</sub>" x 11<sup>1</sup>/<sub>4</sub>" (WxHxD)  
80.0 cm x 67.0 cm x 28.4 cm  
120 V | 1,500 W | 5,118 BTU

- Inner glow logs
- Authentic brick-look interior
- Adjustable flame speed and interior light controls
- Heater Disable



**DF3033ST**  
33" Firebox with Logs  
33<sup>1</sup>/<sub>8</sub>" x 23<sup>3</sup>/<sub>8</sub>" x 9<sup>5</sup>/<sub>8</sub>" (WxHxD)  
84.1 cm x 59.4 cm x 24.2 cm  
120 V | 780 W | 2,661 BTU

- Inner glow logs
- Adjustable flame speed and interior light controls
- Heater Disable
- Direct-wire option

## Plug-in Firebox Features



### The Original Dimplex Flame Effect™

A blend of technology, artistry and craftsmanship that sets the standard for realism.



### Supplemental Heating

Includes a fan-forced heater that provides supplemental warmth for small spaces up to 1000 square feet.



### Thermostat Control

Provides temperature control to ensure consistent comfort.



### All-season Flames

Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.



### Cool-touch Glass

Glass remains cool making it safe for children and pets in any location.



### Multi-function Remote

Control 100% of the fireplace features from the comfort of your chair.



### Just Plug It In

Simply plug into any standard household outlet for instant ambiance.

## Specialty Features



### Floating Display™

On-screen display shows temperature and feature settings at a glance.



### Inner Glow Logs

Individually molded and hand-finished logs pulse and glow from within for the look of natural burning logs.



### Media Accent Colors

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.



# Built-in Electric Fireboxes

## 33" Slimline Built-in Firebox

**BFSL33** | 33" Slimline Built-in Firebox  
Includes 3-piece removable trim kit

32<sup>3</sup>/<sub>4</sub>" x 28<sup>1</sup>/<sub>4</sub>" x 9<sup>1</sup>/<sub>2</sub>" (WxHxD)  
83.2 cm x 71.8 cm x 24.1 cm

120 Volts | 1,223 Watts | 4,178 BTU  
208 Volts | 1,823 Watts | 6,227 BTU  
240 Volts | 2,423 Watts | 8,278 BTU

- Inner glow logs
- 3 Stage Remote
- Operates with or without heat

### Doors & Trim Kits

#### BFSL33DOOR

Single pane, tamperproof glass.



## 39" Built-in Firebox

**BF39DXP** | 39" Built-in Firebox  
Shown with tamperproof glass door

38<sup>3</sup>/<sub>4</sub>" x 32<sup>3</sup>/<sub>4</sub>" x 15<sup>1</sup>/<sub>4</sub>" (WxHxD)  
98.4 cm x 83.2 cm x 38.9 cm

120 Volts | 1,440 Watts | 5,000 BTU  
208 Volts | 2,100 Watts | 7,200 BTU  
240 Volts | 2,700 Watts | 9,200 BTU

- Authentic brick-look interior
- Direct wire
- Operates with or without heat
- Inner glow logs

### Doors & Trim Kits

**BFGLOSS39BLK**  
39" Tamperproof Glass Door

**BFSDOOR39BLK**  
39" Glass Swing Doors, Black Accents

**BFDOOR39BLKSM**  
39" Bi-fold Look Glass Door

**BF4TRIM39**  
4-piece Trim Kit, Black



## 33" Built-in Firebox

**BF33DXP** | 33" Built-in Firebox

32<sup>3</sup>/<sub>4</sub>" x 28<sup>1</sup>/<sub>2</sub>" x 14<sup>1</sup>/<sub>4</sub>" (WxHxD)  
83.2 cm x 73.5 cm x 36.2 cm

120 Volts | 1,440 Watts | 5,000 BTU  
208 Volts | 2,100 Watts | 7,200 BTU  
240 Volts | 2,700 Watts | 9,200 BTU

- Authentic brick-look interior
- Direct wire
- Operates with or without heat
- Inner glow logs

### Doors & Trim Kits

**BFGLOSS33BLK**  
33" Tamperproof Glass Door

**BFSDOOR33BLK**  
33" Glass Swing Doors, Black Accents

**BFDOOR33BLKSM**  
33" Bi-fold Look Glass Door

**BF4TRIM33**  
4-piece Trim Kit, Black



## 39" Built-in Firebox

**BF39STP** | 39" Built-in Firebox

Shown with bi-fold glass door

38<sup>3</sup>/<sub>4</sub>" x 32<sup>3</sup>/<sub>4</sub>" x 15<sup>1</sup>/<sub>4</sub>" (WxHxD)  
98.4 cm x 83.2 cm x 38.7 cm

120 Volts | 1,440 Watts | 5,000 BTU  
208 Volts | 2,100 Watts | 7,200 BTU  
240 Volts | 2,700 Watts | 9,200 BTU

- Authentic brick-look interior
- Direct wire
- Operates with or without heat
- Inner glow logs

### Doors & Trim Kits

**BFGLOSS39BLK**  
39" Tamperproof Glass Door

**BFSDOOR39BLK**  
39" Glass Swing Doors, Black Accents

**BFDOOR39BLKSM**  
39" Bi-fold Look Glass Door

**BF4TRIM39**  
4-piece Trim Kit, Black







## 45" Built-in Firebox

**BF45DXP** | 45" Direct-wire Firebox shown with Bi-fold Look Glass Door Kit and Black Trim Kit

44<sup>3</sup>/<sub>4</sub>" x 32<sup>3</sup>/<sub>4</sub>" x 15<sup>3</sup>/<sub>8</sub>" (WxHxD)  
113.5 cm x 83.1 cm x 38.9 cm

120 Volts | 1,440 Watts | 4,919 BTU  
208 Volts | 2,100 Watts | 7,173 BTU  
240 Volts | 2,700 Watts | 9,223 BTU

-  **Authentic brick-look interior**
-  **Direct wire**
-  **Operates with or without heat**
-  **Inner glow logs**

### Doors & Trim Kits

#### **BFGLASS45BLK**

45" Tamperproof Glass Door


#### **BFDOOR45BLKSM**


45" Bi-fold Look Glass Door

#### **BF4TRIM45**

4-piece Trim Kit, Black

## Built-in Electric Firebox Features

 **The Original Dimplex Flame Effect™**  
A blend of technology, artistry and craftsmanship that sets the standard for realism.


 **Primary Heating**  
Option to use 240 volt supply for up to 9,200 BTU - use as part of primary heating plan.

 **All-season Flames**  
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.


 **Direct-wire**  
Designed to be direct-wired to a 120, 208 or 240 volt circuit for a seamless look (optional plug kit available).


\* Based on national average residential electricity rate. Rates vary.

 **Cool-touch Glass**  
Glass remains cool making it safe for children and pets in any location.

 **Frame, Wire and Finish**  
Basic installation requires fewer tradespeople, no gas lines, venting or chimney.

 **Economical**  
Economical to operate costing only pennies per hour.\*

 **Heater Disable**  
Easily disable the heater for tamperproof operation in commercial and residential installations.

 **Options**  
Door kits, trim kits and control options available.

## Door Kits



### Tamperproof Glass Door

**BFSL33DOOR** | For BFSL33  
**BFGLASS33BLK** | For BF33DXP  
**BFGLASS39BLK** | For BF39STP,  
BF39DXP  
**BFGLASS45BLK** | For BF45DXP



### Swing Door

**BFSDOOR33BLK** | For BF33DXP  
**BFSDOOR39BLK** | For BF39STP,  
BF39DXP



### Glass Bi-fold Look Door

**BFDOOR33BLKSM** | For BF33DXP  
**BFDOOR39BLKSM** | For BF39STP,  
BF39DXP  
**BFDOOR45BLKSM** | For BF45DXP

## Trim Kit



### Trim Kit

3" Black Surround Trim,  
for use as 3-piece or 4-piece

**BF4TRIM33** | For BF33DXP  
**BF4TRIM39** | For BF39STP, BF39DXP  
**BF4TRIM45** | For BF45DXP

## Control Options



**WRCPF-KIT**  
Wall Switch  
Remote  
Control Kit



**TS521W**  
Wall-mount  
Thermostat



**BFRC-KIT**  
3-stage Remote  
Control Kit (included  
with BFSL33)



**BFPLUGE**  
Plug Kit, includes  
7 ft. cord



# Plug-in Electric Fireplace Insert



Shown with  
DFI2310 Insert

DFI23TRIMX







### DFI2310 | 23" Deluxe Fireplace Insert

23 1/4" x 19 1/2" x 10 3/4" (WxHxD)  
59 cm x 49.5 cm x 27.0 cm

120 Volts | 1,375 Watts | 4,692 BTU

Expandable trim kit available  
DFI23TRIMX

-  **Inner glow logs**
-  **Operates with or without heat**
-  **Built-in fan-forced heater**
-  **On/off remote**

Product	Dimensions (WxHxD)	Volts	Watts	BTU	Wty
RBF30	31-3/4" x 26-5/8" x 12-1/8" 79.2 cm x 67.4 cm x 30.7 cm	120 V 208 V 240 V	1,375 W 1,975 W 2,575 W	4,400 6,745 8,794	2 yrs
RBF36	37-3/4" x 26-5/8" x 12-1/8" 94.4 cm x 67.4 cm x 30.7 cm	120 V 208 V 240 V	1,375 W 1,975 W 2,575 W	4,400 6,745 8,794	2 yrs
RBF36P	37-3/4" x 31-1/8" x 12-1/8" 94.4 cm x 78.8 cm x 30.7 cm	120 V 208 V 240 V	1,375 W 1,975 W 2,575 W	4,400 6,745 8,794	2 yrs
RBF42	43-3/4" x 31-1/8" x 12-1/8" 109.8 cm x 78.8 cm x 30.7 cm	120 V 208 V 240 V	1,375 W 1,975 W 2,575 W	4,400 6,745 8,794	2 yrs
RLG20	23-3/4" x 19" x 12-1/2" 60.3 cm x 48.2 cm x 31.7 cm	120 V	1,500 W	5,118	1 yr
RLG25	25-5/8" x 19" x 13" 65.0 cm x 48.2 cm x 32.9 cm	120 V	1,500 W	5,118	2 yrs
PF2325HL PF2325HG	25-7/8" x 18-7/8" x 9-1/4" 65.7 cm x 47.9 cm x 23.3 cm	120 V	1,500 W	5,118	1 yr
PF2325CG	25-7/8" x 18-7/8" x 10-1/8" 65.7 cm x 47.9 cm x 25.5 cm	120 V	1,500 W	5,118	1 yr
PF3033HL PF3033HG	32-7/8" x 23-3/8" x 9-1/2" 83.7 cm x 59.3 cm x 23.3 cm	120 V	1,500 W	5,118	1 yr
DFR2551L DFR2551G	26" x 18-3/4" x 7-5/8" 66.0 cm x 47.4 cm x 19.2 cm	120 V	1,500 W	5,118	1 yr
DFR2651L	27-3/8" x 23-1/2" x 7-1/4" 69.5 cm x 59.7 cm x 18.4 cm	120 V	1,500 W	5,118	1 yr
DF3015	31-1/2" x 26-1/2" x 11-1/4" 80.0 cm x 67.0 cm x 28.4 cm	120 V	1,500 W	5,118	5 yrs
DF3033ST	33-1/8" x 23-3/8" x 9-5/8" 84.1 cm x 59.4 cm x 24.2 cm	120 V	780 W	2,661	5 yrs
DF3215	36-1/2" x 31-3/4" x 13-1/8" 92.7 cm x 80.1 cm x 33.3 cm	120 V	1,500 W	5,118	10 yrs
BFSL33	32-3/4" x 28-1/4" x 9-1/2" 83.2 cm x 71.8 cm x 24.1 cm	120 V 208 V 240 V	1,223 W 1,823 W 2,423 W	4,178 6,227 8,278	2 yrs
BF33DXP	32-3/4" x 28-1/2" x 14-1/4" 83.2 cm x 73.5 cm x 36.2 cm	120 V 208 V 240 V	1,440 W 2,100 W 2,700 W	5,000 7,200 9,200	2 yrs
BF39DXP BF39STP	38-3/4" x 32-3/4" x 15-1/4" 98.4 cm x 83.2 cm x 38.9 cm	120 V 208 V 240 V	1,440 W 2,100 W 2,700 W	5,000 7,200 9,200	2 yrs
BF45DXP	44-3/4" x 32-3/4" x 15-3/8" 113.5 cm x 83.1 cm x 38.9 cm	120 V 208 V 240 V	1,440 W 2,100 W 2,700 W	4,919 7,173 9,223	2 yrs
DFI2310	23-1/4" x 19-1/2" x 10-3/4" 59.0 cm x 49.5 cm x 27.0 cm	120 V	1,375 W	4,692	1 yr

Your authorized Dimplex dealer:

For more information on product specifications, please visit [dimplex.com](http://dimplex.com)

# Dimplex®

Dimplex North America Limited  
1367 Industrial Road | Cambridge | ON N3H 4W3  
Telephone: 1-888-DIMPLEX | Fax: 1-800-668-6665

Visit us online at: [www.dimplex.com](http://www.dimplex.com)

