

Single-lever mixer For sprayer / professional sprayer

33 826 888



- 9-1/4" Projection
- Swiveling spout 360°
- Areated stream
- Total height 15-3/4"
- Height to aerator/spout outlet 9"
- Single-lever mixer hole diameter 1-3/8"
- 2x 3/8" US flexible supply lines
- Water flow rate limited to max. 1.5 gpm
- lead-free

Codes & Standards

- NSF/ANSI 372
- California Energy Commission (CEC)
- ASME A112.18.1/CSA B125.1
- NSF/ANSI/CAN 61
- ADA
- This product contributes to meeting requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB (ADA)

Single-lever mixer for use with rinsers and professional sprayers

(ADA)

Single-lever mixer for use with rinsers and professional sprayers

	Chrome	33 826 888-00 0010
	Brushed Platinum	33 826 888-06 0010
	Platinum	33 826 888-08 0010
	Durabrace (23kt Gold)	33 826 888-09 0010
	Dark Chrome	33 826 888-19 0010
	Brushed Durabrace (23kt Gold)	33 826 888-28 0010
	Matte Black	33 826 888-33 0010
	Brushed Champagne (22kt Gold)	33 826 888-46 0010
	Champagne (22kt Gold)	33 826 888-47 0010
	Brushed Chrome	33 826 888-93 0010
	Brushed Dark Platinum	33 826 888-99 0010

Required article



Profi side spray set

27 789 970-00
0010

Required article




Side spray set

27 721 970-00




Single-lever mixer For sprayer / professional sprayer

33 826 888



Flow rate chart



Codes & Standards

ADA

ASME
A112.18.1/CSA
B125.1


California Energy
Commission
(CEC)

NSF/ANSI 372

NSF/ANSI/CAN
61

Single-lever mixer For sprayer / professional sprayer

33 826 888



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 28 22 049 03-00	spout	1	10
2	90 23 01 028 00-00	aerator	1	10
3	09 30 30 054 90	screw	1	2
4	90 15 05 065 00 90	cartridge	1	2
5	90 28 10 148 00 90	accessories	1	2
6	09 24 04 107-00	nut	1	10
7	90 20 88 040 00-00	handle	1	10
8	90 30 11 032 00 90	disc	1	2
9	09 31 11 010 90	pin	1	2
10	90 24 04 048 00-00	nipple	1	10
11	11 170 880-00	handle	1	10
12	04 30 04 019 00 90	hose	1	2
13	04 30 04 106 00 90	hose	2	2
14	09 28 10 055-00	rosette	1	10
15	09 14 10 034 90	seal	1	2
16	04 30 11 038 00 90	fixing set	1	2
17	09 31 11 011 90	pin	1	2
18	12 803 970-90 0010	Extension set	1	60