




Kitchen - Elio  
Single-lever mixer - Brushed Durabross  
Article number: 33 800 790-28 0010


- 9-1/4" Projection
- Swiveling spout 360°
- Spout with 20° pivoting tip
- Areated stream
- Total height 13-1/4"
- Height to aerator/spout outlet 11-3/4"
- 1-3/8" hole diameter
- Water flow rate limited to max. 1.5 gpm
- lead-free



Brushed Durabross

Discontinued items available to order until 31.12.9999

### Dimensional drawing






Kitchen - Elio  
Single-lever mixer - Brushed Durabross  
Article number: 33 800 790-28 0010

All dimensions in mm / inch = mm x 0,0394

### Flow rate chart





Kitchen - Elio  
Single-lever mixer - Brushed Durabrass  
Article number: 33 800 790-28 0010

### Other surface finishes



polished chrome  
33 800 790-00 0010



platinum matte  
33 800 790-06 0010



platinum  
33 800 790-08 0010




Dark Platinum matte  
33 800 790-99 0010

More custom finish options are available via special production (xTra Service). Please see our finish matrix for availability and pricing or contact a Dornbracht representative.

Kitchen - Elio  
 Single-lever mixer - Brushed Durabross  
 Article number: 33 800 790-28 0010

### Spare parts list



Number	Item Number	Designation	Number of units
1	90 23 01 026 08-28	Aerator anti-theft M24x1 1.5 gpm - Brushed Durabross	1
2	09 24 04 164 10-28	Nipple Ø 26,5 x 26,5 mm - Brushed Durabross	1
3	09 14 10 100 90	O-Ring EPDM 70 20,0 x 2,5 mm -	1
4	09 31 11 044 90	Mounting bracket Threaded pin With hex socket With cup point M4 x 5 mm -	1
5	09 24 04 163 10-28	Nipple Ø 30 x 70 mm - Brushed Durabross	1
6	90 28 22 185 00-28	Outlet 228 x 231 x 30 mm - Brushed Durabross	1
7	09 30 30 054 90	Mounting bracket Cylinder screw With hex socket With low head M4 x 10 mm -	1
8	90 15 05 061 00 90	cartridge black Ø 35 x 52 mm -	1
9	09 24 04 141-28	Mounting bracket Ø 40 x 18 mm - Brushed Durabross	2
11	09 20 79 040-28	Handle Lever 120 x 43 x 23 mm - Brushed Durabross	1
12	09 31 11 030 90	Mounting bracket Threaded pin With hex socket With cup point M5 x 5 mm -	1
13	09 31 20 109 90	Plug -	1
14	04 30 11 038 75 90	Mounting bracket with O-Ring Ø36 x 4 mm Ø 52 x 1,5 mm -	1
15	04 30 04 045 00 90	Flexible supply line Short shaft 3/8" -	2
16	09 31 11 091 90	Mounting bracket Threaded bolts M8 x 130 mm -	1