

## Bathtub - Tara.

Single-lever tub mixer for freestanding installation with hand shower set - black matte Article number: 25 863 661-33




- 11-1/8" Projection
- 360° swiveling spout
- · Spout: Round aerated stream
- Hand shower set: Standard spray
- Baton hand shower with descaling system
- Hand shower bracket
- Integrated diverter
- Total height 40-5/8" 43-3/8"
- Lower body height 22-1/4" 25"
- Height to aerator/spout outlet 35-3/8" 38-1/8"
- Flanges Ø 5-3/8"
- Metal shower hose 49-1/4" with anti-twist device
- Water flow rate limited to max. 6.5 gpm
- Handshower flow rate max. 1.8 gpm
- Fittings group in compliance with DIN 4109: 1 NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)
- Internal backflow preventer.



black matte

Accessory is required for this item.

# Dimensional drawing






# Bathtub - Tara.

Single-lever tub mixer for freestanding installation with hand shower set - black matte Article number: 25 863 661-33

All dimensions in mm / inch = mm x 0,0394

## Flow rate chart





## Bathtub - Tara.

Single-lever tub mixer for freestanding installation with hand shower set - black matte Article number: 25 863 661-33

## Other surface finishes



polished chrome 25 863 661-00



platinum matte 25 863 661-06



Brushed Durabrass 25 863 661-28



chrome matte 25 863 661-93

More custom finish options are available via special production (xTra Service). Please see our finish matrix for availability and pricing or contact a Dornbracht representative.



35 949 970-90 0010

Floor mounting rough set -