

VAIA Three-hole lavatory mixer with drain - Brushed Dark Platinum

20 705 809



- 6-1/2" Projection
- US drain with overflow
- Swiveling spout 360°
- Round aerated stream
- Total height 5-5/8"
- Height to aerator/spout outlet 3-1/2"
- Valve hole diameter 1-1/4"
- Spout hole diameter 1-3/8"
- Flange diameter 2-3/8"
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB


Suitable only for basins with overflow.

	Brushed Dark Platinum	20 705 809-99 0010
	Chrome	20 705 809-00 0010
	Brushed Platinum	20 705 809-06 0010
	Platinum	20 705 809-08 0010
	Brushed Durabronze (23kt Gold)	20 705 809-28 0010
	Brushed Bronze	20 705 809-42 0010
	Brushed Champagne (22kt Gold)	20 705 809-46 0010
	Champagne (22kt Gold)	20 705 809-47 0010




VAIA Three-hole lavatory mixer with drain - Brushed Dark Platinum

20 705 809



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	EPA WaterSense
NSF372	NSF61	WaterSense	





VAIA Three-hole lavatory mixer with drain - Brushed Dark Platinum

20 705 809


Certificates

IAPMO_6397	IAPMO_8834	IAPMO_4976	IAPMO_N-4976
------------	------------	------------	--------------

VAIA Three-hole lavatory mixer with drain - Brushed Dark Platinum

20 705 809

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 20 80 011 00-99	handle (hot)	1	20
2	04 17 11 055 51 90	side panel	2	2
3	90 90 03 151 00 90	top	2	2
4	04 30 04 096 00 90	hose	2	2
5	10 125 970-99 0010	Umbrella drain 1 1/4" - Brushed Dark Platinum	1	20
6	90 28 22 369 00-99	spout	1	20
7	09 27 80 011-99	rosette	1	20
8	09 14 10 084 90	seal	1	2
9	90 30 01 033 00 90	base	1	2
10	09 14 10 017 90	seal	1	2
11	09 24 04 021 10 90	nipple	1	2
12	09 23 10 127 90	nut	1	2
13	04 23 10 004 04 90	fixing set	1	2
14	90 17 11 020 10 90	distributor	1	2
15	90 23 10 012 00 90	gasket kit	1	2
16	90 20 80 010 00-99	handle (cold)	1	20
17	09 28 10 003 90	ring	2	2
18	09 24 01 028 90	ring	2	2
19	04 23 10 032 78 90	fixing set	2	2