

VAIA Single-hole lavatory mixer with stand pipe without drain - Chrome

VAIA

22 585 809 Product version from 4/1/2024



- 8" Projection
- Swiveling spout 360°
- Round aerated stream
- Total height 49-1/4" - 52"
- Height to aerator/spout outlet 45-3/8" - 48-1/8"
- Flange diameter 5-3/8"
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB **(ADA)**

(ADA)

	Chrome	22 585 809-00 0010
	Brushed Platinum	22 585 809-06 0010
	Platinum	22 585 809-08 0010
	Dark Chrome	22 585 809-19 0010
	Brushed Light Gold (PVD)	22 585 809-27 0010
	Brushed Durabrass (23kt Gold)	22 585 809-28 0010
	Brushed Dark Brass (PVD)	22 585 809-39 0010
	Brushed Bronze (PVD)	22 585 809-42 0010
	Brushed Champagne (22kt Gold)	22 585 809-46 0010
	Champagne (22kt Gold)	22 585 809-47 0010
	Brushed Dark Platinum	22 585 809-99 0010

Required article




- Floor mounting rough set -**
- Min. rough in depth 3-1/8"
 - Max. rough in depth 5-7/8"

35 949 970-90
0010

22 585 809 Product version from 4/1/2024

mm [inches]




Codes & Standards

ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC
EPA WaterSense	NSF372	NSF61	WaterSense



Certificates and sustainability

IAPMO_4976	IAPMO_6397	IAPMO_8834	IAPMO_N-4976	EPD-DOR-20230287 -IBA1-EN Environmental product-declaration
------------	------------	------------	--------------	---



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
6	09 24 03 193 90	Nipple -	1.00	2
2	90 20 66 028 00-00	Handle complete - Chrome	1.00	10
1	90 28 22 313 01-00	Outlet 201 mm, 1.2 gpm - Chrome	1.00	10
14	09 14 10 018 90	O-Ring EPDM 70 32,0 x 3,0 mm -	1.00	2
3	90 20 66 029 01-00	Lever - Chrome	1.00	10
9	04 28 22 022 10 90	Connection -	2.00	2
4	90 90 03 175 00 90	Cartridge Lifetime Mix 90° Ø 19 x 48 mm -	1.00	2
10	04 31 11 002 00 90	Mounting bracket Threaded pin 12 x 11,5 x 12 mm -	1.00	2
11	04 28 22 028 00-00	Pipe Ø 72,5 x 999,5 mm - Chrome	1.00	60
7	09 30 30 047 90	Mounting bracket Cylinder screw With hex socket M8 x 30 mm -	1.00	2
8	09 14 10 139 90	O-Ring EPDM 70 9,0 x 2,0 mm -	4.00	2
5	09 31 11 040 90	Straight pin Ø 6 x12 mm -	1.00	2
12	90 27 80 033 00-00	Escutcheon - Chrome	1.00	10
13	09 14 10 084 90	O-Ring EPDM 70 48 x 3,5 mm -	1.00	2