

## MEM Single-lever lavatory mixer with drain - Chrome

MEM

33 502 782 Product version from 9/1/2022




- 4-1/2" Projection
- US drain with overflow
- Rigid spout
- Rectangular aerated stream
- Total height 11-1/8"
- Height to aerator/spout outlet 8-1/2"
- 1-3/8" hole diameter
- 2x 3/8" flexible supply lines
- 2x 3/8" US flexible supply lines
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Suitable only for basins with overflow.

(ADA)

|                                                                                     |                                |                    |
|-------------------------------------------------------------------------------------|--------------------------------|--------------------|
|    | Chrome                         | 33 502 782-00 0010 |
|    | Brushed Platinum               | 33 502 782-06 0010 |
|    | Platinum                       | 33 502 782-08 0010 |
|    | Dark Chrome                    | 33 502 782-19 0010 |
|    | Brushed Light Gold (PVD)       | 33 502 782-27 0010 |
|    | Brushed Durabronze (23kt Gold) | 33 502 782-28 0010 |
|    | Brushed Gold (PVD)             | 33 502 782-37 0010 |
|    | Brushed Dark Brass (PVD)       | 33 502 782-39 0010 |
|    | Brushed Bronze (PVD)           | 33 502 782-42 0010 |
|   | Brushed Champagne (22kt Gold)  | 33 502 782-46 0010 |
|  | Champagne (22kt Gold)          | 33 502 782-47 0010 |
|  | Brushed Dark Platinum          | 33 502 782-99 0010 |

33 502 782    Product version from 9/1/2022




Codes & Standards

|        |                |                                    |      |
|--------|----------------|------------------------------------|------|
| ADA    | ASME A112.18.1 | California Energy Commission (CEC) | cUPC |
| NSF372 | NSF61          |                                    |      |

Certificates and sustainability

|            |              |              |                                                                    |
|------------|--------------|--------------|--------------------------------------------------------------------|
| IAPMO_6397 | IAPMO_N-4976 | IAPMO_4976 ( | EPD-DOR-20230287<br>-IBA1-EN<br>Environmental.prod<br>uct-declarat |
|------------|--------------|--------------|--------------------------------------------------------------------|



## Spare parts list

| Number | Item Number        | Designation                                             | Number of units | Lead time |
|--------|--------------------|---------------------------------------------------------|-----------------|-----------|
| 7      | 90 28 30 051 00-00 | Hood Red - Blue marking 140 x 95 x 90 mm - Chrome       | 1.00            | 10        |
| 5      | 09 14 10 137 90    | O-Ring EPDM 70 29,0 x 2,0 mm -                          | 1.00            | 2         |
| 6      | 90 14 10 063 00 90 | O-Ring EPDM 70 26,0 x 2,0 mm -                          | 1.00            | 2         |
| 4      | 09 24 04 288 90    | Mounting bracket Nut Ø 34 x 26,5 mm -                   | 1.00            | 2         |
| 8      | 90 20 86 004 00-00 | Lever - Chrome                                          | 1.00            | 10        |
| 3      | 90 15 05 042 00 90 | cartridge Ø 25 x 52 mm -                                | 1.00            | 2         |
| 9      | 90 27 66 021 00-00 | Escutcheon - Chrome                                     | 1.00            | 10        |
| 12     | 09 24 04 290 90    | Nipple Ø 9 x 5 mm -                                     | 1.00            | 2         |
| 16     | 90 11 01 023 00-00 | Drain 1 1/4" for lavatory / bidet - Chrome              | 1.00            | 10        |
| 15     | 04 30 11 038 00 90 | Mounting bracket with O-Ring Ø40 x 4 mm Ø 52 x 1,5 mm - | 1.00            | 2         |
| 10     | 09 31 09 080-00    | Pull rod For drain set Ø 4 x 400 mm - Chrome            | 1.00            | 10        |
| 13     | 04 30 04 102 00 90 | Flexible supply line 3/8" -                             | 2.00            | 2         |
| 2      | 09 20 78 032-00    | Pull button 6 x 15 x 30 mm - Chrome                     | 1.00            | 10        |
| 11     | 09 14 10 166 90    | O-Ring NBR 70 4,1 x 1,6 mm -                            | 1.00            | 2         |
| 1      | 90 28 22 366 10-00 | Outlet - Chrome                                         | 1.00            | 10        |
| 14     | 09 31 11 012 90    | Mounting bracket Threaded bolts M8 x110 mm -            | 1.00            | 2         |